
Advancing Computer Knowledge

Programming Techniques

- Plot Data With Character Graphics
- Structured Game
 Design: Transform
 Imagination Into
 Graphic Displays
- Directory Menu for Apple, Atari, C64, and Color Computer






See page 29



See page 69



See page 40



Animated Graphics Routines for the 6809
Random Number Generator for the Apple
Review of Powerful Programmer's Utility for C64



Strategy



Exciting Adventure



























At Penguin, we don't rely on the same old game formulas, adding to the mish-mash of look-alike games already on the market. We look for creativity, originality, and innovation. Games like Minit Man, challenging you with two types of arcade action simultaneously; Coveted Mirror, an adventure with animation and arcade games throughout; The Spy Strikes Back, an arcade game with strategy and a touch of adventure; Pensate and Tactic 9, games that make you think; and Expedition Amazon, an intriguing and humorous fantasy game

And Each Is Only \$19.95! More Fun For Your Money From Penguin Software

Write for a free catalog

SPY'S

830 Fourth Avenue, Box 311 Dept. C Geneva, IL 60134 For information - Call (312) 232-1984 Dealer orders only - Call (800) 323-0116

Apple is a trademark of Apple Computer, Inc. Atari is a trademark of Atari, Inc. Commodore is a trademark of Commodore Business Machines, Inc. IBM is a trademark of International Business Machines Corp. Penguins are hard on pool toys.



SCRIPT 64

Suggested Retail: \$99.95

"REALLY FOXY IS BEING LETTER PERFECT"

Contact Your Nearest Commodore Dealer Today . . . You'll Be So Glad You Did!

Distributed By:
COMPUTER
MARKETING SERVICES INC.

300 W. Marlton Pike Cherry Hill, New Jersey 08002 (609) 795-9480

Commodere 64 is a trademark of Commodere Electronics Limited Script 64 is a trademark of Richvale Telecommunications



Editor's Notes

his month's issue of MICRO introduces a new format, making it even more valuable and easier to read. Just turn to the Table of Contents for a peek. We've sectionalized the magazine by system — Apple, Commodore, Atari, and Color Computer. Now you have at least 10 to 15 pages of the magazine devoted only to your computer! Plus we still offer a general section with information for everyone.

We haven't altered MICRO's unique content or professional style. You can still count on MICRO for intermediate to advanced information on these systems — serious, useful information for serious computerists. And, since we've more carefully defined the systems we cover [eliminating the OSI, AIM, SYM, and KIM as discussed in August's Editorial], we are able to cover more completely the Apple, Commodore, Atari, and Color Computer systems.

We think you'll find, over the next few months, that MICRO is growing in quality. Our loyal, long-time readers will be pleased with the way MICRO continues to meet their expectations, and new readers will be pleasantly surprised at discovering a serious, useful, professional source of information.

October's Highlights

Our concentration in October is on programming techniques. We offer a directory menu for each system, plus many other helpful techniques and methods to improve your programming. In the general section Loren Wright provides a routine to plot data with character graphics for all the systems, and Michael Allen demonstrates structured game design.

In the Apple section look for "Rapid String/Substring Search," by


L.S. Reich, a random number generator from Bill Walker, and a linear search technique by Richard Vile. The Commodore section brings you faster math operations in Microsoft BASIC (Peter Hiscocks), and a bank-switched JSR by Terry Peterson.

Atari users will find their directory menu, Paul Swanson's From Here to Atari column, and "Atari Graphics Notepad in FORTH," by Mike Dougherty. And, for Color Computer enthusiasts there is John Steiner's CoCo Bits column, a directory menu, and animated graphics routines from Craig Carmichael.

Each month the system sections will become more carefully organized; in November each will contain its own Software and Hardware Catalog and Reviews in Brief departments. We hope you enjoy our new format.

Enter Our Graphics Contest!!!

We're sponsoring an exciting contest for those of you interested in designing graphics pictures. You could win one of many prizes — big and small! Just use your favorite graphics program on your favorite microcomputer (either a Commodore, Apple, Atari, or Color Computer) and create! Turn to page 108 for all the details!



ATARI COMPUTER OWNERS:

Pick the positively perfect, practical, peripheral age, from



That's right... the positively perfect PERCOM DATA 5'4", floppy disk drive with a BUILT-IN PRINTER-PORT, for your Atari* 400/800 is now available!

Until now, Atari computer owners who wanted to nook a printer to their computer had only one choice... spend about \$220 for an interface device. THOSE DAYS ARE OVER PERCOM DATA has built a parallel printer-port right into its new AT88 PD model. Now you can add a quality disk drive system AND have a place to plug in a printer... WITHOUT BUYING an interface.

The AT88 S1 PD™ disk drive operates in both single density (88K bytes formatted) and double density (176K bytes formatted).

What more could you want? NO INTERFACE... a high quality PERCOM DATA disk drive. AND a built-in PRINTER-PORT... all with a price of \$599.

Pick up a positively perfect PERCOM DATA disk drive, with printer-port... prontol

For the name of an authorized PERCOM DATA Dealer near you, call our TOLL-FREE HOTLINE 1-800-527-1222 NOW, or write

Perfectly Priced



Expanding Your Peripheral Vision

DRIVES . NETWORKS . SOFTWARE

11220 Pagemill Road, Dallas, Texas 75243 (214) 340-5800 1-800-527-1222

Atan is a registered trademark of Atan, Inc. + AT88 S1 PD is a trademark of Percom Data Corporation, + COPYRIGHT PERCOM DATA CORPORATION 1983 Prices subject to change without notice:

ACRO

Advancing Computer Knowledge

P.O. Box 6502, Amherst, NH 03031 (603) 889-4330

> Managing Editor Marjorle Morse

Technical Editors
Phil Daley
Loren Wright
Assistant Editor
Emmalyn H. Bentley
Office Mgr./Editorial Assistant

Maureen Dube
Contributing Editors
Cornelis Bongers
Dave Malmberg
John Steiner
Jim Strasma
Paul Swanson
Richard C. Vile, Jr.
Art Director/Production

Helen Bergeron Betz
Typesetter
Lynda Fedas
Advertising
Sheila McDonough
Dealer Sales
Maureen Dube
Circulation
Cindy Schalk
Accounting
Donna M. Tripp
President/

Publisher/Editor-in-Chief Robert M. Tripp Associate Publisher/ Circulation Mgr

Nancy Lapointe

MICRO is published monthly by: MICRO, Amherst, NH 03031. Second Class postage paid at: Amherst, NH 03031 and additional mailing offices. USPS Publication Number: 483470. ISSN: 0271-9002. Send subscriptions, change of address, USPS Form 3579, requests for back issues and all other fulfillment questions to MICRO, 10 Northern Blvd., P.O. Box 6502, Amherst, NH 03031, or call (603) 889-4330, Telex: 955329 TLX SRVC, 800-227-1617. Subscription tates (per year): U.S. \$24.00, \$42.00 / 2 yr. Foreign surface mail \$27.00. Air mail: Europe \$42.00; Mexico, Central America, Middle East, North Africa, Central Africa \$48.00, South America, South Africa, Far East, Australasia, New Zealand \$72.00. Copyright © 1983 by MICRO. All Rights Reserved.

Programming Techniques

25 Programming Techniques

Phil Daley
A brief discussion on useful techniques

26 The Directory Menu


Phil Daley

An introduction to this userfriendly utility

28 Plotting Data with Character Graphics

Loren Wright

General purpose routines for the C64, VIC-20, PET, Apple, Atari, and TRS-80C



34 Structured Game Design

Michael Allen

Transform imagination and fantasy into graphic or text displays

97 Interface Clinic

Ralph Tenny

Convert your serial I/O into parallel I/O using a UART

Apple

18 Apple Slices

Jules Gilder Turn your IBM PC into an Apple

38 Rapid String/ Substring Search

L. S. Reich

Use a machine-language program to obtain a rapid array search.

42 Directory Menu for the Apple

Keith Davison and Phil Daley Convert the normal CATALOG routine into a string array of individual entries

44 Random Number Generator

Bill Walker

Theoretical basis for generating uniformly distributed pseudo-random numbers

48 Linear Search

Richard Vile

Learn how to search through a list of numbers

DRIVE #: WIDISK NAME = NOTE | SERVICE REDUCE | SERVICE REDUCE | SERVICE REDUCE | SERVICE | SERVI

The Directory Menu...page 26

Commodore:


12 Commodore Compass

Loren Wright

A look at POWER64 from Pro-Line Software

54 Faster Math Operations in Microsoft BASIC

Peter Hiscocks
Speed up array operations



58 Bank-Switched JSR

Terry Peterson

Use SuperPET's bankswitched memory with 6502 machine-language programs

62 Directory Menu for the Commodore 64

Al Korostynski
A fast version of this utility

Atari

14 From Here to Atari

Paul Swanson

Information on the three GTIA modes and a new editor, EREDIT

64 Directory Menu for the Atari

Jerry White

All you need are your DOS master disk, a blank disk, and these two BASIC programs

66 Atari Graphics Notepad in FORTH

Mike Dougherty

Interactively construct images through simple keyboard commands

Atari Graphics Notepad ABCDEFGHIJKLMNOPORSTHUWKYZ abcdefghijklmnopqrstuwwxyz abcdefghijklmnopqrstuwwxyz ABCDEFGHIJKLMNOPORSTHUWKYZ TEXT/LABEL Demonstration.

Color Computer:

22 CoCo Bits

John Steiner

New disk ROMs, the J & M disk controller card, and Elite*Calc

76 Directory Menu for the Color Computer

Steve Kronschnabel and Phil Daley


This version offers a directory backup

77 Animated Graphics Routines for the 6809

Craig Carmichael
Display moving animated figures and custom characters

DEPARTMENTS

- 2 Editor's Notes
- 7 Letters/Updates
- 87 Hardware Catalog
- 90 Software Catalog
- 100 New Publications
- 102 Reviews in Brief
- 107 Next Month in MICRO
- 111 Advertiser's Index
- 112 News Page



WE ACCEPT VISA/MASTERCARD, PERSONAL CHECKS (ALLOW 10 DAYS TO CLEAR) OR COD (\$2.00 CHARGE). PLEASE INCLUDE 3% FOR SHIPPING (\$2.00 MIN.) OR 5% FOR BLUE LABEL (\$3.00 MIN.). FOREIGN SHIPPING 10% (\$5.00 MIN.). CALIFORNIA RESIDENTS ADD 6% SALES TAX. ALL ITEMS ARE NEW AND CARRY MANUFACTURERS WARRANTY. PRICES AND AVAILABILITY ARE SUBJECT TO CHANGE WITHOUT NOTICE.

6



Letterbox



OSI Readers Respond

Dear Editor

your editorial in the August, 1983, issue proclaiming the death of OSI, AIM, SYM, and KIM. If you really mean not to accept any more articles on these micros, such an action is Oedipal, or at least patricidal, on your part and may well be expected to bring single-board computers and are the historic retribution from the Fates. (Personally, I would have recommended the Furies.

these micros, perhaps due to some in- Commodore 64. adequacy of your sampling technique or to the reticence of many users to almost from its beginning and I have answer surveys, etc.

As an example of such a possibility, this area, the American Association of Physics Teachers, which represents the that unique position and become just vast majority of both college and high another general computer magazine. school physics teachers in the U.S., has presented workshops at each of its meetings over the past three years (and at numerous other times and locations),

ASK articles and focusing on just the a new use for the MC68000 processor most popular and future computers is a specific to the ASK machines, you'll igmistake. Obviously, you are trying to nore it! Again, I ask: Why just cover expand your audience - one of them is certain machines? Doing this just conmaking more room in the magazine - tradicts the subtitle of the magazine: you can reach an even larger audience "Advancing Computer Knowledge". by covering all types and brand of Maybe it should now read: "Restricting machines. That's one reason why Computer Knowledge". How about BYTE and Computers and Electronics editorials on the latest portables? This are so successful. Why limit yourself to letter was written on a Kaypro 4. United States step down on the ladder cial issue! of world importance.

remember that not everybody has a something that other publications just PET, Coco, Atari, TI 99/4A, or any couldn't have done. other of the few machines that you do cover. One thing that seemed to be a message in the August editorial is that

which have introduced more than three It was with great sadness that I read thousand teachers to the use of the KIM Dear Editor: and SYM. In fact, it was only this year that their advanced interfacing workshop was entirely shifted from the building a considerable base of competence in the laboratory application of resulting in the appearance in the scientific literature of applications of these devices. Single-board micros are I believe you may have miscalcu- the essence of such interfacing applica-

> I have been a subscriber to MICRO always appreciated its role in supplying information on the specialized educational field. Please don't abandon

Charles D. Geilker, Chm. Department of Physics William Jewell College Liberty, MO 64068

The dropping of just the OSI and if one submits an article demonstrating just a certain group of machines? Don't Others using portables will appreciate get me wrong, I'm not condemning useful information on this machine. Or your decision. Seeing a magazine with how about the new Heathkit, the IBM a potpourri of very useful information PC, or the Hewlett Packards? Put all become specifically directed to a this together and you have either a limited audience is like watching the new section in the magazine or a spe-

Well anyway, thanks for helping me I guess the theme of this letter is to get the most out of my machine -

> Timothy Hu 1601 E. Lincoln Way Cheyenne, WY 82001

Atari FORTH Topics

I was pleased to see Mr. Dougherty's article on FORTH applications for the Atari (62:92). I would be even more KIM to the SYM. These activities are pleased if he [or anyone!] could grapple with another FORTH-for-Atari issue: disk files. Since FORTH disk files are incompatible with other DOSes, including Atari DOS, an article on reading and writing Atari DOS files from FORTH would be a boon.

Also, I thought the magazine's lated the extent of your present (and tions, where it would be patently ab- name was "MICRO" because of the future) readership concerned with surd to dedicate an entire Apple or computers, not because of its typography. If an article deserves no better than unreadable microscopic print, should the article be printed at all?

Mr. Swanson's column has twice I would cite the fact that, although they microcomputers that were of greatest mentioned ways of controlling have been rather slow to get going in interest to my own applications in the peripherals from the Atari joystick parts. The explanations have been terse and in expert's language, largely, I expect, because of the limits to space for a column. An article, however, would give him the chance to expand on the issue in terms understandable (or at least usable by ordinary BASIC programmers. Example programs would be necessary, even if in tiny print!

Ronald Pitts RD #5 Kittanning, PA 16201

Thank you for the article "An Inexpensive Joystick for the Apple II" [62:48]. I made it, and it works (after figuring out the orientation of the connector pin diagram). One note: I found a 16-pin DIP Header at my local Radio Shack (Part no. 276-1980, \$1.69 + tax).

Please, have more program listings for Apple; I originally subscribed to MICRO because it had good programs that I could enjoy. I'd also like to see more hints/techniques on programming - and, if you can find them, projects like the joystick.

Carl E. Serkland 507 Fontonett Ave. Livermore, CA 94550

(Continued on next page)



THOUSANDS OF COMPUTERS AND

The largest public computer show and business office equipment exposition ever held in Washington is coming to the Convention Center, October 27-30, 1983. If you've been thinking about a business computer, word processor, a video game, or a personal or home computer - The Fourth Annual Mid-Atlantic Computer Show and Business Office Equipment Exposition is the place to go to compare all the leading makes and question experts about the capabilities of their machines.

Unlike a computer store, The Computer Show offers you the opportunity to compare, question and learn about computers in a nonintimidating, no obligation, fun filled atmosphere. If you decide to buy at the show, you may save hundreds, even thousands of dollars because many products on display are for sale at super show prices.

The show features hardware and software for business, industry, government, education, home and personal use, including micro and mini computers, data and word processing equipment, computer graphics, peripherals, accessories, publications, support services and supplies.

Another major segment of the show is office systems, office products and office equipment such as electronic typewriters, telecommunications, telemarketing. copy machines, furniture, business machines, dictating equipment, microfilm equipment, facsimile machines, office supplies, publications and business services. Admission is \$5 for adults and \$3 for children.

SHOW HOURS: THURSDAY-SUNDAY OCTOBER 27-30, 1983 10:30 A.M. to 6 P.M.

> WASHINGTON CONVENTION CENTER

H & 9th Streets, N.W. Take Metro Blue, Orange or Red Lines to Metro Center.

MID-ATLANTIC COMPUTER RUSINESS OFFICE

PRODUCED BY COMPUTER EXPOSITIONS, INC. POST OFFICE BOX 3315, ANNAPOLIS, MARYLAND 21403 TELEPHONE – WASHINGTON, DC AREA: 261-1047 **TOLL FREE OUTSIDE MARYLAND: 1-800-368-2066**

SPONSORED BY

Letterbox (continued)

Dear Editor:

I read in your CoCo Bits column that a new ROM version for the Color Computer was expected soon. ROM version 1.1 has been out for some time as I have had my CoCo for over six months and it contains 1.1. This can be determined by typing "EXEC 41175" then "ENTER". This will cause the ROM version to be printed to the screen.

The disk Scripsit and Spectaculator from Radio Shack are run by typing "RUN DOS" then "ENTER"

I know a lot of people at work with micros that used to laugh at the Color Computer and think of it as a toy, but no more. Some of them have even told me they wish they had purchased one instead of what they have.

Your magazine has a lot of good information in it. It would be great to see more on the Color Computer.

> Brent Flemming 3rd Floor, Systems 700 Newport Center Dr. Newport Beach, CA 92660

Newton-Raphson: Novel or Not?

Dear Editor:

I did not have the pleasure of reading "Extending Newton Raphson's Method to Evaluate Complex Root" by P. P. Ong (56:71), but have just spotted Dr. Ong's letter in the July issue, wherein he mentions that the "extension (of the Newton-Raphson method) to include complex roots is novel."

I am afraid it is not that novel at all. In my textbook, Introduction to Numerical Methods, published by the Macmillan Publishing Company in 1970, I use the Newton-Raphson method to solve an equation with complex roots. Though no prior instances of such use come immediately to mind, I doubt that the technique was new even back in 1968 when the book was written


> Peter A. Stark P.O. Box 209 Mt. Kisco, NY 10549

(Continued on next page)

No. 65 - October 1983

VersaWriter

FOR COMPLETE GRAHICS



GRAPHICS TABLET AND SOFTWARE

Teachers, artists, engineers, programmers & hobbiests find VersaWriter an easy to use tool for creating micro computer graphics. No programming experience is required. Pictures can be made by simply tracing. Even children can explore the exciting world of computer graphics.


The VersaWriter is as limitless as your imagination.


VersaWriter contains complete software for drawing with color, brushes & dots. Add text or fill in over 100 colors. Create your own shapes and place anywhere on the screen. Use Area/Distance, Move Picture, Electronic Drawing & Skeleton programs. Additional features include Reverse Picture, Scaling, Split/Full Screen, Save, Load, Erase plus much more...

Complete Hardware/Software System for Apple II/II+/IIe (Also available for Atari and IBM PC)

\$299.00

VERSAWRITER DESIGNER PACS*







EXPANSION PAC I- Create real time shape tables in full color. Contains 350 predefined shapes for architecture, games, circuit boards, etc. Edit or define pictures using the true color HIRES microscope with up to 4x magnification. \$39.95

*Requires VersaWriter

EXPANION PAC II - Adds 10 powerful graphics commands to VersaWriter including: Shrink, Magnify, Fast Picture Loader, Combine Two Screens, Color Remover, and Mirror & Upside Down Functions. Mix functions to create unusual effects. \$39.95

EXPANSION PAC III - NEW! To be released this Fall - Animation Tool Kit.

\$49.95



COMPUTING. INC. 3541 Old Conejo Rd. #104 • Newbury Park, CA 91320 • (805) 498-1956

Letterbox (continued)

Dear Editors:

I refer to Peter Stark's letter to you concerning my article titled "Extending Newton-Raphson's Method to Evaluate Complex Roots" [56:71]. I have already stated that NR's method is not new and numerous algorithms have already been tried long ago to extend it to complex roots (e.g., see W.E. Grove, Brief Numerical Methods, Prentice Hall, 1966, p. 9-14, as referred to in my article).

In Peter's book, the method described is, unfortunately, merely a simplified repetition of Grove's method and many others before him. Its chief defects, which render it unsuitable for a microcomputer (or even a more powerful computer), are:

- (a) It necessitates a computer that can handle complex algebra, a requirement that is hard to satisfy even with present-day advanced microcomputers.
- (b) Convergence is often so elusive and slow that it rarely concludes successfully.
- [c] Perhaps most important of all, the algorithm suggested by Peter requires a lot of preliminary tedious

[and error-prone] calculations, such as to rationalize all the term denominators. My program is universal and does not require any prior manipulation of complex numbers. Just enter the coefficients of the polynomial and the computer takes over completely.

Beset by all these defects, Peter's algorithm is probably only suitable as an academic topic. I hope his readers would not be enthusiastic enough to take up his advice (p. 116 second paragraph last line) that his method is worth trying in actual practice. As a lecturer myself I know that the surest way to stifle a student's interest in any subject is to disappoint him with unattainable expectations especially after considerable effort has been put in.

Was it just by pure chance that for a practical illustration of his method, Peter had chosen the most simple polynomial equation:

$$x^2 + x + 1 = 0$$

This example is almost too trivial for illustration on my program. It took barely five seconds to yield the answers:

 $x = -0.4999999999 \pm 0.866025403i$

on my Apple II + computer, a result that is more accurate than Peter's. Such an oversimplified case certainly cannot be regarded as typical. Had Peter tried with even slightly more complicated examples, he would have realized the limitations of his method. I am quite sure that Peter's method is unlikely to be successful with either of the examples I used in my article.

I will leave it to your readers to judge whether my method is superior. The best way for Peter to support his contention that my algorithm is not novel is to cite some earlier paper describing the de Moivre extension of NR's method that I have proposed.

Dr. P.P. Ong
Physics Department
National University of Singapore
Kent Ridge
Singapore, 0511.

Send your comments, criticisms, or ideas to Letterbox, MICRO magazine, P.O. Box 6502, Amherst, NH 03031.

MICRO









In a few millionths of a second, common electrical surges and spikes can enter your data processing equipment and cause memory loss, false logic and misregistration. Surges very often do permanent damage to microcircuitry.

FLEXIDUCT Surge Suppressors catch surges and spikes before they have a chance to enter your equipment. In billionths of a second (Nanoseconds), **FLEXIDUCT** Surge Suppressors dissipate surges and spikes from any side of the line (most protect only one side).

Model FS-P plugs into the wall outlet to protect that outlet **and all other outlets on that circuit.** For safety, it is fused to protect from overloads

No computer should be without the protection of a **FLEXIDUCT** Surge Suppressor...**especially yours!** Write or call for further information. Available from office products retailers.

Surge Suppressors

a product of Winders & Geist, Inc. P.O. Box 83088 Lincoln, NE 68501 402/474-3400

MCRO

Commodore Compass



by Loren Wright

POWER64 Makes Programming Easier

ow would you like to be able to hit a single key on your Commodore 64 and have "POKE 53281," appear instantly on the screen? This "instant phrase" feature is only one of the many capabilities of POWER64.

To start, as soon as the POWER64 system is loaded in, many of the keys have new functions. For instance, the shifted "R" key immediately types "RETURN" on the screen, and the Commodore key and the "L" key cause "LEFT\${" to be printed. Also, the program listing behaves differently. Just move the cursor past the top or bottom of the screen and the listing begins to scroll, line by line. There is no longer any need to keep your finger poised nervously over the STOP key for fear of missing that vital line.

There is an AUTO command that automatically prints the next line number as you hit RETURN. If you quit the sequence (by hitting RETURN on the line with only a line number), you can resume programming where you left off simply by typing AUTO again. Of course you can specify the increment.

The DELETE command allows you to delete a whole range of lines with a single command — no more one-by-one line deletions! The RENUM command is the most powerful I've seen. It actually lets you renumber parts of your program, which means you can keep all your subroutines beginning on even thousands!

So much for the everyday commands. There is a lot more. As I mentioned at the beginning, you can redefine any key to a phrase, which could even be something like "FOR I = 1 TO 100: ?I: GOSUB 2000: NEXT I". When you hit the redefined key (usually a shifted one), the whole phrase is instantly typed on the screen for you. You can even redefine a key to execute a whole subroutine consisting of many lines.

POWER64 has one of the most powerful search and search-and-replace packages I've seen: there are wild characters, a whole-program or next-occurrence operation, and a convenient repeat. Even the syntax is easy to remember.

Next, there's a whole set of debugging commands. The star of the show is the TRACE command, whose options include displaying at the top of the screen or in-line and full-line displays with variable value or just line numbers. After you invoke the TRACE command and type RUN, you can single step, trace continuously, or even execute for a while without any trace display. Responses to GET and INPUT statements are handled easily. The WHY command lets you know where in the program line an error occurred, and the DUMP command displays the values of all variables (except arrays). The DUMP display is such that you can easily change the value of any variable and CONTinue program execution.

The FIX and PTR commands restore the BASIC pointers that get fouled up, especially when you have

loaded a machine-language program to a strange place. FIX also reinitializes POWER64. EXEC is a very powerful command that allows you to turn control over to a logical file.

TEST lets you LOAD (or type in) and RUN a second program without destroying the first. BACK sends you back to the first program.

That just about covers the capabilities of POWER64, but there is more to be considered. First, POWER64 is relocatable and automatically adjusts itself to the current Commodore 64 memory configuration. That means that, if you have a cartridge in place that takes memory from the top of BASIC, POWER64 will load in automatically below. (It does work with the C64-Link cartridge.)

Brad Templeton, the author of POWER64 and POWER (for the PET, reviewed in MICRO 50:69), has written a convenient resident assembler called PAL, which works extremely well with POWER64. The PAL assembler will be reviewed in a future issue of MICRO.

The manual, by Jim Butterfield and Brad Templeton, does well at both teaching the newcomer how to use the product and serving as a good reference. There are several appendices that help the advanced programmer get even more from POWER64.

It is easy to add your own commands and default-key definitions to POWER. In fact, a disk-oriented expansion package called MOREPOWER is included on the disk. MOREPOWER makes most disk tasks considerably easier. A single key will get you the disk directory or the disk-error messages. You can LIST a program for even a sequential file! from the disk without destroying your current program. There are SIZE and START commands that can read the length or beginning (for ML programs) of any program file on disk. You can LOAD or LOAD and RUN a program from a directory listing by simply moving the cursor to the left of the entry and hitting a single key. You can MERGE one BASIC file into another. (This is also possible with the EXEC command, but more is involved.) There are several others.

To prove that I haven't been paid off for this glowing review, I'll mention a couple of negative items. The AUTO command works in an annoying manner (at least for me). When you go to a previous line to make a change, the system doesn't recognize that you are no longer cranking out lines in the expected sequence. Other AUTO commands I've seen can handle this.

The price [\$99.95] is certainly fair for all the things you get, but you should consider whether you really need everything POWER64 has to offer. Unless you do a fair amount of programming, the answer may very well be no. The manual mentions a cartridge version, which would make using the package more convenient, but less flexible. This is the only practical way that people without disk drives could use it.

POWER64 is available from Pro-Line Software Ltd., 755 The Queensway East, Unit 8, Mississauga, Ontario L4Y 4C5 [416-273-6350].

Products for Commodore, Atari, Apple, and others!

THE MONKEY WRENCH II A PROGRAMMERS AID FOR ATARI 800 **NEW AND IMPROVED — 18 COMMANDS** PLUGS INTO RIGHT CARTRIDGE SLOT

If you are a person who likes to monkey around with the ATARI 800, then THE MONKEY WRENCH II is for you!! Make your programming tasks easier, less time-consuming and more fun. Why spend extra hours working on a BASIC program when the MONKEY WRENCH can do it for you in seconds. It can also make backup copies of boot type cassette programs. Plugs into the right slot and works with ATARI BASIC cartridge.

The MONKEY WRENCH provides 18 direct mode commands They are AUTO LINE NUMBERING — Pro-vides new line numbers when entering BASIC program lines RENUMBER — Renumbers BASIC's line numbers including internal references DELETE LINE NUMBERS

— Removes a range BASIC line numbers



\$59.95

Removes a range BASIC line numbers

VARIABLES — Display all BASIC variables and their current value Scrolling — Use the START & SELECT keys to display BASIC lines automatically. Scroll up or down BASIC program FIND STRING — Find every occurrence of a string. ACHANGE STRING — Find every occurrence of a string. MOVE LINES — Move lines from one part of program to another part of program COPYLINES — Copy lines from one part of program to another part of program FORMATTED LIST — Print BASIC program in special line format and automatic page numbering DISK DIRECTORY — Display Disk Directory CHANGE MARGINS — Provides the capability to easily change the screen argins MEMORY TEST — Provides the capability to test RAM memory CURSOR EXCHANGE — Allows usage of the cursor keys without holding down the CTRL key. UPPER CASE LOCK — Keeps the computer in the upper case character set HEX CON-VERSION — Converts a hexadecimal number to a decimal number. MONITOR — Enter the machine language monitor. machine language monitor

In addition to the BASIC commands, the Monkey Wrench also contains a machine language monitor with 16 commands used to interact with the powerful features of the 6502 microprocessor

VIC RABBIT CARTRIDGE AND CBM 64 RABBIT CARTRIDGE **NEW FEATURE!**



"High Speed Cassette Load and Save¹

DATA FILES!

\$39.95

(includes cartridge and manuall

Don't waste your Life away waiting to LOAD and SAVE programs on Cassette Deck

Load or Save 8K in approximately 30 seconds¹ Try it-your Un-Rabbitized VIC or 64 takes almost 3 minutes. It's not only fast but VERY RELIABLE

Almost as fast as 1541 Disk Drive! Don't be foolish - Why buy the disk when you can get the Rabbit for much, much less!

Allows one to APPEND Basic Programs! Easy to install - just plugs in. Expansion Connector on rear of the VIC Rabbit. Works with or without Expansion Memory Works with VIC or 64 Cassette Deck 12 Commands provide other neat features

Fast Data Files - two data file modes Also Available for 2001, 4001, and 8032

NOW SHERY STCP - 300/1200 Baud

Standard Terminal Communications Package

PEO: IOD OOA CP: D1 -D2 BELL 12 30 00 10 14

Don't settle for non-standard Communications Protocol Access Micro Net Source Builletin Boards Local Main-



- Complete Package Includes RS232 Interface Board and software Idoes not include
- modern)
 Communicates in Industry Standard ASCII
- Upload/Download to/from Disk Automatic File Translation
- Can be controlled from keyboard or user sup plied basic or machine language program

Specify 3.0 or 4.0 ROMS or 8032 Commodore Computer 4040 or 8050 or PEDISK II Disk or CBM64 on 1541

Price: \$129.95

ATARI AND PET **EPROM PROGRAMMER**

Programs 2716 and 2532 EPROMs. Includes hardware and software. PET = \$75.00 -ATARI (includes sophisticated machine language monitor) = \$119.95



Prowriter Printer - Excellent dot matrix print parallel

Serial - Call IEEE - Call

PET BASIC SCROLL PROGRAM

Scroll thru Basic Programs using cursor up/down keys. Specify computer. \$6.00 on cassette, \$9.00 on diskette

65C02 MAE

Same as our MAE but enhanced for the new 65C02 Opcodes. Turns your computer into a development system for the new ROCKWELL 65C02 Microprocessor. \$200.00 - Specify Computer

EHS's CBM64 Monitor Cartridge \$25.00

Every Commodore 64 owner

should have this Machine Language Monitor to explore the interesting and exciting world of Machine Level Code. If you can't think of a need for it now, some day you'll wish it was in your Software Library. Commands include Display Registers/Memory Disassemble, Assemble, Transfer, etc. Over 20 commands. Cartridge and Manual - 25.00.

It's a

More than just an Assembler/Editor!

Professionally Designed Software Development System

Now for the "64"



Blast off with the software used on the space shuttle project!

- . Designed to improve Programmer Productivity
- Similar syntax and commands No need to relead peculiar syntaxes and commands when you go from PET to APPLE to ATARI
- Coresident Assemble/Editor No need to toad the Editor ten the Assemble then the Editor ten the Assemble then the Editor etc. Also includes Word Processor Relocating Loads
- Options EPROM Programmer unimplemented
- STILL NOT CONVINCED Send for free spec sheet

5% INCH SOFT SECTORED DISKETTES

Highest quality. We use them on our PETs, APPLEs, ATARIs, and other computers. \$22.50/10 or \$44.50/20



0

FPROMS 2716 = \$4.50 2532 = \$7.50 Over 40 Commodore Programs by Baker (on 4040) = \$25.00



3239 Linda Dr. Winston-Salem, N.C. 27106 (919) 924-2889 (919) 748-8446 Send for free catalog!



ATTENTION ALL MICROCOMPUTER OWNERS!!

CSE MEANS MORE

Introducing our expanded product line

We now distribute MORE software, hardware and accessories

We now deal with MORE machines than ever before We want to make you a satisfied customer MORE than the "other" guys

Call or write us for information on whatever you're looking for

You'll get our best service because it means MORE to us

HERE'S JUST A SAMPLE OF WHAT WE OFFER:

Anchor Automation, California Computer Systems, DMP Systems Software, D.Q.F.L.S. Word Processing Software, Diablo, Electrohome, D.C. Hayes, Mountain Computer, NEC, Microsoft, Practical Peripherals, Videx, Zenith and SO MUCH MORE!!

We carry a variety of diskettes, O.S.I. software, educational software, and games too!



COMPUTER SCIENCE ENGINEERING

Box 50 • 291 Huntington Ave. Boston 02115 617-423-9501

DON'T MISS OUR GRAPHICS CONTEST

SEE PAGES 108 - 109 FOR DETAILS

MICRO

From Here To Atari

Paul S. Swanson

everal inquiries came in concerning the listing for the Mode 10 Painter Program, Part I, appearing in the July issue of Micro. The listing was typeset, which is a difficult format to decipher into the proper keystrokes when translating the graphics characters onto the Atari computer. The screen format listing in September should help you find any bugs. To make your screen conform to the 40-column format of these listings, POKE 82,0 before entering the program. That will set your left margin at column zero and give you a full 40-column screen.

GTIA Modes

The painter program also inspired a few questions about the three GTIA modes. All three of the modes are variations of GRAPHICS 8 screens. The shadow of the hardware register PRIOR, which is located at (decimal) 623, contains two switches that control the four possible interpretations. Since GRAPHICS 8 and GRAPHICS 0 screens both use the same type of interpretation, this location can also be used to control a GRAPHICS 0 screen so that it can be used as a GTIA character graphics screen.

Specifically, the interpretation for the GTIA modes all use four bits, so each byte contains the information for two pixels. If GRAPHICS 9 is declared, or a POKE 623,64 is executed, each four bits will be interpreted as the luminance of the hue contained in color register four (SET-COLOR 4,H,0 where H is the background hue). The luminance should be set to zero. If it is not zero it will create some undesirable effects on the display and at least some of the selections of luminances will be lost.

GRAPHICS 11 is the inverse of GRAPHICS 9. This interpretation happens in response to either a GRAPHICS 11 statement or POKE 623,192. All 16 hues will appear at the luminance stored with SETCOLOR 4,0,L [L is the luminance]. The luminance of the black background is always zero, independent of the luminance selected. Using a hue number other than zero alters the background color, but has an undesirable effect on the hues as setting the luminance has on the luminances of a GRAPHICS 9 screen.

GRAPHICS 10, which corresponds to a POKE 623,128, is the only one that uses color registers other than register four. All nine color registers, which include the ones altered with SETCOLOR 0,... through SETCOLOR 4,... and the four used for the players and missiles (POKE 704,... through POKE 707,...) are used on this screen. The allowed color values on the screen are zero through nine. The other seven are not practical to use, although they will produce colors. The screen background is taken from player zero's



color and can be set with a POKE 704,HUE*16+LUMI-NANCE. POKE 705 through 707 for the colors one through three. SETCOLOR 0,... through SETCOLOR 4,... control colors four through nine. Notice that although SETCOLOR 4,... sets the background color in most other modes, it is a foreground color in mode 10. Mode 10 is the only mode that uses location 704 for the background color. The colors set with SETCOLOR 0,... through SETCOLOR 4,... are, in the same order, stored at locations 708 through 712, so POKE 704+COLORREG,HUE*16+ LUMI-NANCE, where COLORREG is the color number to set, HUE is the hue (0 through 15) and LUMINANCE is the luminance value (even numbers in the range 0 to 15).

EREDIT

EREDIT, by EHR3, Inc., is a newly introduced editor that can be used to create and/or edit BASIC or assembly-language files. It will also save all of the changes made to the file and allow you to "back out" of changes you have made, all the way back to the original version if you wish. It uses the files on disk as BASIC LIST files, or the equivalent in assembly language (a TYPEd file from the Synassembler, for example).

All of the screen editing controls normally used when entering or editing a BASIC program are available in this editor (i.e., the four arrow keys, INSERT, DELETE, etc.). It is also possible to be editing one file and list another file on the screen. Combining this with the full screen editing allows you to take lines, with or without additional editing, directly from another file into the file you are editing.

EREDIT is controlled by 31 commands. Several of them are DOS commands, allowing operations like file delete, file copy, directory list, disk format, lock and unlock, to be performed without entering DOS. Several commands allow statements to be relocated in the program text and renumbering is available. There is also an overlay option that prevents you from redefining a line. This can be very valuable in preventing accidental deletions of lines in the program being edited. The COMPARE command allows line-by-line comparison between programs, noting every line that is different in comparing two files (including lines appearing in one file but not the other).

There is no BASIC syntax checking in EREDIT so it is possible to create and/or edit BASIC files only to find errors while ENTERing it into BASIC later. This is not too

(Continued on next page)

For affordable business software, put MicroSpec in



MicroSpec is serious about offering sophisticated business programs at an affordable price. And there's no skimping on the quality or capabilities of the programs.

Whether you're using DBM, INV, G/L, PAY, A/R, A/P, Fixed Asset, Rental Property Management, Mail List, or Checkbook Manager you'll find MicroSpec programs offer the greatest flexibility and optimum performance for your specific needs. And you'll like the price!

Proven MicroSpec business programs are available NOW for the Commodore 64 and VIC 20 (trademarks of Commodore). Applications for other popular micros will be coming soon.

A leader in the design of affordable business systems – MicroSpec. Put it in your memory.

For more information, contact your local dealer.

MicroSpec, Inc. P.O. Box 863085 • Plano, TX 75086 (214) 867-1333

(Dealer inquiries welcome)



COMPUTER

ERRORS-DOWNTIME-SERVICE

A speck of dust, dirl, or magnetic oxide on the read/write head of your floppy disk can cause data transfer errors, a disk crash, or even a costly disk drive fallure. Regular use of Perfectdata head cleaning diskettes can keep your drive heads clean and your system up and running. The Perfectdata system can be used on single or dual-sided floppy disk drives. (Comes complete with 2 cleaning diskettes, a 4 oz. bottle of CS-85 cleaning solution, and full instructions.)

5.25" Disk Drive Cleaning Kit \$22.75 8" Disk Drive Cleaning Kit \$22.75

ORGANIZE AND PROTECT YOUR DISKETTES

Organize your diskettes with an innovative Concepts Filip 'N' File from Mercury Micro. Holds up to 50 diskettes in a handsome smoke-colored transparent plastic case.

Case for 5.25" Diskettes \$23.75 Case for 8" Diskettes \$29.75

WHAT'S YOUR FAVORITE NUMBER?

New for spring. Top quality shirts with "64" or "20" printed in large numerals on both front and back. 50/50 blend will not shrink. Specify color and size and number choice. Available in red or blue,

\$7.50 each

ORDERING INFORMATION Phone (301) 994-1122 SHIPPING

Add \$1.50 to all orders for shipping. We pay balance for UPS service on all orders. Add \$2.00 for COD. Maryland residents please add 5% state sales tax.

WRITE OR CALL FOR FREE COMPUTER ACCESSORY CATALOG: SURGE PROTECTORS, DUST COVERS, BOOKS, DISK MAINTENANCE, BLANK MEDIA AND MUCH MORE.



Mercury Micro Inc. Dept. F Cherry Field Road Drayden, Md. 20630

SPECTRUM

32K RAM Button\$	2.99
32N MAIVI DULLOIT	
NANOS Reference Card\$	3.99
64K RAM Button\$	4.99
OAK MAIN DULLOIT	4.00
Coco Editor Assembler\$	6.95
Coco Tech Manual\$	7.95
Coco recii Manuai	0.05
16K RAM Chips\$	9.95
16K RAM Chips	14.95
LED O. (Off la diseased book to	14.95
LED On/Off Indicator\$	
Coco Light Pen	19.95
ATARI Joystick Interface\$	19.95
AIAM Joystick lilleriace	
Video Interface Kit\$	24.95
16K-32K Upgrade Kit\$	25.95
6883 SAM Chip\$	29.95
6809E CPU Chip\$	
googe Cro Clib	29.90
Basic ROM 1.1	36.00
Basic ROM 1.1\$ 64K RAM Chips\$ MARK DATA Keyboard\$	49.95
MADY DATA Kouhaard	60.05
MARK DATA Keyboard	09.95
BOIEK Printer Interface	69.90
Extended Basic ROM\$	84 00
Diet Centroller	120.05
Disk Controller\$	139.95
COLOR COMPUTERS\$	CALL
Call or Write for FREE Catalog	

Call or Write for FREE Catalog SPECTRUM PROJECTS 93-15 86th Dr Woodhaven, New York 11421 Add Sales Tax & \$3.00 for S/H

● Dealer/Club Inquires Invited ● ●

212 441-2807

SWARE ASSOCIATES, LTD.



- Questionnaire Analysis Software
- Microcomputer based
 Avoid the expense of contract services -- do everything in-house on your own Apple II+ microcomputer.
- Easy data entry
 Avoid time consuming keypunching. Uses respondent-marked cards
 entered with an Optical Mark Reader (keyboard entry also possible).
- Comprehensive data analysis
 Sort on any variable(s), tally all responses, conduct cross tabs, correlations, linear regression, frequency distributions, and more.
- Complete editing capabilities
 Weight items, derive composites, add or delete items, and more.
- Easy-to-use
 Pragrams are user friendly, menu driven, and interactive. No special computer expertise is required.

Call ar send for more information today

SCIENTIFIC SOFTWARE ASSOCIATES, LTD.

BOX 208 * WAUSAU, W. 54401 TELEPHONE: (?15) 845 - 2066

Apple II+ is a registered trademark of Apple Computer, Inc.

From Here to Atari (continued)

serious a drawback, since the corrections are easily done from BASIC at that point. The only other drawback I noted was the fact that there was no immediate mode capability, or anything equivalent. Generally, when I am writing or editing a program, I use the immediate mode to execute ASC (- CHR\${ conversions or perform calculations.

The user manual is in the reference book style, listing all of the commands in alphabetical order with adequate descriptions of each. Also, if the EREDIT disk is in the disk drive, the command HELP followed by a command name will list a brief description of the identified command on the screen. In both the manual and on the screen, the defaults are listed with the descriptions.

In summary, EREDIT can be a valuable tool to use in the development of software in BASIC or assembly language. It is available at EHR3, Inc., 174 Summit Avenue, Summit, NJ 07901. Suggested retail price is \$49.95. Inquiries are invited at that address by mail or by telephone at (201) 277-6785. It is compatible with the Atari 1200XL computer as well as the Atari 400 and 800 computers.

Next Month

I will review two software packages in next month's column. One is XBASIC from SUPERware, a utility program that stays in memory when a BASIC program is being written and executed. It provides many interesting capabilities not available in the standard Atari BASIC relating to arrays, strings, player/missiles, and DOS. The other program is S.A.M. [Software Automatic Mouth] from Don't Ask Software, which adds a sophisticated speech synthesizer to your Atari with no additional hardware. These topics will be presented along with a simple way to implement a display-list interrupt, which can be used to change character sets, colors, or the switches that control the GTIA interpretation so that a text window may be added to a GTIA screen.

You may contact Paul at 97 Jackson St., Cambridge, MA 02140.

MICRO

SCIENTIFIC



FOR YOUR APPLE II

Industry standard products at super saver discount prices

SOFTWARE

ARTSCI	List	SGC
Magicalc		\$ 99.00 99.00
DBase (Apple)		475.00
BRODERBOND		
Payroll		\$295.00
Arcade Machine		39.95
Serpentine		24.95
Galaxy Wars	24.95	20.95
DATAMOST	e 20.05	07.05
Aztec	\$ 39.95	\$ 27.95
		27.95
Worlds		20.95 20.95
Mating Zone		20.95
Pandoras Box		24.95
Roundabout		20.95
Roundabout	29.93	20.93
INFOROM Zork 1, 2, 3	¢ 20.05	\$ 27.95
Planet Fall		32.95
Starcross		27.95
Startioss	33.33	27.30
PEACHTREE		
Accounts Payable		\$295.00
Accounts Receivable		295.00
General Ledger		295.00
Inventory	400.00	295.00
SENTIENT		
Congo		\$ 24.95
Cyborg		24.95
Goldrush	34.95	24.95
SIRIUS		
Bandits		\$ 24.95
Epoch		24.95
Fly Wars		20.95
Beer Run	29.95	20.95
Outpost	29.95	20.95
Snake Byte		20.95
Sneakers		20.95 37.95
Joy Port	49.95	37.93
STRATIGIC SIMULATION		
Bomb Alley		\$ 42.95
Computer Combat	59.95	42.95
Ambush	59.95	42.95
		27.95
Quarter Back		
Germany 1985	59.95	42.95
Germany 1985	59.95 39.95	27.95
Germany 1985	59.95 39.95	
Germany 1985	59.95 39.95 59.95	27.95 42.95
Germany 1985	59.95 39.95 59.95 \$ 29.95	27.95 42.95 \$ 20.95
Germany 1985	59.95 39.95 59.95 \$ 29.95 39.95	27.95 42.95 \$ 20.95 27.95
Germany 1985	59.95 39.95 59.95 \$ 29.95 39.95 59.95	27.95 42.95 \$ 20.95 27.95 45.00
Germany 1985	59.95 39.95 59.95 \$ 29.95 39.95 59.95	27.95 42.95 \$ 20.95 27.95

SPECIAL AND NEW

BASIS COMPUTER

128K Memory • 80 Column Card • C.P.M.3.0, DOS Perfect Calc • Perfect Filer • Perfect Speller • Perfect Writer • 2 Disk Drives • Monitor

Coocial											\$2295.00
Special					٠			٠	٠		\$ ZZ3J.UU

FRANKLIN ACE 1000

Special\$1	0
64K Expand-A-Ram \$	225.00
128K Expand-A-Ram\$	
P.S. Buffer Card Stand Alone	155.95
Graphitti Card (Specify Printer)	89.00

PRINTERS

NEC 8023	 \$	395.00
NEC 8023 with Parallel Interface/Cable	 \$	449.00
OKI 82A 80 col./120 cps	 \$	439.00
OKI 83A 136 col./120 cps	 \$	695.00
Brother Letter Quality	 \$	889.00

ACCESSORIES

Disk Drives with Controller

/A	
(Apple)	
VersaCard	\$ 169.00
With Graphics	\$ 203.00
P.S. Buffer Card 16K Buffer	105.95
P.S. Buffer Card with Graphics & Cables	
16K Card	\$ 65.00
Floppy Discs Box of Ten With Order	\$ 25.00 \$ 19.90
PRT 1 Parallel with Cable	\$ 79.00

BUSINESS SPECIAL

Includes 80 Column Z-80 Card ● 16K Card ● Wordstar ● Supercale \$825.00
D.O.S. Programming SPECIAL (Apple II) 80 Column Card ◆ Magicalc ◆ Magic Window ◆ Magic Speller ◆ 16K Card
Special\$449.00
3-CARD SYSTEM 80 Column 16K Card ◆ Z-80 Card Special
MODEMS
Smartmodem 300
Special\$229.00
Smartmodem 1200
Special\$545.00

MONITORS

D-Cat Modem Special

Amdex Amber											
USI Green											
USI Lo/Res Colo	10										\$299.95

.....\$164.95

80 COLUMN CARDS

Smarterm 2										\$129.00
Videx Video										
Ultra Term.										\$289.95

Z-80 CARDS

Microsoft Card Apple IIE, 64K,						

EDUCATIONAL SOFTWARE

Spelling/Reading Primer	¢ 20 05
Perception	 \$ 20.95
Counting Bee	 \$ 23.95
Word Scrambler	
Fractions	 \$ 36.95
Intro. Algebra	 \$ 21.95
Frenzy/Flip Flop	
Wordstar	
SuperCalc	
VisaCalc	
Spellstar	\$175.00

All equipment shipped factory fresh. Manufacturers' warranties included. California customers add 6½% tax. Include payment by personal check, money order, or cashier's check with order and SGG will pay shipping charge. Call for amount of shipping charge when paying by credit card.

All items are normally in stock

415) 490-3420

... And we'll be here to help after you receive your order. Feel free to call the SGC Technical Staff for assistance

The mail order specialists

342 Quartz Circle, Livermore, CA 94550

MICRO

Apple Slices

by Jules Gilder

pple's Lisa computer is in the Russian Apples news again this month along with the Russians, typesetting by computer, and an alternative to hard disk drives. Those of you who have that Apple has been having a lot of been following developments in computer hardware during the last six ing manufactured in the Far East. Now months are no doubt aware of the sheer it seems that the Russians are getting joy expressed by IBM PC owners when into the act, too, and are producing they found out that they could turn their own counterfeit Apples. Unlike their \$4000 IBM PC into a \$1500 Apple the counterfeits from Taiwan, the Rusby simply plugging a card into the sian clone is not expected to surface in IBM computer. The much larger softmakes this \$680 accessory quite attrac- inside Russia. tive, and it is capable of running about 98% of all Apple software. (Editor's note: MICRO has a review copy of the Quadram Quadlink. It appears to run any software that does not require any specific hardware other than a printer. It emulates an Apple II as well as the Apple III does.

Now it looks like the shoe is going on the other foot. According to industry sources, Apple is considering the possibility of making MS-DOS, the operating system used on the IBM PC. available on the Lisa computer. Since Lisa uses a 68000 microprocessor, it will be necessary to add an 8088 or 8086 microprocessor to the Lisa in order to let it run MS-DOS. The Unix operating system is also being developed for the Lisa, and speculation is that Concurrent CP/M-86 is being considered too.

The rush to get more operating systems working on the Lisa seems to be Apple's reaction to IBM's dominance of the office environment. Because of the small initial market for the \$10,000 Lisa, the development of software for it has lagged seriously and only a small number of outside programs has been developed. Allowing the Lisa to run MS-DOS would open up the possibility of permitting the Lisa to read and write IBM disks directly. The only possible problem here is that Apple is using a specially designed disk drive with the Lisa and it might not be able mands. The net result is a saving of to read the IBM disks.

The Apple II computer is so popular trouble with counterfeit computers bethe United States but will instead be ware base of the Apple II computer going to schools and research centers

Setting Type with Your Apple

Many companies have discovered that they can use a word-processing program on their Apple computer to prepare material for a typesetting machine. The text is then sent by modem to the typesetter and cameraready copy can be produced. Preparing this text with a word processor, while acceptable, is not really a good way to do things because word processors do not have all of the capabilities of a typesetting system, and it's almost impossible to tell what the final copy will look like. But now a small California company called The Type Source has developed a program that turns an Apple //e with a CP/M card into a fullblown typesetting terminal.

The program, known as STL (for Simplified Typesetting Language), sells for \$695 and can be used to interface directly with a wide variety of phototypesetting machines including those from Compugraphic, Mergenthaler, APS, AM Varityper, and Itek. By permitting the user to enter all of the standard typesetting commands and giving him a display that is similar to those found on regular typesetting terminals, it is no longer necessary for the typesetter to get involved and translate the user's commands into typesetting com-30% to 50% in typesetting costs. The

program is capable of working with up to eight different type faces at once and can produce very small 5.5-point characters or extra large 74-point characters. The package comes with a special telecommunication package for typesetters, a special HELP menu, and complete documentation including basic lessons in typesetting terminology and functions. STL will be available for the Apple //e in November

An Alternative to Hard Disk Drives

For those of you who have been thinking of buying a hard disk drive, take a look at the V1200 disk drive from Vista before you do. While this is not a hard drive, it is a system that can easily store up to 6 megabytes of data. The system uses a special cartridge that holds five removable 51/4-inch floppy disks. Each disk stores up to 1.2 megabytes of data on it. While each of the floppies looks a lot like the standard Apple floppy, looks can be deceiving. The storage capacity of these disks is equal to that of double-sided, doubledensity 8-inch floppies.

The drive used in the V1200 is a special one that is manufactured only by a company called Amlyn. In use, the V1200 selects the disk you specify, pulls it away from the others in the pack with a picking arm, and feeds it into the drive mechanism. While this may seem like a Rube Goldberg-type of device, in practice it works very well and in six months has never failed to operate properly. Because the angle of the cartridge in the drive changes with the disk selected, and the disk has to be loaded into the drive, initial access to data is a little slow. But once the disk is loaded, access to any of the 1.2 megabytes of data on it is as fast as that of a hard disk drive. That's because it loads data into the Apple the same way hard drives do - by using direct memory access (DMA), a technique that bypasses

(Continued on page 20)

wabash diskettes as \$1.29 each!

Now get Wabash Quality at a CE Price

For over 17 years, Wabash has been making high quality and dependable computer products. Wabash diskettes are made to provide error-free performance on your computer system because every diskette has been totally and hypercritically tested. Since you can now buy Wabash computer products directly from CE, the world's largest distributor of magnetic media, you can now get maximum savings on every order. You can even order toll-free.

New Wabash Six Year Warranty

The quality of Wabash diskettes is stressed throughout the entire manufacturing process. After coating, all Wabash diskettes go through a unique burnishing process that gives each diskette a mirror-smooth appearance. Wabash then carefully applies a lubricant that is specially formulated to increase diskette life. Then, to keep out foreign particles, a unique heat seal bonds the jacket and liner together to help prevent contamination. After 100% hypercritical testing and certification, Wabash then packages each diskette, (except bulk pack) in a super strong and tear resistant Tyvek® evelope. The final Wabash product is then shrink-wrapped to insure cleanliness and reduce contamination during shipment. Wabash diskettes are so very reliable that Wabash now offers a six year warranty in case of defects in materials or workmanship on all diskettes purchased directly from Communications Electronics.

New...Wabash Diskette Duplication Services
Communications Electronics has teamed up with Wabash to
provide a single-source solution for the diskette duplication
requirements of software developers, OEM's and distributors.
All service is in-house, to give you fast, dependable service. In
most cases, delivery can be completed in five days. Whether
you require 100, 1,000, or 10,000 copies per week, call CE
first for a no obligation price quote. For additional information,
please write us on your letterhead with your requirements.

SAVE ON WABASH DISKETTES Product Description	Part #	CE quant. 100 price per disk (\$)
8" SSSD IBM Compatible (128 B/S, 26 Sectors)	F111	1.89
8" SSSD Shugart Compatible, 32 Hard Sector	F31A	1.89
8" SSDD IBM Compatible (128 B/S, 26 Sectors)	F131	2.39
8" DSDD Soft Sector (Unformatted)	F14A	2.99
8" DSDD Soft Sector (256 B/S, 26 Sectors)	F144	2.99
8" DSDD Soft Sector (512 B/S, 15 Sectors)	F145	2.99
8" DSDD Soft Sector (1024 B/S, 8 Sectors)	F147	2.99
51/4" SSSD Soft Sector w/Hub Ring	M11A	1.49
51/4" Same as above, but bulk pack w/o envelope	M11AB	1.29
51/4" SSSD 10 Hard Sector w/Hub Ring	M41A	1.49
51/4" SSSD 16 Hard Sector w/Hub Ring	M51A	1.49
5¼" SSDD Soft Sector w/Hub Ring	M13A	1.79
5¼" Same as above, but bulk pack w/o envelope	M13AB	1.59
5¼" SSDD 10 Hard Sector w/Hub Ring	M43A	1.79
5¼" SSDD 16 Hard Sector w/Hub Ring	M53A	1.79
5¼" DSDD Soft Sector w/Hub Ring	M14A	2.69
51/4" Same as above, but bulk pack w/o envelope	M14AB	2.49
5¼" DSDD 10 Hard Sector w/Hub Ring	M44A	2.69
5¼" DSDD 16 Hard Sector w/Hub Ring	M54A	2.69
51/4" SSQD Soft Sector w/Hub Ring (96 TPI)	M15A	2.59
51/4" DSQD Soft Sector w/Hub Ring (96 TPI)	M16A	3.69
51/4" Tyvek Diskette Envelopes - Price per 100 Pack	TE5	12.00

SSSD = Single Sided Single Density; SSDD = Single Sided Double Density; DSDD = Double Sided Double Density; SSQD = Single Sided Quad Density; DSQD = Double Sided Quad Density; TPI = Tracks per inch.

Quantity Discounts Available Wabash diskettes are packed 10 disks to a carton and 10 cartons to a case. The economy bulk pack is packaged 100 disks to a case without envelopes or labels. Please order only in increments of 100 units for quantity 100 pricing. With the exception of bulk pack, we are also willing to accommodate your smaller orders. Quantities less than 100 units are available in increments of 10 units at a 20% surcharge above our 100 unit price. Quantity discounts are also available.



Order 500 or more disks at the same time and deduct 1%; 1,000 or more saves you 2%; 2,000 or more saves 3%; 5,000 or more saves 4%; 10,000 or more saves 5%; 25,000 or more saves 6%; 50,000 or more saves 7%, 100,000 or more saves 8%, 500,000 or more saves 9% and 1,000,000 or more disks earns you a 10% discount off our super low quantity 100 price. Almost all Wabash diskettes are immediately available from CE. Our efficient warehouse facilities are equipped to help us get you the quality product you need, when you need it. If you need further assistance to find the flexible disk that's right for you, call the Wabash compatibility hotline. Dial toll-free 800-323-9868 and ask for your compatibility representative. In Illinois or outside the U.S. dial 312-593-6363 between 9 AM to 4 PM Central time.

Buy Wabash Diskettes with Confidence

To get the fastest delivery from CE of your Wabash computer products, we recommend you phone your order directly to our Computer Products Division and charge it to your credit card. Be sure to calculate your price using the CE prices in this ad. Written purchase orders are accepted from approved government agencies and most well rated firms at a 30% surcharge for net 30 billing. For maximum savings, your order should be prepaid. All sales are subject to availability, acceptance and verification. All sales are final. All prices are in U.S. dollars. Prices, terms and specifications are subject to change without notice. Out of stock items will be be placed on backorder automatically unless CE is instructed differently. Minimum prepaid order is \$50.00. Minimum purchase order \$200.00. All shipments are F.O.B. Ann Arbor, Michigan U.S.A. No COD's please. Non-certified and foreign checks require bank clearance.

For **shipping charges** add \$8.00 per case or partial case of 100 8-inch flexible disks or \$6.00 per case or partial case of 100 51/4-inch mini-diskettes for U.P.S. ground shipping and handling in the continental U.S.A.

Mail orders to: Communications Electronics, Box 1002, Ann Arbor, Michigan 48106 U.S.A. If you have a Visa or Master Card, you may call and place a credit card order. Order toll-free in the U.S. Dial 800-521-4414. In Canada, order toll-free by calling 800-265-4828. If you are outside the U.S. or in Michigan dial 313-994-4444. Telex anytime 810-223-2422. Order your Wabash diskettes today.

Copyright ®1983 Communications Electronics™

Ad #U12483









wabash

Order Toll-Free! 800-521-4414 In Michigan 313-994-4444

4 error-free diskettes



Computer Products Division

818 Phoenix
Box 1002
Ann Arbor, Michigan 48106 U.S.A. Order TOLL-FREE 800-521-4414 or outside U.S.A. 313-994-4444

Apple Slices (continued)

the microprocessor and loads data ability to have multiple cartridges also directly into memory.

the conventional hard disk drive. You you want. don't have to worry about head crashes, drive alignments, lost data or backups. Because each disk in the cartridge can be easily removed and replaced, you can make your backups at the same time you save the original. One of the biggest advantages of the V1200, however, is the fact that it uses removable media. When a 5-megabyte hard disk fills up, you either have to purge old files or go out and buy a new remove your 6-megabyte cartridge and Another program supplied on the disk insert a new one. Cartridges are fairly is one that modifies FID so that it \$70 for 6 megabytes of storage. The idea how great it is to run FID, select

means that you can dedicate individual The V1200 has a lot of benefits over cartridges to particular applications if

The V1200 comes with a disk that contains several utility programs on it. One of them is a program that modifies normal 3.3 DOS so that it can work with the Vista drive. The modification makes it possible for DOS to recognize five disk drives per slot. Thus, to access any of the five diskettes in the cartridge you simply add a D1 to D5 designation after the file name. The INIT command in DOS is disabled by the modification 5-megabyte hard disk drive. With the because a special formatting program is Vista V1200, all you have to do is required to format V1200 disks. cheap and range in price from \$60 to works with the new drive. You have no

the FREE SPACE option, and find out that you have 4500 sectors free (on a fresh disk). Another program provided with the drive is Quickcharge. This is a fastDOS program that significantly speeds up the reading and writing of DOS files.

In addition to working with standard DOS, the V1200 also works with the Pascal and CP/M operating systems. While the drive can be purchased from Vista for \$1549, you can get it a lot cheaper (\$1295) from A.P.P.L.E in Kent, WA.

You may contact Mr. Gilder at REDLIG Systems, Inc., 2068 79th St., Brooklyn, NY 11214.

MICRO

SOPHISTICATED TELE-COMMUNICATION IS HERE

THE COMMUNICATOR

for 4.0 Commodore Computers

JIM STRASMA'S REVIEW:

"THE BEST TERMINAL PACKAGE I'VE SEEN YET"

By April 1 (maybe sooner) It Will Be Even Better

SPEEDS UP TO 9600 BAUD XON - XOFF

TRUE CTRL KEY (we do our own keyboard scan)

THE HARDWARE — A printed circuit board; easily installed in the CBM. It uses no CBM connectors; gives a serial port with true RS232C standard.

THE SOFTWARE -

20

- relations the ADDS Regent 100, ADM 31 and/or the TeleVideo 950.1 Or choose the VT100 model for use with DEC and VAX
- coresident with BASIC programs; programs and program on host computer communicate to develop re sophisticated communication and control capabilities
- The program is on ROM at either address; no disk loading required. Uses only 512 bytes of RAM; will relocate itself around any other
- machine language program at top of memory.

 upload and download and run BASIC programs. With BASIC program will upload and download standard data files. 100 page manual gives program listing for BASIC programs.


Excellent text editor designed to work with THE COMMUNICATOR THE COMMUNICATOR \$200

Text Editor \$40 1200 baud modems beginning at low, low \$385, and en with THE COMMUNICATOR

AMPLIFY, INC.

2325 Macbride, Iowa City, Iowa 52240 319-337-8378

1 trademarks Adds Regent, Inc., Lear Liegler, Inc., Televideo Systems, Inc.



80 COLUMN PRINTER SALE—\$149.00*



*STX-80 COLUMN PRINTER—\$149.00

Prints full 80 columns. Super silent operation, 60 CPS, prints Hi-resolution graphics and block graphics, expanded character set, exceptionally clear characters, fantastic print quality, uses inexpensive thermal roll paper!

DELUXE COMSTAR T/F PRINTER—\$219.00

The Comstar T/F is an excellent addition to any micro-computer system. (Interfaces are available for Apple, VIC-20, Commodore-64, Pet, Atari 400 and 800, and Hewlett Packard). At only \$219 the Comstar gives you print quality and features found only on printers costing twice as much. Compare these features.

- BI-DIRECTIONAL PRINTING with a LOGIC SEEKING CARRIAGE CONTROL for higher through-put in actual text printing. 80 characters per second.
- PRINTING VERSATILITY: standard 96 ASCII character set plus block graphics and international scripts. An EPROM character generator includes up to 224 characters.
- INTERFACE FLEXIBILITY: Centronics is standard. Options include EIA RS232C, 20mA Current Loop.
- LONG LIFE PRINT HEAD: 100 million character life expectancy.
- THREE SELECTABLE LINE SPACINGS: 6, 8 or 12 lines per inch.

- THREE SELECTABLE CHARACTER PITCHES: • 10, 12 or 16.5 characters per inch.
 13 columns maximum. Double-width font also
 is standard for each character pitch.
- PROGRAMMABLE LINE FEED: programmable length from 1/144 to 255/144 inches.
- VERTICAL FORMAT CONTROL: programmable form length up to 127 lines, useful for short or over-sized preprinted forms.
- FRICTION AND TRACTOR FEED: will accept single sheet paper.
- 224 TOTAL CHARACTERS
- USES STANDARD SIZE PAPER

if you want more try -

Premium Quality COMSTAR T/F SUPER-10X PRINTER—\$299.00 More Features Than RX-80

For \$299 you get all of the features of the Comstar T/F plus 10" carriage 120 cps, 9 x 9 dot matrix with double strike capability for 18 x 18 dot matrix. High resolution bit image (120 x 144 dot matrix), underlining, backspacing, left and right margin settings, true lower descenders, with super and subscripts, and prints standard, Italic, Block Graphics, special characters, plus 2K of user definable characters. For the ultimate in price performance the Comstar T/F Super 10" leads the pack!

Double Immediate Replacement Warranty

We have doubled the normal 90 day warranty to 180 days. Therefore if your printer fails within "180 days" from the date of purchase you simply send your printer to us via United Parcel Service, prepaid. We will IMMEDIATELY send you a replacement printer at no charge via United Parcel Service, prepaid. This warranty, once again, proves that WE LOVE OUR CUSTOMERS!

15 DAY FREE TRIAL

Extra Ribbons \$ 5.95
Roll Paper Holder
Roll Paper 4.95
5000 Labels
1100 Sheete Ean Fold Paper 13.95

Add \$17.50 shipping, handling and insurance. Illinois residents please add 6% tax. Add \$40.00 for CANADA, PUERTO RICO, HAWAII, ALASKA orders. WE DO NOT EXPORT TO OTHER COUNTRIES. Enclose cashiers checknoney order or personal check. Allow 14 days for delivery, 2 to 7 days for phone orders. 1 day express mail available!! Canada orders must be in U.S. dollars.

PROTECTO

ENTERPRIZES (WE LOVE OUR CUSTOMERS) BOX 550, BARRINGTON, ILLINOIS 60010 Phone 312/382-5244 to order

SUPER-10"

ABCDEFGHIJKLMNOPGRSTUVWXYZ ABCDEFGHIJKLMNOPGRSTUVWXYZ 1234567890

GRAFSTAR (Apple interface card - "Like Grappler Plus") SALE \$69.00.

MICRO

CoCo Bits

John Steiner

here have been big developments in the CoCo world - you may have already seen the newest color computers. They sport new ROMs and the top-of-the-line version 64K color computer has a deluxe keyboard. This option will be available as an add on for the older CoCos.

If you live around the Dallas-Ft. Worth area, you can attend another Rainbowfest. This CoCo convention will take place the weekend of October 14, 15, and 16. Next month, November 4, 5, and 6, Los Angeles, CA will be the site of Color Expo sponsored by Color Computer Magazine. In February, another Rainbowfest will be held in Newport Beach, California. I am going to try to make it to the Dallas Rainbowfest, if at all possible, and will be looking forward to meeting you at the show. If you see me, stop and say hi.

for a program that will find the start, end, and execute addresses of a machine-language program, but all possible. neglected to point out that the routine works only on a tape system. If you use the routine with a disk system connected, the results are invalid.

A Look At The New Disk ROMs

worst has proven to be true. Of all the disk software I have, the only software ordered one. The card is enclosed in an with disk I/O working under the new ROMs is Tandy-written. The only exception is disk Colorcom/E by Eigen Software Systems. I/O seems to be OK on that excellent terminal program, but I haven't had time to test it thoroughly. An acquaintance with Nelson's Colorterm software says that the software drive, and with Tandon drives, and all works well with the new ROM. I am writing this column using Telewriter-64, which has been my standard word processor, but I am having to use the 1.0 disk card as Telewriter is not compatible with the new ROM.

I am waiting for documentation on the new ROM capacity, but so far none is available. It is capable of loading a DOS from the disk, a definite improvement over the older ROM. Hopefully Tandy will document this ROM a little better and allow other software developers to have greater access to standard I/O routines. There will be a shake up in the support industry as companies scramble to convert their disk I/O to run on the new ROMs.

I chatted with John Waclo of Elite Software, who has recently released Elite*Calc. They will be converting Calc to run on the new ROMs. According to Mr. Waclo, a manufacturer has the option of either releasing two versions of his software, one for 1.0 and one for 1.1, or writing a universal version that will run on either ROM. The method chosen depends on the program itself. Disk users may have to read the fine print in ads to see if the program they want is written for the version of In the June issue, I included a listing ROM they have. I am sure most manufacturers would want to create a single version for both ROMs if at

I&M Disk Controller Card

The 1.1 ROM was delivered to me with the J&M driver controller card I obtained from J&M Systems, LTD of Albuequerque, NM. I mentioned in my The 1.1 disk ROMs are out, and the August column that I had seen these cards at Rainbowfest and recently aluminum case and the workmanship is excellent. It is available with or without the 1.1 ROM. With the ROM, it is completely compatible with any Radio Shack software. I have interfaced the card with the TEC drive that is standard on the CoCo, with an MPI seem to work fine.

> Two of the nicest features about the J&M card are digital pre-compensation (there are no potentiometers to get out of adjustment), and gold-plated card contacts. One of the most troublesome

areas of the Radio Shack card has been the lack of solid connections to the ROMport and drive-cable connector. The Radio Shack card needs constant cleaning to prevent oxidation from creating poor connections at the card ends. The J&M card should solve that problem. Surprisingly, the cards retail for only \$149.95. When mated with a Tandon or Teac drive, the J&M system is a powerful package. J&M told me they will be releasing a 1.1 super ROM that will have all the features of the new RS ROM, but also allow you to change step rates and other disk parameters. The ROMs will probably be available when you read this.

Elite * Calc

A high-quality spread-sheet program is finally available for the CoCo. The program is very much like the Super Calc that runs on larger business computers. I am truly impressed with Elite*Calc. Though it has a few minor bugs, it provides nearly all of the functions that other commercial spread sheets make available. In addition, it has a few features others don't have. I have had the opportunity to work with the program since I purchased it at Rainbowfest and didn't realize it had IF-THEN-ELSE capacity until I read a recent ad. The one weak point of Calc is the manual. It is written for those who are somewhat familiar with a spread-sheet program. Use a book or tutorial for Super Calc or another spread sheet if you have problems understanding the Elite*Calc manual. Transferring examples to Elite*Calc syntax should not be difficult.

I am so impressed with the program that I have started a nationwide Elite*Calc User's Group. The major objective of the group is to provide a clearinghouse for spread sheets. People who have written sheets can exchange them for sheets others have written. This should create a large supply of useful routines, and allow people to modify



already existing routines, rather than reinvent the wheel by having to completely write their own.

Programmers' Utilities

Since this month's issue covers programming techniques, I wanted to mention several useful utilities available from Micrologic. E. R. Bailey of Micrologic has several programs available that process BASIC programs saved in ASCII format. The one I use most often is LLSTFM, a BASIC program formatter that provides a paged, titled, and dated program listing. The only nicety that could be added to the program is the inclusion of spaces between keywords in packed programs. Other utilities include a line-number cross referencer and a variable cross referencer. These programs scan your BASIC program and identify variables and line numbers and cross reference them for easy tracking of program logic.

A disk directory program does what RS DOS should: allows printed directories, a paged screen directory, and available space data. I will have more comments on these programs in a future column.

Another useful programmer's utility is the Platinum Worksaver by Platinum Software. I don't write any programs without first loading the worksaver. Single key keyword entry, redefinable keys, and a super screen editor make the program worth far more than the \$35.00 it costs. A keyboard overlay is included that can be used to remind you of key definitions saved with each program. The worksaver has a small overhead of a couple of hundred bytes, but complete screen editing and the ability to integrate Worksaver features into a program more than make up for the small overhead.

MICRO

You may contact Mr. Steiner at 508 Fourth Ave. NW, Riverside, ND 58078.



C COMPILERS-COMMON FEATURES:

tibility • standard float, double, and long support • run time library with full I/O and source • fast compilation and execution • full language.

• produces relocatable 8080 source code • assembler and linker supplied • optional M80 interface • SID/ZSID debugger interface • library utility • APPLE requires Z80 and 16K card

AZTEC C | [APPLE DOS \$199
plied • APPLE SHELL • VED editor • library and other utilities
• requires 16K card

C86 IBM PC MSDOS CP/M-86 \$249
• directly produces 8088/8086 object code • linker supplied

Manuals—\$30 ORDER BY PHONE OR BY MAIL-Specify products and disk format





Box 55, Shrewsbury, N.J. 07701 (201) 780-4004



CP/M FORMATS: 8" STD. HEATH, APPLE, OSBORNE, NORTHSTAR, OUTSIDE USA-Add \$10 In N.J. add 5% sales tax

All prices **Postpaid** (Continental U.S. otherwise \$2 credit)

VISA



Check the outstanding documentation supplied with AIM65

Top quality power supply designed to Rockwell's specs for fully populated AIM 65 - includes overvoltage protection, transient suppression, metal case and power cable:

PSSBC-A (5V 2A Reg: 24V .5A Avg. 2.5A Peak, Unreg) Same but an extra AMP at 5 volts to drive your extra boards: PSSBC-3 (5V 3A Reg; 24V .5A Avg, 2.5A Peak, unreg) ...\$74.95

The professional's choice in microcomputers:


AIM65/1K RAM.....\$429.95 BASIC (2 ROMS)\$59.95 AIM65/4K RAM \$464.95 ASSEMBLER (1 ROM) . . \$32.95 FORTH (2 ROMS)\$59.95.

SAVE EVEN MORE ON COMBINATIONS

AIM65/1K + PSSBC-A . \$479.95 AIM65/4K + PSSBC-3 . \$524.95 We gladly quote on all AIM65/40 and RM65 items as well.

ORDERS: (714) 369-1084

~~<u>~~~</u>





23

NEW COMMODORE PRODUC	TS
CBM 64	Call
	695
	990
CBM 1520 Plotter	259
CBM 1701 Color Monitor	279
B Series Software	Call
SOFTWARE FOR CBM 64 Z	
Word Processing (WordPro 3+)\$	
Word-Pac (tape)	60
The Assistant Series	
Writer's Assistant (easy and flexible)	99
File Assistant (database with merge)	99
Spreadsheet Assistant	99
Pers. Finance Assist.(great reports)	45
Busicalc (Spreadsheet)	55
Coco II (build your own games easily)	45
Home Accounting Package	39
General Ledger, A/R, A/P	
(with check writing) ed	.139
CBM EasyFinance	50
CBM EasyScript	80
CBM EasyFile	80
Data Manager	70
Stock(investment analysis)	80
Pet Emulator (emulates 4.0 basic)	30
Sprite-Magic (use joystick	
to design sprifes)	19
Assembler Package (cassette or disk,	
compiled, includes editor, loader,	
disassembler)	39
Spacebeit	20
Retroball	34
INTERFACES & ACCESSORI	
80 Column Expander	\$159
VIC 1600 Modem	95
VIC 1650 (auto answer, auto dial)	150
VIC 1525 Graphic Printer	329
VIC 1530 Datasette Recorder	65
VIC 1541 Disk Drive	329
VIC Switch (connect 8 64's or Vics	
to printer, dd)	149
IEEE Interface (64)	85
PET-IEEE cable	33
IEEE-IEEE cable (2m)	43
Parallel Interface (Epson, Okidata,	
IDS, NEC)	80
RS-232 Printer Interface (Okidata,	
Diablo, etc.)	60
Programmers Reference Guide	18
Verbatim Diskettes (10 per box)	26
Victree (Programmers Utility)	75
VIC PRODUCTS & ACCESSO	RIES
8K RAM Memory Expansion Cartridge	
16K RAM	
TOIL IONING CO.	10

VIC IEEE Interface. VIC 3 Slot Expander. VIC 6 Slot Expander. RS-232 Printer Interface Cassette Interface Home Finance Package (6 tag Gorf (64 also) Omega Race Arcade Joystick - Heavy duty v buttons! Great for the VIC or	27 70 65 27 9es) 47 30 30 w/2 firing 64 25
MONITORS - GF RESOLUTION (64	
Amdek Color I	
Amdek II or III	call
Panasonic CT160	279
Comrex 6500 - 13" Color Transtar 20 (High Resolution	299
Green Phosphor)	129
Video/Audio Cable	
PRINTERS - LETTER	QUALITY
CBM 8300, 40 cps	\$1450
Diablo 620, 25 cps	949
ComRiter, 17 cps	nd.
wp features!)	
NEC 7700 series	
NEC 3500 series	1600
PRINTERS - DOT I	
CBM 8023, 150 cps/graphics	589
Epson FX Printer, 160 cps Epson MX-80 w/Graftrax	529
CBM Graphics for Epson	
Okidata 82A, 120 cps (serial	
and parallel)	429
NEC 8023A (parallel) Okidata 92	
Star Gemini, 10	360
Star Gemini, 15	499
COMMODORE BU SERIES	SINESS
SuperPet (5 languages,	
2 processors)	\$1409
CBM 8032 Computer, 80 Col	umn 1029
CBM Memory Expansion, 64K CBM 8050, 1 mg. Dual Drive	359
CRM 8250 2 mg. Dugl Drive	1 1500
CBM D9060, 5 mg. Hard Dis	k 2240
CRM D9090 7.5 mg. Hard D	DISK 2600
CBM 2031, 170K Single Driv DC Hayes Smart Modem	e (New) 469
BUSINESS SOFT	TWARE A AAA
WordPro 4+ or 5+	
Administrator	
The Manager (database)	199
RPLA/R G/L Job Cost Inve	ntory.

MasterCard, Visa, Money Order, Bank Check

COD (add \$5) accepted. Add 3% surcharge for credit cards. In stock items shipped within 48 hours, F.O.B, Dallas, Texas All products shipped with manufacturer's warranty.

Prices are subject to change without notice.

TO ORDER **CALL TOLL FREE** 800-527-4893 800-442-1048

(Within Texas)

Business Hours Mon.- Fri. 8 to 6, Sat. 10-2

Write for free catalog.

GAME OF THE MONTH

Adventu-Writer (make your 39 own adventure game)



SJB DISTRIBUTORS INC.

10520 Plano Road, Suite 206 Dallas, Texas 75238

199

(214) 343-1328

BPI A/R, G/L, Job Cost, Inventory,

Programming Techniques,

by Phil Daley

hat is a programming technique? There are probably as many different definitions as there are programmers. The Computer Dictionary defines "programming" as "the process of creating a program" and Webster's Dictionary defines "technique" as a "method of handling materials of an art". This provides us with a general idea of methods for creating a program.

There are several categories of such methods; e.g., improving program legibility or internal documentation, increasing the speed of the program, providing the program user with a crash-proof friendly environment, providing future program changers with a structured well-designed program to modify,

and using features built into a particular computer to their best advantage. This issue of MICRO presents a collection of techniques for BASIC, Pascal, and machine-language programs to enhance your knowledge and enjoyment of your microcomputer.

Pascal users can look for a primer on gaming techniques in Pascal including a simple, but modifiable, example of a Pascal game. Also, there is a pseudorandom-number generator, usable for card dealing or anywhere random numbers are needed.

For machine-language buffs we have some techniques for faster matrix operations, an m-l string search, and an extremely sophisticated routine for animation with CoCo graphics. You can plot figures in between vertical scanlines for a smooth-looking graphics display.

BASIC fans can really make their programs more friendly with the first of a series of user-friendly techniques. This month the subject is the directory menu for easy selection of programs from your disk collection. Add this program to all your bootable disks. We also have programs for screen data plotting for all our covered micros. This is a prelude to our character-graphics coverage for November.

We think you will enjoy our new expanded coverage with listings for all micros of as many programs as possible.

MICRO

MICRO

The Directory Menu

by Phil Daley

ne of the most important and yet most difficult tasks for a beginning computer user is to perform a directory search of a disk and to load and run a program. While a sophisticated user would have no trouble determining which programs are runnable (or B-runnable), the beginner is confronted with all sorts of file-types and meaningless filenames and has to remember the correct syntax (I even get mixed up going from computer to computer) and proper commands to get the computer to accomplish the task at hand. It would be much easier to have a single command to learn or, in the case of auto-booting computers, no commands to learn at all.

Directory Menu is a user-friendly utility program that will display a directory of all programs on a disk and allow you to load and run any program at the touch of a key. It will be useful for beginners who want to simplify


their disk organization and implement auto-running menu selection on their own disks. It will also be useful for programmers who want their programs to be the ultimate in user-friendly/simple menu selection.

Many people who buy computers do not want to learn about programming or memorize commands. Others are eager to begin writing their own programs. In either case, most people soon acquire a growing library of programs, storing many on a single disk. On autobooting systems, such as the Atari and Apple, most people write DOS onto a disk before copying or saving other programs. This allows you to boot using any disk and to run a "HELLO" or menu program automatically. These procedures may seem quite simple to the experienced user, but the beginner can easily become confused and frustrated. Whether you are a beginner or not, you can save yourself time and

effort by letting your computer do the work.

Wouldn't it be easier to just turn on the computer and have the machine tell you the names of each file on a disk, assign it a number, then let you simply type your selection by number? Wouldn't it be easier to let the computer figure out if your selection is a BASIC or machine-language program, then run it for you? If you answered yes to these questions, read on.

The program creates a MENU and displays a page of program names one page at a time. To load and run a program displayed, merely type the number of the program appearing to the left of the program name and press return. Versions are included for the Apple, Atari, Color Computer, and Commodore 64. The listings and descriptions of the individual programs appear in the appropriate system sections of the magazine.



8943 Fullbright Avenue, Chatsworth, CA 91311-2750 (213) 709-1202

VISA/MASTERCARD accepted \$2.00 shipping/handling charge. (California residents add 6½% sales tax.)

Apple, Commodore 64, and Atari, are trademarks of Apple Computer Inc., Commodore Business Machines, and Atari Inc., respectively.

The author develops general-purpose plotting routines for the Commodore 64, VIC, PET, Atari 400/800/1200, TRS-80C, and Apple. Simple examples are used to demonstrate origins, scaling, rounding, and polar coordinates.

Plotting Data With Character Graphics

by Loren Wright

t is easy to plot mathematical functions or create attractive designs on your computer's character-graphics screen. This article will show you how, starting with simple concepts and simple functions and working up to a plot using polar coordinates. The result of these exercises will be a set of general-purpose routines that you can use to plot nearly any function on your computer screen. On the way, you'll learn about origins, scaling, rounding, symmetry, and coordinate systems.

The article is written for Commodore, Atari, and TRS-80C screens. Nearly all differences are included in the start-up modules listed on page 29. The Apple's screen memory is not continuous, so these routines will not apply directly to the Apple. However, I have provided a separate set of modifications that will allow you to try the examples presented using the Apple's low-resolution graphics screen. See the listing on page 33.

The first thing we need is a system to describe the position of a point on the screen conveniently. The easiest system to learn is called a rectangular coordinate system. With this system two imaginary perpendicular lines intersect somewhere on the screen, usually at the lower left corner. This intersection point is called the origin. and the two lines are the axes. Each axis has a scale used for measurement. Depending on the data you are plotting, the size of the scale will vary. The horizontal and vertical scales may be different, but in our first examples they will be the same. By convention, the horizontal axis is called the x-axis and the vertical axis is called the y-axis.

The position of a point is described by measuring the distance from the origin to a perpendicular line leading from the x-axis to the point, and by similarly measuring on the y-axis the distance from the origin to a perpendicular line leading to the point. These two measurements, one along the x-axis and the other along the y-axis, uniquely describe that position. In figure 1, point A has x-y coordinates of 4,4; point B is at 5,3. Negative coordinates are possible, but we will save them until later.

Start-up Modules

Commodore 64

10 OG = 1024: CM = 55296: XX = 24: MX = 39: MY = 2420 POKE 53280,2: POKE 53281,1: CC = 240 PRINT "[]]"

VIC-20

10 OG = 4*(PEEK(36866)) AND 128) + 64*(PEEK(36869) AND 112)

11 CM = 37888 + 4*(PEEK (36866)AND 128): MX = 21: MY = 22: XX = 24

20 POKE36879, PEEK (36879) AND 8OR(16*2+1): CC = 2

40 PRINT "[3]"

PET/CBM

10 OG = 32768: XX = 24: MX = 39: MY = 2440 PRINT "[3]"

Note: Don't use line 3050!

All Commodore Machines:

900 GET T\$: IF T\$ = " " THEN 900 **999 STOP**

TRS - 80C (Requires Extended Color BASIC)

10 OG = 1024: XX = 88 20 MX = 31: MY = 15 **30 CLS**

900 IF INKEY\$ = " " THEN 900 999 STOP

Atari 400/800/1200

10 OG = 256*PEEK(89) + PEEK(88)

20 XX = 56:MX = 39:MY = 23

30 SETCOLOR 2,13,10: SETCOLOR1,0,0: SETCOLOR4,3,6

40 POKE752,1:PRINT "™"

900 IF PEEK(764) = 255 THEN 900 999 POKE 752,0:STOP

Your Computer Screen

Most home computers in their standard character modes have a memorymapped screen. That is, each character position on the screen has a different memory location associated with it. Each memory location contains a number, which is a code representing the character in the corresponding position on the screen. The screen memory locations begin with the upper left corner of the screen and continue in sequence from left to right until the bottom right corner is reached. To put a character on the screen we just POKE the appropriate numerical code into the proper screen memory location. This isn't very handy, since the screen memory locations are big numbers. What we need is a system to convert from the handy x-y coordinate system described above to the computer's own memory-mapped system.

First you need to know a few things about your particular computer. The first lines of our program will contain information describing your computer's memory-mapped screen. Type in the start-up module lines listed for your computer. The I in the Commodore listings and the s in the Atari listing indicate the clearscreen character obtained by pressing SHIFT and CLR or CLEAR keys.

OG is the origin, or the address representing the upper left corner. MX is the number of columns less one, and MY is the number of rows less one. (For these demonstrations, the first column

and first row are numbered 0.) XX contains the screen code for a capital X. The lines also contain statements that set screen, border, and character colors. The method varies with the computer.

Graphing a Function

Now that you have customized the program to your computer, add the following lines:


100 FOR X = 0 TO MY: REM VIC use MX. 110 Y = X120 X1 = X: Y1 = Y: GOSUB 3000 130 NEXT X

3000 REM X1 = 0 TO MX Y1 = 0 TO MY 3030 PO = (MX + 1) * Y1 + X13040 POKE OG + PO,XX 3050 POKE CM + PO,0: REM VIC & C64 ONLY 3060 RETURN

With any luck, you now have a line of X's leading down from the upper left corner. When we were discussing the coordinate system before, the origin was at the lower left, but this example makes the origin at the upper left. That's because the computer's screen memory starts with the upper left. We can correct this by adding line 3020 to the program:

3020 Y1 = MY - Y1

Try RUNning the program again. This time the diagonal line starts at the (Continued on page 31)



MICROSPEC

SOFTWARE MEANS BUSINESS FOR THE COMMODORE 64

When it's time to get serious, it's time to boot up MicroSpec business software. Our complete line of business software is made to give you some real applications for your Commodore 64. From data base management to full accounting software, we have the package for you.

It's attention to detail that makes our packages so beautiful and makes them stand out from the rest. We realize that most people are first time users, so we designed all our packages to be completely menu driven and user prompted for each input. We also know that most people use only one disk drive, so we designed all our packages to virtually eliminate disk swapping. Other features like non destructive input routines really make our software easy to use. But all this doesn't restrict you. Pure random access file structure maximizes your disk capacity and allows you to bring up any record for viewing in less than a second.

In our efforts to put together the best packages available, we worked on more than the software. We took the same approach with the documentation as the software. We made it complete and easily understood for the first time user. We even provide sample reports in many cases.



((·	•	•	•	•	•		•	•	-
MAILING LIST MANAGER >	INVENTORY MANAGER >	DATA BASE MANAGER >	CHECKBOOK MANAGER -	GENERAL LEDGER .	ACCOUNTS RECEIVABLE .	ACCOUNTS PAYABLE 4	PAYROLL MANAGER +	FIXED ASSET ACCOUNTING >	VIDEO RENTAL MANAGER »	REAL ESTATE MANAGER .	RENTAL PROPERTY MANAGER »

The Demonstration Package, which shows how each program runs, is available for \$19.95. So, if you're serious about your 64, call or write for a complete brochure or go right down to your nearest computer retailer for a demonstration.


WHEN YOU AND YOUR 64 ARE READY TO GET DOWN TO BUSINESS GIVE US A CALL



P.O. BOX 863085 • PLANO, TX 75086 (214) 867-1333

MICRO

No. 65 - October 1983



bottom left. You have just graphed the mathematical function "Y = X" (see line 110 above) on your computer screen. Now try a new function. Make the changes in lines 100 and 110 so they appear as below:

100 FOR X=0 TO 10: REM CC use 7. 110 Y=2*X 120 X1=X: Y1=Y: GOSUB 3000 130 NEXT X

A new function "Y = 2*X" will be plotted when you RUN the program.

Keeping It on the Screen

Note that line 100 had to be changed to prevent our graph from running off the screen. It is a good idea to be sure your points won't go off the screen since plotting out-of-range points could possibly crash your program. So far, I have been careful to choose values that will keep all points on the screen. You can't always be sure. By adding the following line to your plotting subroutine, you will avoid a disaster:

3010 IF (Y1 < 0)OR(Y1 > MY)OR (X1 < 0) OR(X1 > MX) THEN 3060

This will cause the routine to return without plotting a point when either X or Y is out of range.

Rounding

Now let's try a new function. Substitute the following for lines 100-120: No. 65 - October 1983

100 FOR X = 0 TO MX 110 Y = 2*X/3 120 PRINT X:Y

When you RUN the program this time, a list of values instead of a graph will appear on the screen. Notice that most of the numbers calculated for Y are not whole numbers. Instead, many are decimals that end with a bunch of 3's or 6's. If you try to plot this on the screen by substituting 120 X1 = X: Y1 = Y: GOSUB 1000, you may or may not get a plot on the screen. The POKE command is designed to handle integers, not floating-point numbers, so your computer may give you an error message. Even if you were to use INT(Y), you would still get the wrong result. When X = 2, Y is two-thirds. The INT() function turns two-thirds into 0, but we all know it should have been rounded up to 1.

Add the following line to your program:

70 DEF FNR(X) = INT(X + .5): REM Not for Atari!

This defines a general-purpose rounding function, which we can use with any floating-point variable anywhere in the program. (It is not restricted to the variable X, even though it was used in the definition.) Revise the main portion of your program so it appears as below:

100 FOR X = 0 TO MX 110 Y = 2 * X/3 120 Y = FNR(Y): REM Atari use: 120 Y = INT(Y + .5). 130 X1 = X: Y1 = Y: GOSUB 3000 140 NEXT X

MICRO

RUN the program now and you will see that, although the line of X's is pretty ragged, at least the values for Y have been rounded correctly.

Scaling

The data you want to plot don't always fit neatly in the system we have set up. What happens when the numbers you calculate are larger than the maxima or when they are a lot smaller? The answer is to introduce a scaling factor. Consider the following example:

100 FOR X = 0 TO 20 110 Y = X*X 120 X1 = X: Y1 = Y: GOSUB 3000 130 NEXT X

Be sure line 3010 is still in your plot subroutine and RUN the program. The first four or five points are plotted, but the remaining values are not. When X=5, Y=25, putting the point just off the top of the screen. When X=20, Y=400 and it would take a screen more than eight times as high to plot the point! To keep everything on the screen we need a scaling factor, which we will define in the set-up portion of the program:

90 SY = .05: REM CC use 90 SY = .037

Combine this with the rounding function to get a new line:

115 Y = FNR(Y*SY): REM Atari use: 115 Y = INT(Y*SY + .5)

Each character unit in the vertical direction is now 20, but all the points will appear on the screen when you run the program. To determine the appropriate scaling factor, you must know the maximum value for your function. Divide the value of MY by the function maximum. This number is your scaling factor. To make things neat, round it down when it is less than one and up when it is greater than one. Twenty-two divided by 400 is .055, so I chose .05 for SY. [For CC 15/400 = .0375, so use SY = .037.]

Now let's try an example that works the other way around. This time the values for Y will all fall between 0 and 1, so we'll need a large scaling factor. In addition we'll need a scaling factor for X. Delete lines 100-199 and type in the following program segment:

(Continued on next page)

90 PI = 3.14159265: SY = MY: SX = PI/MX 100 FOR X = 0 TO MX 110 X1 = SX * X 120 Y = SIN(X1) * SIN(X1) 130 Y = FNR(Y * SY): REM Atari use: 130 Y = INT(Y * SY + .5) 140 X1 = X: Y1 = Y: GOSUB 3000 150 NEXT X

RUN the program first and you will see a rough bell curve plotted on the screen. Now for the details. Let's start with line 130. First Y [which I told you stays between 0 and 1| is multiplied by SY, which was set to MY in line 90. Then the rounding function is used. For the purposes of the calculation, X starts at 0 and goes up to π radians (the computer's SIN and other trigonometric functions use angles measured in radians rather than degrees). For the screen plot, we need integer values between 0 and MX. The solution is to keep X as an integer between 0 and MX (line 100) and use another variable X1 that increases in increments of 1/MX times π radians. X1 is used for the calculation in line 120, and subroutine 3000 gets X1, as usual. By the way, those of you with Commodore computers can eliminate the first statement in line 90 and replace the variable PI with the π character.

Origins

The previous example used the sine-squared function so we could keep the graph on the screen. Next we will graph a function that goes both positive and negative — a simple sine function. To do this, we need to move the origin. (Remember we placed it at the lower left corner of the screen at the very beginning.) The new origin is at the left edge in the middle (see figure 2). Delete lines 100-150 and replace them with the following program:

25 CY = INT(MY/2) 90 PI = 3.14159265:SY = INT(MY/2): SX = 2*PI/MX 100 FOR X1 = 0 TO MX 110 X = SX*X1 120 Y = SIN(X) 130 Y = FNR(Y*SY): REM Atari use Y = INT(Y*SY + .5) 140 Y1 = Y: GOSUB 2500 150 NEXT X1

In addition to the main program, we add a new plot-routine entry that will

automatically convert the origin from an assumed left-center origin to the usual lower-left:


2500 REM LEFT-CENTER ORIGIN CONVERSION 2510 Y1 = Y1 + CY

A lot has happened all at once. The sine function yields results between 1 and -1 or in a range of 2. To fill the screen vertically, we need a range of MY, so multiplying by INT[MY/2] converts the range to MY. As usual, the X value ranges in integer units from 0 to MX, so we use X1 as the FOR... NEXT loop index, and this gets passed directly to the plot routine. To calculate the Y values we use a separate variable X. By applying the horizontal scaling factor SX, we use X in the range 0 to 2 π in increments of 1/MXth of 2 π .

In the main program, we converted the range of the function to the full height of the screen. However, the low end of the range is -INT(MY/2). Adding CY (which conveniently is INT(MY/2)) makes the whole range positive, from 0 to MY. Instead of RETURNing to the main program, this routine automatically flows through to the plot routine we have been using all along. This way, you end up with a dual-purpose routine. If you are plotting with a lower-left origin, use GOSUB 3000; if you are plotting with a left-center origin, use GOSUB 2500.

Polar Coordinates

Most functions can be handled very well with the x-y coordinate system we have used so far. However, many functions, such as the circle we are about to plot, are best dealt with using a polar coordinate system. In this system, a point's position is described by its distance (in a straight line) from the origin and the angle this line makes with the horizontal in a counterclockwise direction. See figure 3 for an illustration of this. Point A is described by the length of the line L1 and the



angle T1, while point B is represented by distance L2 and angle T2.

The computer handles angles in radians, while humans are more comfortable using degrees. Therefore we add a new function to convert angles in degrees to radians:

70 DEF FNR(X) = INT(X + .5): DEF FND(X) = X*PI/180 (Atari use: 70 DEG)

To plot a circle, we need the origin in the center of the screen, so we need a center value for X and a new plot-routine entry to handle the center origin:

25 CY = INT(MY/2): CX = INT(MX/2) 2000 REM CENTER ORIGIN CONVERSION 2010 X1 = X1 + CX

This flows to the left-center entry and then to the main plot routine. Now you have a routine with three different entries, depending on the origin you are using. If you were using the routine with the x-y coordinate system and a center origin, then you would call the routine with GOSUB 2000. However, we are going to be using the polar coordinate system, so there will be a polar-to-rectangular section preceding it:

Apple LO-RES Listing

(Substitute the following for the start-up module and subroutine 3000. Everything else should work as described in the text.)

10 HOME: POKE - 16302,0: POKE - 16304,0: CALL - 1992 20 COLOR = 15: MX = 39: MY = 47

900 IF PEEK(- 16384) < 128 THEN 900 910 TEXT: HOME 999 STOP

3000 REM X1 = 0 TO MX Y1 = 0 TO MY 3010 IF (Y < 0) OR (Y1 > MY) OR (X < 0) OR (X1 > MX) THEN 3060 3020 Y1 = MY - Y1

3030 PLOT X1,Y1 3060 RETURN 1000 REM POLAR (L,T) TO
RECTANGULAR (X1,Y1)
CONVERSION
1010 T1 = FND(T): REM Atari use: T1 = T
1020 X1 = L*COS(T1)
1030 Y1 = L*SIN(T1)

Since we are now performing so many adjustments on the data, it is best to save the rounding until just before the actual plotting takes place:

3025 X1 = FNR(X1): Y1 = FNR(Y1) (Atari: 3025 X1 = INT(X1 + .5): Y1 = INT(Y1 + .5)

Now for the main program. With the polar coordinate system, L will be the same for all points, and the angle will change in even increments over the full 360 degrees:

100 FOR T=0 TO 357 STEP 3
110 L=CY: REM VIC and Apple lo-res
use: 110 L=CX
120 GOSUB 1000
130 NEXT T

Symmetry

Chances are that you won't get a circle, even if you thought you were plotting one. Your circle is probably more oval-shaped. This is because the space a character occupies is not perfectly square. Keep the circle plot on the screen and measure it with a ruler vertically and horizontally. Divide the vertical distance by the horizontal distance to get your symmetry factor. My factor came out to 1.33. By adding one line to your program, you can make the circle, and any other radial patterns, appear more symmetrical:

2005 X1 = X1 * 1.33

Another easy pattern is a spiral:

100 FOR T = 0 TO 717 STEP 3 110 L = CY*T/720 120 GOSUB 1000 130 NEXT T

By consulting geometry and trigonometry books, you will find other radial patterns, such as clover leaves, that can be easily programmed with the polar coordinate system.

Commodore Notes

In the start-up module we defined a variable CC, which we haven't used.

We can use the variable in line 3050:

3050 POKE CM + PO,CC: REM COMMODORE ONLY

RUNning any of the program examples will now cause the plot to appear in red instead of black. You may vary the color as each point is plotted by changing the value of CC, or you can set it once at the beginning.

As part of next month's charactergraphics feature, I will present routines that use the Commodore machines' powerful graphics characters to achieve higher resolution.

Plotting Your Own Functions

You should be able to plot nearly any function using the general-purpose routines presented. Follow this simple procedure:

1. Type in the start-up lines and lines 900-999 as shown for your computer.

2. Type in the plotting subroutines. Store this on tape or disk. It will be your template for any plotting you will do. Lines 100-899 will vary from plot to plot; the others will stay the same.

3. Determine the origin. If X and Y both stay positive, use the lower-left origin [line 3000]. If Y goes both negative and positive, use the left-center origin [line 2500]. If both X and Y go both positive and negative, then the center origin should be used [line 2000]. Radial patterns, such as circles, ellipses, spirals, and florettes, should use polar coordinates as well [line 1000].

4. Determine the horizontal range (X direction) of your plot. Usually you will want to cover the whole range in integer increments. Use this range to pass (in variable X1) to the plot subroutine and calculate another X value, using a horizontal scaling factor, for your Y value calculation. The horizontal scaling factor is determined by dividing the actual horizontal maximum by MX (or CX for center plots). (See the sine wave example.)

5. Determine the vertical range (Y direction) of your plot. Divide MY (or INT[MY/2] for left-center or center origins) by the actual Y range of the function to get the vertical scaling factor.

6. The rest is simple. Use a FOR...NEXT loop with X1 or X as the index. Remember to pass X1 and Y1 to the subroutine.

MICRO

STRUCTURED GAMF DESIGN

Game writing in any language can be a rewarding experience. When writing games imagination and fantasy are transformed into graphic or text display, which requires a foundation in program design.

by Michael Allen

his article introduces the novice programmer to game programs. The Pascal language is used to provide clear examples. Advanced programmers will want to utilize these same concepts as assembly-language functions and procedures for greater speed in fastpaced games.

I have presented the examples as a compilable program so that the beginning game programmer is presented with a core around which to write his play screens. Any of the routines presented can be used as is or modified further for specific applications. Many of the routines can be used by more than one calling routine by adding parameters to the function headings.

When checking the list of variables, you will find that the majority used during the game are declared as global. The reason for this is to avoid using parameters, thus making it easy to keep track of the procedure calls dur-

ing development.

In the fully compilable program that follows, the programmer needs only to fill in the screens. Using the procedures provided, a very playable game can be written (such as the sample screen). With a little effort and some modifications (try some graphics) this program can become the basic framework for any kind of game you might wish to write in Pascal.

```
{SWAPPING OPTION FOR COMPILING LARGE PROGRAMS}
{$S+}
PROGRAM GAME;
USES APPLESTUFF; {NEEDED IN APPLE PASCAL
                                                                                                    RANDOM, RANDOMIZE AND KEYPRESS ARE HIGHLY
                                                                                                    USEFUL ROUTINES CONTAINED IN THIS UNIT}
CONST
                                                                                                                                                                                                                                                                 Sample Game
          SIZE = 5;
                                                                                                                                                                                                                                                                                 requires:
TYPE
            INDEX = INTEGER:
                                                                                                                                                                                                                                                                                   Pascal
  VAR
            HI, POINTS : INTEGER[10];
             LEVEL, MEN : INDEX;
             LETTER : CHAR;
             WORDARR : PACKED ARRAY[1..SIZE] OF CHAR;
            WORLDARK : FACED ARTHER THE TO STANDARD THE THE TO STANDARD THE THE TOWN THE THE TOWN THE THE TOWN THE THE TOWN THE TOWN
```

PROCEDURE SCREEN; FORWARD; {TO AVOID UNDECLARED NAME ERRORS}

The function 'COMPARE' compares a keyboard input to an array and returns a boolean value. This function would be useful in Hangman-type word games. The input variable 'LETTER' is compared to the array 'WORDARR' to check for a match.

```
FUNCTION COMPARE : BOOLEAN; {COMPARE AN INPUT TO A ARRAY}
VAR I : INTEGER;
BEGIN
   FOR I := 1 TO SIZE DO
   IF LETTER = WORDARR[I]
   THEN
     BEGIN
     WORDARR[I] := 'O';
     COMPARE := TRUE;
     EXIT(COMPARE);
   END
   ELSE COMPARE := FALSE;
END;
```

The PLAYER UPDATE procedure is one of those routines that every game program must have. This procedure keeps the player informed as to the number of men left in play and the current score.

```
PROCEDURE PLAYERUPDATE; {UPDATE PLAYER INFO} BEGIN WRITELN('POINTS = ',POINTS); IF MEN = 1 THEN WRITELN(MEN,' MAN LEFT') ELSE WRITELN(MEN,' MEN LEFT'); END:
```

Another necessary procedure is the 'END GAME' routine that tidies up the loose ends, such as storing the high score and displaying the player's level of achievement.

```
PROCEDURE ENDGAME;
BEGIN
PAGE(OUTPUT);
WRITELN('HIGH SCORE = ',HI);
WRITELN;WRITELN;
PLAYERUPDATE;
GOTOXY(12,12);
```

```
IF POINTS > 1000000 THEN WRITELN('SUPER MAN')
    ELSE IF POINTS > 50000 THEN WRITELN('ABOVE AVERAGE')
ELSE IF POINTS > 250000 THEN WRITELN('COMMON MAN')
ELSE IF POINTS > 100000 THEN WRITELN('ALMOST MAN')
    ELSE WRITELN('YOU COULD LOUSE UP A BRICK WALL');
    {RESET(HISCORE);
        IF POINTS > HI THEN WRITELN(HISCORE, POINTS);
            {CAN BE USED AFTER CREATING DISK FILE}
END;
FUNCTION RAND : INTEGER; {ONE IN TEN RANDOM NUMBER}
  LOW = 1;
  HIGH = 100;
VAR
  MX,C,D : INTEGER;
  C := HIGH - LOW + 1;
  MX := (MAXINT - HIGH + LOW) DIV C + 1;
  MX := MX * (HIGH - LOW) + (MX - 1);
  REPEAT
    D := RANDOM :
   UNTIL D < MX;
  RAND := LOW + D MOD C;
```

The procedure DELAY is a variable delay. The length of delay is contingent upon the level of play. 'DELAY' is a simple loop repeated 'N' times, 'N' being dependent on the value of 'LEVEL'.

```
PROCEDURE DELAY; {DELAY BASED ON LEVEL OF PLAY}
VAR I : INTEGER;
BEGIN
I := 2000 - 200 * LEVEL;
IF I <600 THEN I := 600;
REFEAT
I := I - 1;
UNTIL I = 0;
END;
```

The HALLMON (hall monitor) procedure is a procedure for computing the chance (50/50 in this application) of escaping or avoiding an obstacle. The obstacle can be mobile or stationary. This procedure can also be used in combination with 'PERCENTILE', 'CHANCE', and 'FUMBLE' for greater flexibility of action with multiple branching.

```
PROCEDURE HALLMON; {WANDERING OBSTACLE}
VAR I : INTEGER;
BEGIN
  I := RAND;
  GOTOXY(12,14);
WRITELN('':80);
  GOTOXY(12,14);
  TF ODD(I)
    THEN
      POINTS := POINTS + 1000 * LEVEL;
      WRITELN('YOU GOT IT');
  FISE
  BEGIN
    MEN := MEN - 1;
    WRITELN('IT GOT YOU!');
    EXIT(SCREEN);
  END;
```

The function CHANCE is simply a 1 - 100 random-number generator.

```
FUNCTION CHANCE : INTEGER; {ONE IN A HUNDRED RANDOM NUMBER}

CONST

LOW = 1;

HIGH = 100;
```

```
VAR
 MX,C,D : INTEGER;
BEGIN
  C := HTGH - LOW + 1:
  MX := (MAXINT - HIGH + LOW) DIV C + 1;
  MX := MX * (HIGH - LOW) + (MX - 1);
  REPEAT
    D := RANDOM ;
  UNTIL D < MX;
  CHANCE := LOW + D MOD C;
PROCEDURE LINE1; {RANDOM TEXT GENERATION}
  RANDOMIZE:
  CASE RAND OF
    1,6 : WRITELN('QUIET AS A MOUSE');
    2,7 : WRITELN('A CAT WOULD BE JEALOUS');
3,8 : WRITELN('EVER CONSIDER A DISHONEST PROFFESSION');
    4,9 : WRITELN('THE NEXT ONE WON'T BE SO EASY');
    5,10: WRITELN('YOU'VE DONE THIS BEFORE RIGHT !!');
  END:
END;
PROCEDURE LINE2;
  RANDOMIZE:
  CASE RAND OF
    1,6: WRITELN('THAT WAS A CLOSE ONE');
2,7: WRITELN('BE CAREFUL !!');
3,8: WRITELN('YOU'RE A REAL KLUTZ TODAY');
    4,9 : WRITELN('EVER CONSIDER A ''QUIET'' HOBBY ??');
    5,10: WRITELN('YOU ALMOST BLEW IT ');
  END:
```

The procedure FUMBLE decides whether or not the player has fumbled (1 - 64); if he has he loses one man. If the player has not fumbled 'LINE2' is called.

```
PROCEDURE FUMBLE;
VAR CH: INTEGER;
BEGIN
CH:= CHANCE;
IF CH >= 65 THEN LINE2
ELSE BEGIN
WRITELN('YOU WOKE THE WHOLE NEIGHBORHOOD');
MEN:= MEN - 1;
EXIT(SCREEN);
END;
END;
```

The PERCENTILE procedure uses the number generated by 'CHANCE' to make decisions — in this case to decide between 'LINE1' (76 - 100), 'LINE2' (26 - 75), or 'FUMBLE' [1 - 25]. 'LINE1' and 'LINE2' simply print text messages selected at random.

```
PROCEDURE PERCENTILE;
VAR CH: INTEGER;
BEGIN
CH:= CHANCE;
IF CH > 75 THEN LINE1
ELSE IF CH > 25 THEN LINE2
ELSE IF CH >= 1 THEN FUMBLE;
END;
```

The INDAT procedure is the same as performing a 'READ' statement except now allowable inputs are selected by the programmer. In the example, only 'A' through 'Z' will be accepted.

```
PROCEDURE INDAT;
BEGIN
GET(KEYBOARD);
```

```
WHILE NOT (KEYBOARD AIN ['A' .. 'Z']) DO
   GET (KEYBOARD):
  LETTER := KEYBOARD ↑;
END:
PROCEDURE SCREEN; {SAMPLE SCREEN}
 LIMIT : INDEX;
  CORRECT : INDEX;
REGIN
  WORDARR := 'GAMES';
                  {O CORRECT GUESSES}
{20 GUESSES}
  CORRECT := 0;
  LIMIT := 20;
  WRITELN('YOU HAVE TWENTY GUESSES TO FIND THE LETTERS');
  WRITELN('IN A FIVE LETTER WORD');
  WRITELN;
  WRITELN ('WHEN YOU FIND THE LETTERS UNSCRAMBLE THEM');
  WRITELN('TO FIND THE WORD');
  WRITELN;
  WRITEIN('START GUESSING. IF YOUR GUESS IS CORRECT');
WRITEIN('THE COMPUTER WILL PRINT THE LETTER ON THE SCREEN.');
  REPEAT
    INDAT;
    IF COMPARE THEN
                BEGIN
                  WRITE(LETTER);
                  CORRECT := CORRECT + 1:
                END;
    LIMIT := LIMIT - 1;
 UNTIL (CORRECT = 5) OR (LIMIT = 0);
WRITELN; WRITELN;
  IF LIMIT = 0 THEN
                BEGIN
                  WRITELN('OUT OF GUESSES');
                  MEN := MEN - 1;
  END;
POINTS := (2000 - (100 * (20 - LIMIT))) * LEVEL;
  PLAYERUPDATE;
PROCEDURE SCREEN2;
BEGIN
END;
PROCEDURE SCREEN3;
END:
PROCEDURE SCREEN4;
BEGIN
END;
BEGIN {MAIN}
  {RESET(HISCORE, 'HISCORE');
  FILE ON DISK FOR SAVING LAST HIGH SCORE
    READLN(HISCORE, HI);}
  MEN := 6;
  POINTS := 0;
  LEVEL := 1;
  REPEAT
    SCREEN:
    IF MEN = O THEN ENDGAME;
    SCREEN2;
    IF MEN = O THEN ENDGAME:
    SCREEN3;
     IF MEN = O THEN ENDGAME;
    SCREEN4:
    LEVEL := LEVEL + 1;
  UNTIL (MEN = 0);
  ENDGAME:
  {CLOSE(HISCORE, LOCK);}
                                                                MICRO
```


Michael Allen has been programming in Pascal for about two years. He is currently employed at Martin Marietta Aerospace as a quality engineer and is working toward a B.S. in Computer Science at Chapman College. You may contact Mr. Allen at 1500 West Cherry, Lompoc, CA 93436.

VIDEO TERMINAL BOARD 82-018

This is a complete stand alone Video Terminal board. All that is needed besides this board is a parallel ASCII keyboard, standard NTSC monitor, and a power supply. It displays 80 columns by 25 lines of UPPER and lower case characters. Data is transferred by RS232 at rates of 110 baud to 9600 baud switch selectable. The UART is controlled (parity etc.) by a 5 pos. dip switch.


Complete source listing is included in the documentation. Both the character generator and the CRT program are in 2716 EPROMS to allow easy modification to your needs.

This board uses a 6502 Microprocessor and a 6545-1 CRT controller. The 6502 runs during the horz. and vert. blanking (45% of the time). The serial input port is interrupt driven. A 1500 character silo is used to store data until the 6502 can display it.



Features

- 6502 Microprocessor
- 6545-1 CRT controller
- 2716 EPROM char. gen.
- 2716 EPROM program
- 4K RAM (6116)
- 2K EPROM 2716
- RS232 I/O for direct connection to computer or modem.
- 80 columns x 25 line display
- Size 6.2" x 7.2"
- · Output for speaker (bell)
- Power +5 700Ma.
 - + 12 50Ma.
 - -12 50Ma.



This board is available assembled and tested, or bare board with the two EPROMS and crystal.

Assembled and tested Bare board with EPROMS and crystal Both versions come with complete documentation.

#82-018A \$199.95 #82-018B \$ 89.95



JOHN BELL ENGINEERING, INC.



ALL PRODUCTS ARE AVAILABLE FROM JOHN BELL ENGINEERING, INC. • 1014 CENTER ST., SAN CARLOS, CA 94070 ADD SALES TAX IN CALIFORNIA • ADD 5% SHIPPING & HANDLING 3% FOR ORDERS OVER \$100

SEND \$1.00 FOR CATALOG

(415) 592-8411

WILL CALL HOURS: 9am - 4pm

10% OUTSIDE U.S.A ADD \$1.50 FOR C.O.D.



Rapid String/

hen an Applesoft BASIC program is employed to search an array containing hundreds or thousands of names and addresses, the results can be relatively slow in forthcoming. This is a major reason that assembly language (ASL) is used for the tasks.

The ASL Program

Listing 1 is a 6502 assembly-language program that utilizes two important Applesoft interpreter functions -PTRGET (\$DFE3) and GETARYPT (\$F7D9). PTRGET allows the attainment of descriptor addresses for string variables using VARPNT (\$83,84) locations. The descriptor consists of three bytes, the first leading to the string length and the next two to the string address (low/high bytes, respectively). The manner in which the string/substring (B\$) length is obtained, as well as the pointers to the addresses containing the string variable values, is depicted in lines 27-40.

This Applesoft BASIC program demonstrates the use of a machine-language program to obtain a rapid array search. String-array variables can be quickly scanned for string/substring variables making it possible to search up to 11000 characters in a fraction of a second.

Substring Search

by L. S. Reich

The utilization of GETARYPT allows the attainment of descriptor addresses for variable string arrays. Initially, GETARYPT is employed to find the location of a string array header whose address is stored in LOWTR (\$9B,9C) locations. Seven bytes are then added to find the location of the descriptor for the first array element (A\$[0]), and the next descriptor is three bytes away, etc.; e.g., lines 99-105 [also see p. 137 of the Applesoft II BASIC Programming Reference Manual). This is depicted in lines 43-50. In lines 51-59, the string array length is obtained as well as array pointers to addresses containing the variable string array values. In lines 61-67, the string array length for A\$(J) is compared with the string length for B\$. If the latter value is larger, then another descriptor is obtained for the next string array, lines 99-106; otherwise, the difference in the lengths is stored in PTR+1 to determine the last test position. In

Apple =

lines 69-86, a counter is used (PTR) to determine whether the last test position has been reached; if not, then further comparisons are made between A\$(J) and B\$.

A successful comparison (GOTWRD) results in location \$1A possessing a value of \$FF (lines 108-110) and a return to the BASIC program. Lines 83-86 allow A\$(J) to be compared along its length with string/substring B\$. In lines 87-97, the values in counters \$1B,1D (low/high bytes, respectively) are compared with the number-of-words limit established in locations \$3AA,3AB (low/high bytes, respectively). This limit was imposed in the associated BASIC program. When this limit (N in the BASIC program) is attained, BASIC is reentered (line 111).

The BASIC Program

Listing 2 is the BASIC program. As previously mentioned, the number-of-words limit (N) is stored in locations \$3AA,3AB (lines 40 and 70). If the RETURN key is used for the key word [B\$], then the program ends (lines 90-100). In line 110, if D\$="N" then only the first string array (A\$(J|) that shows a match with the string/substring (B\$) will be displayed. However, if D\$="Y" then all string arrays containing B\$ will be displayed.

Line 310 represents the first string array, A\$(0). In line 130, the ASL program is called using CALL 768,B\$,A\$. The ampersand function may be used instead of "CALL 768" by appropriate modification of the program. This change should result in a slightly faster program. When a successful match has been obtained [[\$1A] = \$FF], the matched string variable is displayed [line 150]. If D\$="N" the program then ends; otherwise (\$1A) is reset to zero and the matching is continued (lines 170-180).

References

- 1. G. B. Little, MICRO, (57:32).
- L. Reynolds, Call-A.P.P.L.E., p. 26 (January 1981).
- 3. B. Sander-Cederlof, Apple Assembly Line, #7, p. 18 (1981).
- 4. J. Crossley, Call-A.P.P.L.E. in Depth, #1, p. 51 (1981).
- 5. C. Kluepfel, *Call-A.P.P.L.E.*, p. 50 (May 1981).

String Search requires: Apple II

Listing					
		*			*
		* Ra	pid Stri	ng Search	*
		*	By L.S	. Reich	*
		*			*
		*	CALL 7	68,B\$,A\$	*
		* Searc	h for pe	in A\$ usin	* ng ML *
		* Routi		Applesoft B.	SASIC *
		*			*
		*	Copyrigh By MIC	t (C) 1983 RO Ink	*
		*	10 North	ern Blvd.	*
		*	Amherst,	NH 03031	*
		******	*****	******	
		** APPLES	START SOFT POIN	TERS:	
		PTR	GEQU	\$10	
		VARPNT	GEQU	\$83 \$98	
		LOWTR LENB	GEQU GEQU	\$9B \$D0	
		CHKCOM	EQU	\$DEBE	
		PTRGET	EQU	\$DFE3	
		GETARYPT	EQU	\$F7D9	
			ORG	\$300	
003.	3 0300 20BEDI	9	JSR	CHKCOM	
003	0303 20E3D		JSR	PTRGET	
003	0306 A000		LDY	#\$00 \$14	Ini+inlic-
003			STY STY	\$1A \$1B	Initialize
003	0300 8410		STY	PTR	
003	030E 841D		STY	\$1D	γ
004			LDA STA	(VARPNT), LENB	• 4
004	0314 C8		INY		
004	0315 B183		LDA		Y Get Pointers
004			STA	\$06	and Store
004	031A B183		LDA	(VARPNT),	Y
004			STA	\$07	
004			JSR	CHKCOM	
005	0321 20D9F		JSR	GETARYPT	
005			LDA	LOWTR	
005	0327 6907		ADC	#\$07	Get to first
005	0329 85E7		STA	\$E7	Array Variable
005 005			LDA ADC	LOWTR+1 #\$00	
005	7 032F 85E8		STA	\$E8	
005	0331 A000	LOOP	LDY	#\$00	
005 006			LDA	(\$E7),Y LENB+1	
006	0337 C8		INY		
006	2 0338 B1E7		LDA	(\$E7),Y	Get Array
006			STA	\$08	Pointers and Store
006			LDA	(\$E7),Y	2
006			STA	\$09	
006			LDA	LENB+1	
006	9 0343 C5D0		CMP	LENB	
	0 0345 902A 1 0347 A5D1		BLT	AGAIN LENB+1	
007			LDA SEC	DEND+1	
007	3 034A E5D0		SBC	LENB	
007	4 034C 8511		STA	PTR+1 #\$00	
007			LDA STA	#\$00 PTR	
007	5 0350 8510				



Unexcelled communications power and compatibility, especially for professionals and serious computer users. Look us over; SuperTerm isn't just "another" terminal program. Like our famous Terminal-40, it's the one others will be judged by.

- UP/DOWNLOAD FORMATS CBM, Xon-Xoff, ACK-NAK, etc.
- DISPLAY MODES 40 column; 80/132 with side-scrolling
- EMULATION 42 popular terminal protocols
- FUNCTION KEYS 8 standard, 52 user-defined
- BUFFERS Receive, Transmit, Program, and Screen
- EDITING Full-screen editing of Receive buffer
- FILE CONVERSION ASCII to PGM, PGM to ASCII
- **PRINTING** Continuous printing with Smart ASCII and parallel printer; buffer printing with other interfaces or VIC printer
- DISK SUPPORT Directory, Copy, Rename, Scratch,
- FLEXIBILITY Select baud, duplex, parity, stopbits, etc.

Program options are selected by menus and function keys. For maximum convenience, an EXEC file sets options on start-up. SuperTerm may be backed-up for safety. Software on disk or cassette, with special cartridge module.

Write for the full story on SuperTerm; or, if you already want that difference, order today!

Requires: Commodore 64 or VIC-20, disk drive or Datasette, and compatible modem. VIC version requires 16K memory expansion. Please specify VIC or 64 when ordering

Just need UP/DOWNLOAD?

If you don't yet need SuperTerm's power, perhaps Terminal-40 Plus (VIC) or '64 Terminal Plus is right for you. We took our top-rated, smooth-scrolling terminal programs, added up/download, disk commands, and even more convenience. Then we put them on disk for fast loading, just like you wanted. Need we say more?

Only \$49.95 (VIC version requires 8K mem exp)

P.S. Trade in your original Terminal-40 or '64 Terminal and deduct \$10.00.

VIC 20 and Commodore 64 are trademarks of Commodore Electronics, Ltd.

(816) 333-7200



Send for a free brochure. MAIL ORDER: Add \$1.50 shipping and handling (\$3.50 for C.O.D.); VISA/Mastercard accepted (cardii and exp. date). MO residents MICRO Inc.

U.S.\$. U.S. Bank ONLY; add \$5 shiphndig.

311 WEST 72nd ST. • KANSAS CITY • MO • 64114

Listing 1 (continued)

0078	0352	AOFF	Y1	LDY .	#\$FF	
0079	0354	C8	Y2	INY		
0080	0355	F004		BEQ	Y4	
0081		C4D0		CPY	LENB	Finished?
0082	0359	F03D		BEQ	GOTWORD	Yes
0083	035B	B108	Y4	LDA	(\$08),Y	No
0084	035D	D106		CMP	(\$06),Y	
0085	035F	FOF3		BEQ	Y2	
0086	0361	E610		INC	PTR	
0087	0363	A511		LDA	PTR+1	
0088	0365	C510		CMP	PTR	
0089	0367	9008		BLT	AGAIN	
0090	0369	E608		INC	\$08	
0091	036B	DOE5		BNE	Y1	
0092	036D	E609		INC	\$09	
0093	036F	DOE1		BNE	Y1	
0094	0371	A000	AGAIN	LDY	#\$00	
0095	0373	8410		STY	PTR	
0096	0375	E61B		INC	\$1B	Number Words
0097	0377	D002		BNE	Y3	Lobyte
0098	0379	E61D		INC	\$1D	Number Words
0099	037B	A51B	Y3	LDA	\$1B	Hibyte
0100	037D	38		SEC		Words Limit
0101	037E	EDAA03		SBC	\$3AA	Lobyte
0102	0381	A51D		LDA	\$1D	Words Limit
0103	0383	EDAB03		SBC	\$3AB	Hibyte
0104	0386	1015		BPL	OVER	Finished
0106	0388	A5E7		LDA	\$E7	Get new
0107	038A	18		CLC		Descriptor
0108	038B	6903		ADC	#\$03	For next array
0109	038D	85E7		STA	\$E7	
0110		A5E8		LDA	\$E8	
	0391			ADC	#\$00	
	0393			STA	\$E8	
0113		403103		JMP	LOOP	
011)	0)//	,,				
0115	กรดูด	A9FF	GOTWORD	LDA	#\$FF	Sucess
0116		851A	GOTWORD	STA	##FF \$1A	Marker
0117	0390			RTS	фти	Haiver,
0117		4C03E0	OVER	JMP	\$E003	BASIC
OTTO	ログタロ	400320	OVER	Orit	DECO 3	DWDIO

Listing 2

- 10 REM **APPLESOFT PROGRAM FOR USE WITH ML SEARCH ROUTINE**
- TEXT: HOME: YAB 10: PRINT "SETTING IF PEEK (927) = 224 THEN 40

 30 PRINT CHR\$ (4) "BLOAD STRING.OBJ,A\$300"
 40 N = 257: REM NUMBER OF WORDS SEARCHED SETTING UP STRING SEARCH"

- DIM A\$(N)
- 60 HI = INT (N / 256):LO = N HI * 256
- POKE 938,LO: POKE 939,HI: REM NUMBER OF WORDS LIMIT
- FOR I = 0 TO N 1: READ A\$(I): NEXT INPUT "GIVE KEY WORD: ";B\$

 IF B\$ = "" THEN 200

- 130 CALL 768, B\$, A\$: REM GET A\$'S MATCHING B\$'S
- REM ***************************
- 150 IF PEEK (26) = 255 THEN PRINT A\$(PEEK (29) * 256 + PEEK (27)): PRINT :REM DISPLAY SIGNAL

 160 IF F\$ = "F" THEN 200
- 170 POKE 26,0: REM REINITIALIZE
- 180 CALL 881: REM CONTINUE MATCHING
- 190 GOTO 150
- 300 DATA LEO, LEON, SAL, DORIS, MARGE, BILL, JOHN, WALTER, PETER, HANS, GEORGE, CHARLES, FRANK, KELLY, RORY, TED, LEONARD, JACK, DAVID, WILLIAM, WILLA, MARY, MARGO, ALICE, JASON, MARK

(continued)

Listing 2 (continued)

- 310 DATA GRAYSON, ABEL, BETTY, CARA, DALE, ELLA, FRANCIS, FRANCES, GAIL, HARRY, HAROLD, ERNEST, JILL, KILMER, NORMAN, OLIVER, PHILLIP, ROBERT, SALLY, THOMAS, ARNOLD, BUELL, MAYNARD, MOIRA, HALEY
- 320 DATA MERLE, MURIEL, JACKSON, HILLARY, HOLMES, STANLEY, MARGARET, SIMPSON, SYLVIA, BERNICE, BERNARD, CARRIE, CHARLOTTE, PEARL, MINNIE, NORMA, ANN, VIRGINIA, GRACE, ROSE.ROSEMARY.LILLIAN,LOUISE,LILA,NELLIE
- 330 DATA LEWIS, LEWISON, LENNY, HERMAN, LESTER, LEMUEL, SAMUEL, HOMER, LARS, WOLF, XAVIER, YOUNG, ZELMO, ELMER, HILMER, BARRY, STEVE, STEPHEN, PHILO, GARRY, PRESTON, SANDRA, SANDY, ALBERT, CARMEN, ALDO, ZERO
- 340 DATA LEWIS, LEWISON, LENNY, HERMAN, LESTER, LEMUEL, SAMUEL, HOMER, LARS, WOLF, XAVIER, YOUNG, ZELMO, ELMER, HILMER, BARRY, STEVE, STEPHEN, PHILO, GARRY, PRESTON, SANDRA, SANDY, ALBERT, CARMEN, ALDO, ZERO
- 350 DATA MERLE, MURIEL, JACKSON, HILLARY, HOLMES, STANLEY, MARGARET, SIMPSON, SYLVIA, BERNICE, BERNARD, CARRIE, CHARLOTTE, PEARL, MINNIE, NORMA, ANN, VIRGINIA, GRACE, ROSE, ROSEMARY, LILLIAN, LOUISE, LILA, NELLIE
- 360 DATA GRAYSON, ABEL, BETTY, CARA, DALE, ELLA, FRANCIS, FRANCES, GAIL, HARRY, HAROLD, ERNEST, JILL, KILMER, NORMAN, OLIVER, PHILLIP, ROBERT, SALLY, THOMAS, ARNOLD, BUELL, MAYNARD, MOTRA, HALEY
- 370 DATA LEO, LEON, SAL, DORIS, MARGE, BILL, JOHN, WALTER, PETER, HANS, GEORGE, CHARLES, FRANK, KELLY, RORY, TED, LEONARD, JACK, DAVID, WILLIAM, WILLA, MARY, MARGO, ALICE, JASON, MARK
- 380 DATA GRAYSON, ABEL, BETTY, CARA, DALE, ELLA, FRANCIS, FRANCES, GAIL, HARRY, HAROLD, ERNEST, JILL, KILMER, NORMAN, OLIVER, PHILLIP, ROBERT, SALLY, THOMAS, ARNOLD, BUELL, MAYNARD, MOTRA HALEY
- 390 DATA MERLE, MURIEL, JACKSON, HILLARY, HOLMES, STANLEY, MARGARET, SIMPSON, SYLVIA, BERNICE, BERNARD, CARRIE, CHARLOTTE, PEARL, MINNIE, NORMA, ANN, VIRGINIA, GRACE, ROSE, ROSEMARY, LILLIAN, LOUISE, LILA, NELLIE
- 400 DATA LEWIS, LEWISON, LENNY, HERMAN, LESTER, LEMUEL, SAMUEL, HOMER, LARS, WOLF, XAVIER, YOUNG, ZELMO, ELMER, HILMER BARRY, STEVE, STEPHEN, PHILO, GARRY, PRESTON, SANDRA, SANDY, ALBERT, CARMEN, ALDO, ZERO



5¼" SSQD—96 5¼" DSQD—96	TPI (746) TPI (747)		\$2.89 ea. \$3.95 ea.
(S	pecify soft	, 10 or 16 sector.)	
8" SSSD (740)			. \$2.07 ea.
8" DSDD (741)			. \$3.30 ea.

(Specify soft or 32 sector.)

Save even more on quantity orders!

Minimum Order: 20 diskettes. Add \$3.00 shipping per 200 diskettes. C.Q.D. charge \$1.65 additional. Visa • Mastercard • Checks

For fast service, call

DISK WORLD!

Nationwide: 1-800-621-6827 In Illinois: 312-944-2788

DISK WORLD!

Suite 4806 • 30 East Huron Street • Chicago, Illinois 60611

Authorized Distributor Information Processing Products

DISCOUNT COMPUTER

APPLE	Retail Discount		Retail Dis	count .	ATARI	Retail	Discount		Retail Dis	count
Eliminator War Adventureland Pirates Adventure Golden Voyage Magic Window Temple of Apshai Upper Reaches of Apshai Curse of Ra Midway Campaign Hi-Res Computer Goff DOS Boss The Arcade Machine Star Blazer Choplifter Serpentine Deadly Secrets Raster Blaster Bug Attack The Home Accountant Snack Attack Pig Pen Wordrace Rendevous Russkil Duck	\$29.95 21.00 24.95 18.00 29.95 21.00 29.95 21.00 29.95 21.00 39.95 72.00 39.95 72.00 39.95 15.00 19.95 15.00 19.95 15.00 10.00 12.00 24.00 18.00 24.00 18.00 33.00 31.95 25.00 34.95 25.00 34.95 25.00 34.95 25.00 29.95 21.00 29.95 21.00	Zork I Zork II Deadline Mastertype Castle Wolfenstein Supertext II Softcard Premium System Wizard and the Princess Time Zone Cranston Manor Threshold Softporn Adventure Crossfire Frogger Laff Pak Ultima II Screenwriter II Graphics Magician Pie Man Fastgammon Congo Goldrush Gorgon Beer Run Snake Byte Intec 32K Board \$75 APPLE Compatible Disk Dri	39,95 39,95 39,95 29,95 150,00 775,00 32,95 34,95 39,95 29,95 29,95 34,95	29,00 29,00 29,00 21,00 108,00 21,00 108,00 24,00 25,00 21,00 25,00 21,00 25,0	Threshold (d) Snake Byte (d) Space Eggs (d) Bandits (d) Color Print (d) Canyon Climber (d) Shooting Arcade (d) (t) Pacific Coast Highway (d) (t) Clowns And Ballons (d) (t) Wordrace (d) Andromeda (d) Deadline (d) Zork II (d) Zork II (d) Alien Swarm (d) Action Quest (d) (t) Ghost Encounters (d) (t) K-Razy Shootout (c) K-Razy Kritters (c) Ultima I (d) Alie Baba and Forty Thieves (d) Deluxe Invaders (c) Gorf (c) Wizard of Wor (c) Preppie (d) (t) Tigers in The Snow (d) (t) Ghostly Manor (d) Raster Blaster (d)	\$39.95 29.95 34.95 39.95 29.95 29.95 29.95 24.95 34.95 39.95 34.95 34.95 34.95 39.95	29.00 21.00 21.00 29.00 21.00 21.00 21.00 21.00 21.00 36.00 29.00 29.00 21.00 29.00 29.00 21.00 29.00 29.00 21.00 36.00 29.00 21.00 29.00 21.00 21.00 21.00 29.00 21.00 21.00 29.00 21.00 29.00 21.00 29.00 21.00 29.00 21.00 29.00 21.00 29.00 21.00 29.00 21.00 29.00 21.00 29.00 21.00 29.00 21.00 29.00 21.00 29.00 21.00 29.00 21.00 29.00 21.00 29.00 21.00 29.00 21.00 29.00 21.00 21.00 29.00 21.00	T=Cassette D=Disk C=Cartridge Rear Guard (t) Rear Guard (t) Caverns of Mars (d) Atari Basic (c) Star Raiders (c) Centipede (c) Pac Man (c) Pliot (c) Temple of Apshai (d) (t) Upper Reaches of Apshai (t) Curse of Ra (d) Midway Campaign (t) Apple Panic (d) Track Attack (d) Choplifter (d) Star Blazer (d) Wizard and the Princess (d) Jawbreaker (d) (t) Frogger (d) (t) The Shattered Alliance (d) Battle of Shiloh (d) Submarine Commander (c)	24.95 19.95 39.95 59.95 44.95 44.95 44.95 19.95 19.95 19.95 19.95 29.95 29.95 29.95 29.95 34.95 34.95 34.95 39.95	18.00 29.00 45.00 33.00 60.00 12.00 21.00 21.00 21.00 21.00 22.00 21.00 22.00 39.00

MANY MORE PROGRAMS AVAILABLE

VISA AND MASTERCARD ACCEPTED

TERMS: Send check or money order for total purchase price, plus \$2.00 for shipping. MI residents add 4% tax. C.O.D. accepted.

MFGS. TRADEMARK

STROM ≈

P.O. Box 197 SYSTEMS INC. Plymouth, Mi. 48170 (313) 455-8022

WRITE OR CALL FOR FREE CATALOG **PHONE ORDER HOURS**

4 PM - 9 PM MON. - FRI. INCLUDE CARD NUMBER AND EXPIRATION DATE WITH CREDIT CARD ORDERS INCLUDE TYPE OF COMPUTER

Directory Menufor the Apple

by Keith Davison and Phil Daley

Listing 1

************ 0056 0344 2039D5 GEQU **GDBUFS** INDEX GEQU 0347 AD2703 STORE+1 RTS FOU 860 0058 034A 2052E4 JSR GETSPA PRESPC GEQU 034D AC2703 \$71 0059 LDY STORE+1 VARPNT GEQU 0350 A900 RETURN FOIL \$80 0061 0352 855E STA INDEX 0354 A902 TXTPTR GEOU \$B8 0062 /KEYBUE LDA 0356 855F COUNT GEQU STA FLAG CEOU SFF 0064 0358 88 LOOP DEY KEYBUF EQU \$200 0065 0359 B15E (INDEX),Y LDA SETPTR EQU \$3EA 0066 035B 9171 STA (FRESPC),Y PAUSE EQU \$AE34 0067 035D 98 TYA GDBUFS EQU \$D539 035E DOF8 LOOP 0068 BNE PTRGET EQU \$DFE3 0360 A5B8 TXTPTR GETSPA EQU \$E452 0070 0362 48 PHA COUT1 EQU \$FDF0 0363 A5B9 TXTPTR+1 0071 LDA SETKBD EQU \$FE89 PHA SETVID FOIL \$FE93 0073 0366 A98D LDA #DATA 0074 0368 85B8 STA TXTPTR ORG \$300 LDA /DATA 0076 036C 85B9 STA TXTPTR+1 0027 0300 A960 BEGIN LDA 036E 20E3DF #RTS 0077 JSR PTRGET 0028 0302 8D34AE STA PAUSE 0371 68 PLA 0029 0305 4900 LDA #KEYBUF 0079 0372 85B9 TXTPTR+1 STA 0307 85FE 0030 0374 68 STA COUNT 0080 PLA 0309 85FF 0375 85B8 TXTPTR STA 0032 030B 2089FE JSR SETKED 0082 0377 A000 LDY 0033 030E A926 LDA 0379 AD2703 #STORE STORE+1 0083 LDA 0310 8536 0034 0370 9183 STA (VARPNT),Y /STORE 0035 0312 A903 LDA 0085 037E C8 INY 0314 8537 0036 CSW+1 STA 0086 037F A571 LDA FRESPC 0316 20EA03 SETPTE 0381 9183 STA (VARPNT).Y 0038 0319 A900 RESTOR LDA #KEYBUF 0088 0383 C8 INY 031B 8D2703 0039 STORE+1 0089 0384 A572 FRESPC+1 STA I.DA 031E A902 /KEYBUF 0386 9183 STA (VARPNT),Y 0041 0320 8D2803 STA STORE+2 0091 0388 E6FE INC COUNT 0042 0323 C6FF BACK 038A 4C1903 DEC FLAG 0092 JMP RESTOR 0043 038D MSB OFF 0044 0326 8D0002 STORE STA KEYBIIE 038D 204141 DATA C' AA\$(' 0094 0045 0329 EE2703 0390 2428 INC STORE+1 032G E6FF 0392 E2 H'E2' 0047 032E F00C BEQ CONT 0393 283235 C'(254)):' 0048 0330 20F0FD 0396 342929 JSR COUT1 0333 2089FE 0049 SETKBD 0050 0336 2093FE JSR SETVID END 0339 4CEA03 0051 JMP SETPTR

he Apple menu program uses a machine-language routine to convert the normal CATALOG routine into a string array of the individual entries. CAT.OBJ (listing 1) is the assembly-language listing of the routine to accomplish this task. If you don't have an assembler, enter the monitor with a CALL-151 and type

Listing 2

```
PRINT CHR$ (4)"BLOAD CAT.OBJ,A$300"
     GOTO 120
     INVERSE : PRINT LEFT$ (Q$,2);: NORMAL
     PRINT MID$ (Q$,3);: RETURN

IF CARD = 3 THEN PRINT CHR$ (12): RETURN
     HOME : RETURN
     IF J / (CARD * 2 / 3 + 2) < >
INT (J / (CARD * 2 / 3 + 2)) THEN PRINT
     RETURN
100 J$ = "": IF J < 10 THEN J$ = "0"
110 J$ = J$ + STR$ (J): RETURN
      DIM A$(100), AA$(100), B$(100), I$(100), T$(100),
S$(100),R$(100): TEXT : HOME
130 CARD = 3: REM 80 COLUMN CARD SLOT:
      SET TO O FOR NORMAL 40 COLUMN DISPLAY
140 CALL 768
150
      PRINT CHR$ (4)"CATALOG"
      PR# CARD: CALL 1002
170 COUNT = PEEK (254) - 1
180 PRINT : PRINT COUNT" CATALOG ENTRIES ON "AA$(2)
180
      FOR J = 4 TO COUNT
200 2\$ = MID\$ (AA\$(J),2,1)
210 IF 2\$ = "T" THEN T = T + 1: GOSUB 100:T\$(T) = J\$ +
      MID$ (AA$(J),8,18): GOTO 270
     IF Z$ = "I" THEN I = I + 1: GOSUB 100: I$(I) = J$ + MID$ (AA$(J),8,18): GOTO 270
     IF Z$ = "A" THEN A = A + 1: GOSUB 100:A$(A) = J$ +
      MID$ (AA$(J),8,18): GOTO 270
    IF Z$ = "B" THEN B = B + 1: GOSUB 100:B$(B) = J$ +
      MID$ (AA$(J),8,18): GOTO 270
     IF Z$ = "S" THEN S = S + 1: GOSUB 100:S$(S) = J$ + MID$ (AA$(J),8,18): GOTO 270
      IF Z$ = "R" THEN R = R + 1: GOSUB 100:R$(R) = J$ +
     MID$ (AA$(J),8,19)
     NEXT
                                                   (continued)
```

0052

0054

033C C98D

033E D0E3

0343 CA

0340 AE2703

CMF

BNE

LDX

#RETURN

BACK STORE+1

Apple:

```
Listing 2
               280 SP$ =
               290 T$ = "Text Files" + LEFT$ (SP$,10)
               300 I$ = "Integer" + LEFT$ (SP$,13)
               310 A$ = "Applesoft" + LEFT$ (SP$,11)
               320 B$ = "Binary" + LEFT$ (SP$,14)
330 S$ = "Source" + LEFT$ (SP$,14)
340 R$ = "Relocatable" + LEFT$ (SP$,9)
                     GOSUB 60: HTAB CARD * 6 + 9: PRINT "-
                                                                     -CATALOG-
               350
                     IF NOT T THEN 380
                     PRINT T$;: FOR J = 1 TO T:Q$ = T$(J):
GOSUB 40: NEXT : GOSUB 80
                     IF NOT I THEN 400
                     PRINT I$;: FOR J = 1 TO I:Q$ = I$(J):
GOSUB 40: NEXT : GOSUB 80
                     IF NOT (A) THEN 420
                      PRINT A$;: FOR J = 1 TO A:Q$ = A$(J):
                      GOSUB 40: NEXT : GOSUB 80
                     IF NOT B THEN 440
                      PRINT B$;: FOR J = 1 TO B:Q$ = B$(J):
                      GOSUB 40: NEXT : GOSUB 80
```

```
440 IF NOT S THEN 460
     PRINT S$;: FOR J = 1 TO S:Q$ = S$(J):
GOSUB 40: NEXT : GOSUB 80
450
     IF NOT R THEN 480
     PRINT R$;: FOR J = 1 TO R:Q$ = R$(J): GOSUB 40: NEXT
480
     VTAR 23
     INPUT "WHICH FILE TO RUN? ";A$
500 A = VAL (A$)
510 IF A = 0 THEN HOME : END
520 IF MID$ (AA$(A),2,1) = "S" OR MID$ (AA$(A),2,1) = "R" THEN PRINT "YOU CAN'T RUN AN 'R' OR 'S'
      TYPE FILE": HOME : END
530 IF MID$ (AA$(A),2,1) = "B" THEN A$ = "BRUN"
540 IF MID$ (AA$(A),2,1) = "A" OR MID$ (AA$(A),2,1)
     = "I" THEN A$ = "RUN"
550 IF MID$ (AA$(A),2,1) = "T" THEN A$ = "EXEC"
560 PRINT CHR$ (4); A$; MID$ (AA$(A),8)
```

MICRO

"300:A9 60 ... etc.", entering all the hexadecimal code. After a RETURN you need only to type ":" to continue entering data. The monitor keeps track of the addresses. Type "300L" to check for mistakes and save the code with "BSAVE CAT.OBJA\$300,L\$39A".

Type in the BASIC program as listed (listing 2). Line 130 provides for an 80-column card in slot 3. This allows the menu to display the directory entries four across instead of two. If you don't have an 80-column card, set CARD = 0 or delete the line altogether. For debugging, you might want to add a line 145 STOP to the program. If it never gets there, recheck your binary file. Also, I recommend that you run the program for the first time with a disk that you don't particularly care about since it is possible, although unlikely, to crash a disk.

The routine at lines 200-270 checks the file-type and assigns the filename to an array of that file-type. This sorts the directory by file-type so that the listing can be printed in file-type order. If you do not use Source- or Relocatable-type files, there are several lines that can be omitted from the program: 250,260, 330,340,440,450,460,470 (renumber 480 to 440). Lines 350-490 print the directory file names and prompt for a choice. Lines 520-560 check for filetype and send the appropriate command to DOS to execute the file. A change to allow RAM card owners to boot up in Applesoft and load only Integer BASIC when needed would be to add code between 540 and 550 to load Integer on file-type "I".

This routine is very fast; if you name the program "HELLO" so that it will run on boot-up, it is probably faster than booting and typing "CATALOG".



NO POWER SPIKES WITH SUPER FAN II.

Super Fan II's Zener Ray™ Transient Voltage Suppressor and Power Filter squelches spikes up to 6000 amps—even those caused by lightning—while responding up to 100 times faster than Apple II's



built-in suppressor.

In addition, Super Fan II cools your Apple, removing heat buildup at a remarkable 17 cubic feet of air per minute. Yet it's *th*e quietest fan of its kind on

the market.
Super Fan II
also positions a

also positions a lighted on/off computer switch and two accessory

plugs at your fingertips. It's warranted for two years and simply clips to your Apple II, IIe or monitor stand.

See your R.H. Electronics dealer today about Super Fan II*, or contact us at 566 Irelan Street, Buellton, CA 93427, (805) 688-2047.

RHELECTRONICS, INC.

Super Fan II, in black or tan: \$10 Without Zener Ray, \$74.95. Additional air flow seals, \$5. Available in 240V/50 Hz. Dealer/OEM inquiries invite *U.S. Patent #D268283 #4383286 France, call B.I.P. 1-255-4463 Australia, call Imagineering (02)212-1411

RANDOM Number Generator

by Bill Walker

A theoretical basis for the generation of uniformly distributed pseudo-random numbers.

andom number generators play a large part in many computer applications. These applications can range from making sure not all of your Klingons are consistently destroyed, to controlling computer simulations of real events.

Many of the languages currently available for computers (personal or mainframe) contain some facility to generate random numbers. Most of these generators function by accessing some segment of memory that is likely to change frequently, and using the number thus obtained to generate a number that is claimed to be random. This process is not always completely successful.

The problem is that true randomness is hard to attain. Most physical phenomena are actually controlled by (perhaps unseen) forces that destroy true randomness. About the best that we can hope for is to generate a sequence of ''pseudo-random' numbers, that behaves in a manner sufficient for our purposes.

This article will provide insight into random number generators, which are present in many computer languages, and to present some algorithms for generating pseudorandom sequences of numbers in situations where it is necessary for the programmer to "roll their own." The discussion includes term definition, and the presentation of a widely used method for generating pseudo-random sequences. We will write a short program to implement the algorithm

presented, and use it to shuffle a card deck.

Definitions

For the purposes of this article, we will regard true random sequences of numbers as unattainable. (Even white noise usually has some organization to it.) We will concentrate instead on the concept of a pseudo-random sequence.

Think of a pseudo-random sequence as a bag full of numbers. There are only so many numbers in the bag, but if we reach in the bag and pull out a number, there is no number which is more likely to be selected. That is, each number in the bag has an equal chance of being pulled from the bag.

Each time we select a number from the bag, we will make use of it in whatever application that we will, and then return the number to the bag before we choose another number. It is clear that we will eventually choose the same number twice.

If the bag is a *smart bag*, it will be sure that we use all of the numbers in the bag before it allows any number to be chosen twice. The fact that the smart bag will also present the numbers to us in some predetermined order should not be apparent. The numbers coming from the bag are said to form a pseudo-random sequence since the probability that a particular number is selected is the same as the probability for any other number.

The number of numbers that are selected before the selected numbers start to repeat themselves is called the period of the pseudo-random number generator. The period may possibly be as long as the total number of numbers in the bag, but can never exceed however many numbers are in the bag.

To explore the replacement of the smart bag with a computer algorithm, we need to define two more terms. The first term, *prime number*, is an integer (whole or counting number) that cannot be divided evenly by any positive integers other than itself and 1. For instance, the integers 3,5,7,11,13,17, and so on are prime numbers, while 2,4 and 15 are not prime. It is clear that a prime number must be an odd number.

A second related term is that of relatively prime numbers. Two positive integers are relatively prime if the smaller will not divide evenly into the larger one. An example would be the integers 2 and 9, neither of which happen to be prime, but these two numbers are relatively prime, since 2 does not divide evenly into 9.

The Algorithm

We will present an algorithm called a multiplicative linear congruential pseudo-random number generator." This particular algorithm is carefully disected and rigorously presented in Knuth's The Art of Computer Programming, Volume 2, page 16. If you are a professional programmer, you need access to this fine text.

The heart of the algorithm is the recursive formula:

$$X(n+1) = (A * X(n) + C) MOD M$$

where X(0), A, C, and M will be specified. The trick is to specify these quantities correctly. The following theorem appears in Knuth's work.

Theorem

The above formula yields a pseudorandom sequence of length M (i.e. has period M) if and only if

- 1. C is relatively prime to M
- B = A 1 is a multple of P for every prime P which evenly divides M
- 3. if M is a multiple of 4, then B is also a multiple of 4.

An especially convenient choice of M is to take M as some power of 2. This can make programming in some languages, such as assembly language,

(Continued on page 47)

Tactical Armor Comma

One last tug to the helmet strap—a reassuring glance at the line of powerful steel monsters and you know all is ready. From your command hatch you raise your hand and order "torward"! The air suddenly fills with the roar of engines and the rumble of treads, as the mighty dreadnaughts of the land start forward. You command a team of your country's finest armored vehicles in a mission to search and destroy the enemy

T.A.C. is a game of World War II tactical armored combat. You pick a nation (from among the four major combatants— Britain, U.S.A., Germany and Russia). You build a combat team from their most powerful tanks, assault guns and tank destroyers. You command the team you've created in major operations against like forces of the enemy

All the famous vehicles of the second world war are here-Tigers, Panthers, Shermans and JS II's: Jagdpanthers, SU 152's, Fireflies and T 34's, just to name a few. They have all been thoroughly researched and their important features programmed into the game. Each vehicle is distinguished by such elements as armor thickness (rear and flanks as well as front). fire power, speed, acceleration and gun traverse. Even minor points like fuel tank location can be critical.

The computer handles all the technical details. This lets you concentrate on making the same kinds of decisions the real-life tank commanders made. You search for the enemy, se your speed, aim your gun and knock out the enemy. The com puter will handle all the rest

- T.A.C. can be played solitaire against the computer or as a two player (or two team) game with the computer as mediator
- The most important armored vehicles of Britain, Russia, U.S. and Germany are available to command-40 in all.
- Choose from five different scenarios to play. Actions range from open meeting engagements to assaults against prepared positions.
- You pick the sides. You choose the weapons. A simple purchasing system has been provided to let you "buy" what you want in balance with your opponent.
- The results of combat are determined by the computer. It factors such critical elements as range, armor thickness (front, rear and flanks), tracking time, the speed and maneuvers of both the firing and target units, visibility and weapon adjustment to determine weapon accuracy.
- Special options include hidden movement, improved positions, smoke mortars, minefields, close assaults, overruns and indirect fire.

T.A.C. on diskette retails for \$40.00 and can be played on the following computers: Apple® It's with 48K (Mockingboard M Sound Enhanced!), Atari's® with 48K. Commodore & IBM® versions coming this fall.

BY RALPH BOSSON demotional Busine Strategic Level Tactical Level

Available at finer computer stores everywhere. Or call TOLL FREE: 1 (800) 638-9292 for fast credit card purchase. Price: \$40. Ask for Operator M.



microcomputer games

A DIVISION OF

The Avalon Hill Game Company
4517 Harford Road • Baltimore, MD 21214

Richvale Telecommunications


10610 BAYVIEW (Bayview Plaza) RICHMOND HILL, ONTARIO, CANADA L4C 3N8 (416) 884-4165



C64-LINK The Smart 64



RTC



(Continued from page 44)

very easy. Suppose we took M=256 (2 to the 8th). Then 2 is the only prime P that divides M, so we can take B to be any even number, and therefore A must be odd. Since we must have B, a multiple of 4, let us choose, for instance, B=12 or A=13. In this case, C can be any number other than 2. For convenience we will take C to be 3.

We now have the formula:

X(n + 1) = (13 * X(n) + 3) MOD 256

The following code would generate an array containing 256 pseudo-random numbers, ranging from 0 to 255, and would contain no repeated numbers.

X(0) := SEED;FOR I := 1 TO 255 DO X(I) := (13 * X(I - 1) + 3) MOD 256;

The SEED is any integer between 0 and 255. Many small computers arrange SEED to be the value of some byte that often changes, such as the last byte present on an I/O port. If the same number is used for SEED in a second run of the program segment, the resulting sequence of numbers will be exactly the same as before, but if a different SEED is used, the resulting sequence will be different. We see that since there are 256 possible choices for the SEED, the algorithm can generate 256 different pseudo-random number sequences.

If we were to choose M to be much larger, say M = 1024 (2 to the 10th), we could generate 1024 different pseudo-random sequences with the same algorithm.

An Example

It is clearly to our advantage to choose M above as some power of 2. However, to illustrate that this is not necessary, we will write an example card deck shuffling program.

We will number the cards in a standard card deck from 1 to 52. For instance, we might have

DECK[1] := 'ACE OF SPACES' DECK[2] := 'ACE OF CLUBS'

and so on. To shuffle the deck we will just present the cards by choosing the subscripts of the DECK using a pseudorandom number generator of our own design. Clearly, we must have a period of 52, since we can't afford to deal the same card twice [!].

We choose M = 52, to get the period that we desire. We are now required to choose C so that C and M are relatively prime. Since M is an even number, it suffices to choose C as any odd number. We will pick C = 3 since that is as good as any.

The choice of the mutiplier A is not as obvious. According to the theorem A – 1 must be a multiple of every prime that divides M. We note that M is 2 * 2 * 13, so that A – 1 must be a multiple of 2 and of 13. We also note that 4 is a divisor of M, so that A – 1 must also be a multiple of 4. All of this means that A – 1 must be 4 * 13, or 52. So we take A to be 53.

We now have the following algorithm:

SUB := SEED; FOR I := 1 TO 52 DO BEGIN WRITELN (DECK[SUB + 1]); SUB := (53*SUB + 3) MOD 52; END

This will deal 52 cards in a random order. There are 52 possible such dealings. We can choose one by specifying the value of SEED, which can be the value of some memory location that varies radically in time, or some other number essentially independent of time.

The subscript of "SUB + 1" was necessary, since the numbers generated vary between 0 and 51, and not between 1 and 52 as might be supposed at first glance. (It is clear that 52 MOD 52 is 01

Testing the Generator

Assuring ourselves that the pseudorandom number generators that we invent are as "random" as possible is not an easy task. Poor choices of A, C, and M can lead to very poor generators. One famous example occurs in an old friend RANDU from unit-record processing days. On many machines, this generator used one of the poorest possible choices of A, and thus provided bias to many unsuspecting users.

If you run the card shuffler program segment above, you will discover that the generator tends to produce "runs" or sequences of numbers that do not appear to be random in nature. The card shuffler will not pass a "visual inspection" for randomness. How do you fix it? Just "fiddle" with the multiplier A and the SEED. You can improve considerably on the generator presented

above by trial and error methods. Of course, trial and error is not adequate for many purposes, and we would desire that there exist a more rigorous method of assuring randomness. Again, we find Professor Knuth coming to the rescue.

Knuth devotes about 70 pages to the discussion of testing pseudo-random number generators such as the one above. Testing algorithms are presented and discussed mathematical environment. If you are using random-number generators, either of your own design or as a builtin feature of language, you should acquire and read Knuth's second volume. If you are only zapping Klingons, it is not really necessary of course, but if you are building bridges for the public to walk on, you probably should make a careful study, if only for your own benefit.

It is interesting to note that RANDU, the built-in random number generator that was the standard in the industry for many years, flunks some of Knuth's tests miserably.

The random number generators present in some languages may be inadequate for critical tasks, or may be absent altogether. This article has presented an algorithm that allows the user to develop pseudo-random number generators that are adequate for most hobbyist purposes. The tests, which can be found in the literature, are capable of assuring that pseudo-random number generators are adequate for a given purpose.

The following rules make design of a pseudo-random number generator easy.

- 1. Choose a period equal to a power of 2.
- 2. Choose A to be equal to a power of 2 plus 1.
- 3. Choose C to be odd.

Suggested Reading

- 1. The Art of Computer Programming, Volumes i,ii,iii, by Donald Knuth.
- Algorithms + Data Structures = Programs, by N. Wirth.
- 3. A Structured Approach to Pascal, by Bill Walker.
- 4. "Discrete Event Simulation," by Bill and Anita Walker (MICRO 56:21)

Bill Walker is Assistant Professor of Electrical Engineering and Computer Science at the University of Oklahoma. You may contact him at Box 2806, Norman, OK 73070.

SEARCHING REVEALED: LINEAR SEARCH

by Richard C. Vile, Jr.

Linear Search

requires:

Apple II Listings 1, 2, 4 and 6 require Applesoft. Listings 3 and 5 require Pascal.

searching is a technique used in many computer programs. More often than not, a list of some sort is searched. The list may consist of a variety of different kinds of information. For example:

- A mailing-list program may use a list of names, addresses, or both.
- In a program to maintain bowling scores, it may be necessary to search a list of names for the name of a specific player.
- Computer language translators usually maintain a list of identifiers or keywords that must frequently be searched to distinguish names reserved by the language from those created by the programmer.
- In an interactive game, a list of command words may need to be searched in order to match the commands typed by the player.

In all these examples, the lists that are searched consist of what are usually called *character strings*, or simply *strings*. Strings are represented in various ways depending on the programming language you use:

APPLESOFT — String variables hold one string apiece: A\$.

Pascal — String variables hold one string apiece: S = 'Hi'.

Assembly language — Strings are just sequences of bytes in memory.

Integer BASIC — String variables are arrays of characters and usually hold one string apiece.

Of course, in order to represent a list of items in a program, you must be able to store many strings at once. This is done using an array of strings. Not all Apple languages directly allow for arrays of strings — APPLESOFT and Pascal do; Integer BASIC and Assembly language do not. For this reason, my examples will center on the former two languages.

Linear Search in General

The general technique of linear search assumes the existence of a linearly ordered collection of items. In these examples, I consider arrays of strings. Any collection of "things" organized in a lineup of some sort may be subjected to linear search. Some examples from real life are a pile of

magazines on a coffee table, a shelf of books, a bin of records on sale at a discount store, your mailbox full of letters and junk mail, a poorly organized collection of recipes on 3×5 cards, and the want ads in your local newspaper.

In all of these examples, if you were searching for a specific item such as last month's MICRO, an old Beatle's album, your income tax refund check, a recipe for Quiche Lorraine, or a For Sale ad for a used computer, you might be apt to start at the top and search through the collection one item at a time. You would continue until you found what you were looking for or until you ran out of items.

In some cases you might take advantage of extraneous information to speed up your search. For instance you might remember the color of the cover of last month's MICRO. You could then limit your search to magazines whose covers were of that color. You might look through your mail for an official-looking government envelope; or you might look for the word "COMPUTER" in capital letters in the want ads.

Because you are human, you have sophisticated pattern-matching

SEARCHING REVEALED: LINEAR SEARCH

by Richard C. Vile, Jr.

Linear Search

requires:

Apple II Listings 1, 2, 4 and 6 require Applesoft. Listings 3 and 5 require Pascal.

searching is a technique used in many computer programs. More often than not, a list of some sort is searched. The list may consist of a variety of different kinds of information. For example:

- A mailing-list program may use a list of names, addresses, or both.
- In a program to maintain bowling scores, it may be necessary to search a list of names for the name of a specific player.
- Computer language translators usually maintain a list of identifiers or keywords that must frequently be searched to distinguish names reserved by the language from those created by the programmer.
- In an interactive game, a list of command words may need to be searched in order to match the commands typed by the player.

In all these examples, the lists that are searched consist of what are usually called *character strings*, or simply *strings*. Strings are represented in various ways depending on the programming language you use:

APPLESOFT — String variables hold one string apiece: A\$.

Pascal — String variables hold one string apiece: S = 'Hi'.

Assembly language — Strings are just sequences of bytes in memory.

Integer BASIC — String variables are arrays of characters and usually hold one string apiece.

Of course, in order to represent a list of items in a program, you must be able to store many strings at once. This is done using an array of strings. Not all Apple languages directly allow for arrays of strings — APPLESOFT and Pascal do; Integer BASIC and Assembly language do not. For this reason, my examples will center on the former two languages.

Linear Search in General

The general technique of linear search assumes the existence of a linearly ordered collection of items. In these examples, I consider arrays of strings. Any collection of "things" organized in a lineup of some sort may be subjected to linear search. Some examples from real life are a pile of

magazines on a coffee table, a shelf of books, a bin of records on sale at a discount store, your mailbox full of letters and junk mail, a poorly organized collection of recipes on 3×5 cards, and the want ads in your local newspaper.

In all of these examples, if you were searching for a specific item such as last month's MICRO, an old Beatle's album, your income tax refund check, a recipe for Quiche Lorraine, or a For Sale ad for a used computer, you might be apt to start at the top and search through the collection one item at a time. You would continue until you found what you were looking for or until you ran out of items.

In some cases you might take advantage of extraneous information to speed up your search. For instance you might remember the color of the cover of last month's MICRO. You could then limit your search to magazines whose covers were of that color. You might look through your mail for an official-looking government envelope; or you might look for the word "COMPUTER" in capital letters in the want ads.

Because you are human, you have sophisticated pattern-matching

abilities with which a computer cannot yet compete. A computer, searching a list of items, is not able to use such cues in most cases. It has to take each item in turn to see whether or not it is the one being sought. This is always true if the list being searched has no other structure than that of a list. In future articles I will discuss to what extent a computer might take advantage of "extra structure." For now, however, I make no assumptions. The computer lists are simply big unordered piles - like a collection of twenty years' worth of Life magazines well shuffled from use.

Here's how to search:

1. First we ask, "Are there any more things left in the pile for which we are searching?" If yes, continue the search; i.e., do step 2. If no, stop the search.

2. Is the next thing in the pile the item for which we are looking? If yes, we succeeded, so quit. If no, do step 3.

3. Put aside the item at which we just looked and rejected. Continue the search from step 1.

The following short names can be given to the three steps in the above procedure: 1. TEST, 2. COMPARE, and 3. LOOP. I shall refer to these "ingredients" in my discussion below.

Linear Search in Applesoft

Listing 1 shows a simple Applesoft program illustrating linear search. The search itself is done in the subroutine beginning at line 1000. The rest of the program makes sure there is a list to be searched and there are items to be searched. The subroutine in listing 1 is written in a primitive style in order to illustrate the components of the linear search explicitly:

TEST: IF J > 100 THEN RETURN COMPARE: IF (ST\$(J) = P\$) THEN F0 = 1 LOOP: J = J + 1: GOTO 1010

Listing 2 uses the BASIC FOR statement as an alternate method.

Linear Search in Pascal

Listing 3 shows another simple program, this time in Apple Pascal. The program is similar in spirit to that of listing 1, and the list to be searched contains the names of the U.S. Presidents.

Study listing 3 and then compare it to listing 1. You should be able to see No. 65 - October 1983

many interesting differences in the programming style of the two languages, Applesoft and Apple Pascal. If you are just beginning to program in Pascal, this suggests one excellent way to learn the language; try to rewrite some of your BASIC programs using Pascal. Try is the key word here as there are some programs that rely too heavily on the memory layout of the Apple to be translated. See how close you can come. And concentrate on translating the spirit of the program - i.e., what it does. Don't try to make a literal linefor-line translation or you'll just get bogged down and probably give up.

Sentinels — More Efficient Linear Search

The test for completion of a linear search, "Are we out of items to consider?", is not conceptually part of the search itself. It seems like unwanted extra baggage. It really is as you soon will see.

Suppose you knew ahead of time that what you were searching for definitely was one of the items in the collection being searched. Or, to put it another way, suppose you knew at the start that a successful search was guaranteed. Then the TEST part of the procedure would be superfluous. You might think the whole search would be superfluous! Leaving that issue aside for a moment, let's see if we can think of a way to guarantee that all your linear searches have happy endings.

Figure 1 gives the basic idea — an extra location in the search collection. Why would you want to increase the number of items to be searched? To guarantee success, of course. You will use the extra location to store a copy of the item for which you are looking. Then if that item turns out not to be in the collection *proper*, you can still find it in the extra location at the end. Therefore you won't have to worry about TESTing whether or not any

items are left. At the worst, you will find what you are looking for just before you run out of items to consider.

The extra item added to the collection is known as a *sentinel* since it stands guard against the possibility of failure.

You now have a slightly different problem to solve because there are now two possible ways to succeed.

- 1. Find the sentinel.
- 2. Find the item for which you are looking before you get to the sentinel.

In the first case, even though you succeed in one sense, you fail in the larger sense. Case 2 could be dubbed a real success. After you succeed (which you know you will since you have a sentinel), you check to see whether or not you are at the sentinel location. If not, then you really succeed. If so, then you were only helped over the finish line. Real success awaits in some future search.

Sentinel Searching in Applesoft and Pascal

Listings 4 and 5 show the linear search subroutines of listings 1 and 3 augmented by the use of a sentinel location. Notice that in each case the array used to hold the collection to be searched must be given an extra location. The first step in the search procedure is then to store the item being searched in the extra location (at the end of the regular array).

Screen Searching


Listing 6 presents the linear search without a sentinel. It is programmed in Applesoft and runs on the screen before your very eyes. It is almost entirely self-explanatory, but if at any time you think it is stuck, just hit RETURN and it is likely to continue on its merry way.

EXERCISE: Modify the program of listing 6 to use a sentinel location.

Coming Up

In the next article in this series, I will discuss the mechanism of the Binary Search and present an on-screen demonstration similar to the Linear Search demo of listing 6.

You may contact Dr. Vile at 3467 Yellowstone Dr., Ann Arbor, MI 48105.



(Listings begin on page 50)

```
Listing 1
5 DIM ST$(50),OK(50)
10 FOR I = 1 TO 50: READ ST$(I): NEXT I
15 FOR I = 1 TO 50:OK(I) = Ø: NEXT I
20 C = Ø
100 REM =========
101 REM = MAIN PROGRAM =
102 REM ========
105 GOSUB 200
     INPUT "? ";P$
IF P$ = "BYE" THEN 180
106
107
110 FO = Ø: GOSUB 1000
    IF FO = 1 THEN 150
PRINT P$;" IS NOT A STATE"
115
120
     PRINT : GOTO 106
 125
     IF OK(J) = \emptyset THEN OK(J) = 1:C = C + 1:
PRINT "GOOD!": GOTO 106
      PRINT "YOU ALREADY NAMED THAT ONE!"
 155
      PRINT "YOU NAMED ";C;" STATES WITHOUT REPEATING"
PRINT "GO AGAIN?"
 165
      INPUT A$: IF A$ = "Y" OR A$ = "YES" THEN 15
 170
      PRINT "YOU GOT ";C;" STATES"
180
 185
      END
 200
      REM =========
      REM = INSTRUCTIONS =
201
 202
      REM =========
     HOME: VTAB 5: PRINT "WELCOME TO THE GAME OF THE STATES": PRINT PRINT "GUESS AS MANY STATES AS YOU CAN"
PRINT "WITHOUT REPEATING YOURSELF."
 210
 211
      PRINT "GOOD LUCK..."
      VTAB 23: HTAB 5: PRINT "TO START, PRESS RETURN";
 215
 220
     GET AS
      HOME : RETURN
225
      REM -----
      REM = LINEAR SEARCH SUBROUTINE =
1001
```

```
1005 J = 1
1010 IF J > 50 THEN RETURN
     IF (ST$(J) = P$) THEN FO = 1: RETURN
1020 J = J + 1
1025 GOTO 1010
2000 REM =========
     REM = LIST OF STATES =
2002 REM ===========
     DATA MAINE, VERMONT, NEW HAMPSHIRE
2005
            MASSACHUSSETTS, CONNECTICUT, RHODE ISLAND
NEW YORK, PENNSYLVANIA, DELAWARE
2006
     DATA
     DATA
            MARYLAND, VIRGINIA, NORTH CAROLINA
2008
     DATA
            SOUTH CAROLINA, GEORGIA, FLORIDA
     DATA
2009
     DATA
            OHIO, WEST VIRGINIA, KENTUCKY
            TENNESSEE, ALABAMA, MISSISSIPPI
MICHIGAN, INDIANA, ILLINOIS
     DATA
2011
2012 DATA
            WISCONSIN, LOUISIANA, ARKANSAS
2013
     DATA
            MISSOURI, IOWA, MINNESOTA
WASHINGTON, CALIFORNIA, OREGON
2014
     DATA
2015
     DATA
             IDAHO, NEVADA, ARIZONA
     DATA
2016
2017
             NEW MEXICO, UTAH, MONTANA
      DATA
            WYOMING, COLORADO, TEXAS
      DATA
2018
            OKLAHOMA, NEBRASKA, NORTH DAKOTA
2019 DATA
            SOUTH DAKOTA, ALASKA, HAWAII
2020 DATA
      DATA
            KANSAS, NEW JERSEY
```

Listing 2

```
1001 REM = LINEAR SEARCH SUBROUTINE =
   REM ----
1002
   FOR J = 1 TO 50
   IF (ST$(J) = P$) THEN FO = 1: RETURN
1020 NEXT J
1025 GOTO 1015
1049
   RETURN
```

Listing 3

```
PROGRAM USPresidents;
     presname = STRING[25];
     presidents:
                     ARRAY[1..40] OF presname;
                     presname;
PROCEDURE initiprexies;
BEGIN
                        := 'George Washington';
     presidents[1]
     presidents[2]
                        := 'John Adams';
                        := 'Thomas Jefferson';
     presidents[3]
                        := 'James Madison';
     presidents[4]
                        := 'James Monroe';
     presidents[5]
                        := 'John Quincy Adams';
     presidents[6]
                        := 'Andrew Jackson';
     presidents[7]
                        := 'Martin Van Buren';
     presidents[8]
     presidents[9]
                        := 'William Henry Harrison';
                        := 'John Tvler':
     presidents[10]
                        := 'James Polk';
     presidents[11]
     presidents[12]
                        := 'Zachary Taylor';
:= 'Millard Fillmore';
     presidents[13]
                        := 'Franklin Pierce';
     presidents[14]
     presidents[15]
                        := 'James Buchanan';
                        := 'Abraham Lincoln';
     presidents[16]
      presidents[17]
                        := 'Andrew Johnson':
                        := 'Ulysses S. Grant';
     presidents[18]
                        := 'Rutherford B. Hayes';
     presidents[19]
      presidents[20]
                        := 'James Garfield';
END { PROCEDURE init1prexies };
PROCEDURE init2prexies;
                        := 'Chester A. Arthur';
     presidents[21]
                        := 'Grover Cleveland';
     presidents[22]
     presidents[23]
                        := 'Benjamin Harrison';
      presidents[24]
                        := 'Grover Cleveland';
                           'William McKinley';
     presidents[25]
                        := 'Theodore Roosevelt';
     presidents[26]
                        := 'William Howard Taft';
      presidents[27]
      presidents[28]
                        := 'Woodrow Wilson':
     presidents[29]
                        := 'Warren C. Harding';
                        := 'Calvin Coolidge';
```

:= 'Herbert Hoover';

:= 'Franklin Delano Roosevelt';

presidents[30]

presidents[31]

presidents[32]

```
:= 'Harry S. Truman';
     presidents[33]
                        := 'Dwight D. Eisenhower';
     presidents[34]
                        := 'John F. Kennedy';
     presidents[35]
                        := 'Lyndon B. Johnson';
:= 'Richard M. Nixon';
     presidents[36]
     presidents[37]
                        := 'Gerald R. Ford';
     presidents[38]
                        := 'Jimmy Carter';
:= 'Ronald Reagan';
     presidents[39]
     presidents[40]
END { PROCEDURE init2prexies };
FUNCTION search (VAR s : presname) : BOOLEAN;
                INTEGER:
    1:
    found:
                BOOLEAN:
BEGIN
    found
                    ·= FALSE:
                    := 1;
    i
    WHILE (( i \leq= 40) AND (NOT found))
    DO
    BEGIN
         IF s = presidents[i]
         THEN
               found := TRUE;
         i := i + 1;
    END;
    search := found;
END;
BEGIN
      init1prexies;
      init2prexies;
      WHILE prex <> 'quit'
      DO
      BEGIN
           WRITEIN ('Name a President');
           READLN (prex);
           IF search (prex)
           THEN
           BEGIN
                WRITELN ('Good! You got one!');
WRITELN ('Try again?');
                READLN (prex);
           END:
      END { WHILE prex <> 'quit' };
 END { PROGRAM USPresidents }.
                                    (Continued on page 52)
```

FLOPPY DISKS SALE *\$1.19 ea.

Economy Model or Cadillac Quality

We have the lowest prices!

ECONOMY DISKS

Good quality 51/4" single sided single density with hub rings.

Bulk Pac

100 Qty.

\$1.19 ea.

Total Price

\$119.00

10 Qtv.

1.39 ea.

Total Price

13.90

CADILLAC QUALITY

Each disk certified
 Free replacement lifetime warranty
 Automatic dust remover

For those who want cadillac quality we have the Loran Floppy Disk. Used by professionals because they can rely on Loran Disks to store important data and programs without fear of loss! Each Loran disk is 100% certified (an exclusive process) plus each disk carries an exclusive FREE REPLACEMENT LIFETIME WARRANTY. With Loran disks you can have the peace of mind without the frustration of program loss after hours spent in program development.

100% CERTIFICATION TEST

Some floppy disk manufacturers only sample test on a batch basis the disks they sell, and then claim they are certified. Each Loran disk is individually checked so you will never experience data or program loss during your lifetime!

FREE REPLACEMENT LIFETIME WARRANTY

We are so sure of Loran Disks that we give you a free replacement warranty against failure to perform due to faulty materials or workmanship for as long as you own your Loran disk.

AUTOMATIC DUST REMOVER

Just like a record needle, disk drive heads must travel hundreds of miles over disk surfaces. Unlike other floppy disks the Loran smooth surface finish saves disk drive head wear during the life of the disk. (A rough surface will grind your disk drive head like sandpaper). The lint free automatic CLEANING LINER makes sure the disk-killers (dust & dirt) are being constantly cleaned while the disk is being operated. PLUS the Loran Disk has the highest probability rate of any other disk in the industry for storing and retaining data without loss for the life of the disk.

Loran is definitely the Cadillac disk in the world

Just to prove it even further, we are offering these super <u>LOW</u> INTRODUCTORY PRICES

List \$4.99 ea. INTRODUCTORY <u>SALE PRICE \$2.99 ea.</u> (Box of 10 only) Total price \$29.90

\$3.33 ea. (3 quantity) Total price \$9.99

All disks come with hub rings and sleeves in an attractive package.

RANKING FOR BEST PERFORMANCE

MEASUREMENTS	LORAN	Verbatim	Ultra	3M
Amplitude	1	2	3	3
Missing bit ratio (reliability)	1	3	3	2
Extra bit rate	1	2	1	3
Modulation	1	3	2	2
Running torque		1	1	2

(Numbers that are the same indicate a tie for that position)

LORAN beats the competition cold!!

Add \$10.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$20.00 for CANADA, PUERTO RICO, HAWAII orders. WE DO NOT EXPORT TO OTHER COUNTRIES.

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! Canada orders must be in U.S. dollars. Visa - MasterCard - C.O.D.

PROTECTO
ENTERPRIZES MELOVE OUR CUSTOMERS)
BOX 550, BARRINGTON, ILLINOIS 60010
Phone 312/382-5244 to order

51

```
Listing 5

FUNCTION search (VAR s : presname) : BOOLEAN;
VAR

1: INTEGER;
found: BOOLEAN;
BEGIN
found := FALSE;
presidents[41] := s;
1 := 1;

WHILE (s <> presidents[1])
DO
BEGIN
1 := 1 + 1;
END;
search := (1 <> 41);
END;
```

```
Listing 6
```

```
DIM IT$(30),SE$(16),PI(30)
50 DV = 75:TRY = Ø
REM =============
      GOSUB 200: REM INSTRUCTIONS
110
      GOSUB 300: REM SETUP
      GOSUB 400: REM DISPLAY
     IF A$ <> CHR$ (13) THEN TRY = TRY + 1: GOTO 110
FOR L = 1 TO 16
GOSUB 700: REM REMOVE OLD TRY
120
125 FO = Ø: GOSUB 500: REM TRY
130 IF FO = 1 THEN 150
      VTAB 22: HTAB 30: FLASH : PRINT "NO";: NORMAL
      FOR DE = 1 TO 1000 - 75 * L - 100 * TRY:
       NEXT DE: GOSUB 800
140
      NEXT L
141
      GOSUB 700: GOSUB 800
      VTAB 24: HTAB 1: CALL - 868
VTAB 22: CALL - 868: INVERSE
HTAB 5: PRINT S$;" IS NOT ON THE LIST";:
142
      NORMAL : GOSUB 900 REM BUZZ
GOSUB 800: GOSUB 800: GOTO 165
      VTAB 22: HTAB 30
150
      CALL - 868: FLASH : PRINT "YES";: NORMAL
      CALL - 868: FLASH : PRINT "YES";: N
GOSUB 800: COSUB 800
VTAB 24: HTAB 1: CALL - 868
VTAB 22: CALL - 868: INVERSE
HTAB 5: PRINT S$; "WAS FOUND AT ";L;
160
      NORMAL : GOSUB 800: GOSUB 800
163
      GOSUB 600
165
170 TRY = TRY + 1
175 IF A$ = CHR$ (13) THEN 110
      END
199
      REM ==========
200
201
      REM = INSTRUCTIONS =
      REM ===========
202
      HOME : SPEED= 125
PRINT "---- LINEAR SEARCH DEMO ---
210
       PRINT "THIS PROGRAM WILL DEMONSTRATE THE"
215
       PRINT "TECHNIQUE OF LINEAR SEARCH WITHOUT"
       PRINT "A SENTINEL LOCATION. A LIST OF"
       PRINT "STRINGS WILL BE GENERATED ON THE "
230
      PRINT "LEFT SIDE OF THE SCREEN AND A STRING"
PRINT "TO BE SEARCHED FOR WILL BE PRINTED"
PRINT "AT THE TOP OF THE SCREEN. THE PROGRAM"
245
       PRINT "WILL GO DOWN THE LIST 'LOOKING' FOR"
      PRINT "A MATCH. AFTER EACH STEP, IT WILL "
PRINT "PAUSE AND POSSIBLY DISPLAY COMMENTS"
       PRINT "REGARDING ITS PROGRESS. TO MAKE IT"
265
       PRINT "CONTINUE, SIMPLY PRESS THE RETURN KEY."
       COSTIR 600
      SPEED= 255: RETURN
299
      REM = INITIALIZE =
```

```
305 X = PEEK (78) + 256 * PEEK (79)
310 RESTORE : FOR I = 1 TO 30: READ IT$(I): NEXT I
315 FOR I = 1 TO 30:PI(I) = 0: NEXT I
320 FOR J = 1 TO 16
322 I = INT ( RND (X) * 30 + 1)
324 IF PI(I) THEN 322
326 \text{ SE}(J) = IT*(I):PI(I) = 1
328 NEXT J
330 I = INT ( RND (X) * 30 + 1)
334 S$ = IT$(I)
349
    RETURN
     REM ========
REM = DISPLAY =
400
401
402
      REM =========
404
     HOME
405
     FOR K = 1 TO 16
410
     VTAB 3 + K: HTAB 1
     IF K < 10 THEN PRINT " ";
PRINT K;" ";SE$(K)
412
414
420
     NEXT K
     VTAB 2: HTAB 5
     CALL - 868
INVERSE: PRINT "LOOKING FOR ===>";
452
455
     FLASH : PRINT " ";S$;"
     NORMAL : GOSUB 600
465
     VTAB 2: HTAB 21: PRINT " ";S$" "
470
499
     RETURN
     501
     REM = RETURN RESULT.
502
     VTAB 24: HTAB 1: CALL - 868


VTAB 3 + L: HTAB 21: PRINT " = ";S$;"?";
505
508
     VTAB 22: HTAB 5
     CALL - 868: GOSUB 850
SPEED= 150
512
513
     PRINT "IS IT "; SE$(L); " ?": SPEED= 255
     FOR DE = 1 TO 1000 - 100 * L - 100 * TRY:
NEXT DE: GOSUB 850
520
     IF SE$(L) <> S$ THEN RETURN
525 FO = 1
549 RETURN
     600
601
602
     REM =======
     VTAB 24: HTAB 1
605
     CALL - 868
SPEED= 100
620
640
     PRINT "---
     PRINT " PRESS RETURN TO CONTINUE";
650
     SPEED= 255
655
     GET AS
699
     RETURN
     700
701
702
     REM =============
     IF L > 1 THEN VTAB 2 + L: HTAB 21: CALL - 868
749
     RETURN
800
     REM -----
      REM = DELAY LOOP =
802
     RFM =======
     FOR DE = 1 TO 500: NEXT DE
805
809
     850
851
852
860
     FOR DE = 1 TO 200: NEXT DE
899
     RETURN
      REM = SOUND FAILURE BUZZER =
     910 XX = PEEK ( - 16336) + PEEK ( - 16336) +
     PEEK ( - 16336) + PEEK ( - 16336)
FOR I = 1 TO 2: NEXT I
     IF J > 25 THEN RETURN
920
925 J = J + 1: GOTO 910
9000 DATA APPLE II, PET, COMMODORE 64
9001 DATA APPLE III, VIC 20, TRS-80
9002 DATA COLOR COMPUTER, RADIO SHACK 16, OSBORNE I
             ALTAIR 8800, CROMEMCO Z2, ATARI 400
ATARI 800, SUPER PET, IBM PC
SINCLAIR ZX81, INTERACT, OSI CHALLENGER
9003
      DATA
9004
      DATA
9005
      DATA
             EXIDY SORCERER, TI COMPUTER, DEC RAINBOW
ZENITH Z100, SOL COMPUTER, IMSAI 8080
DIGITAL GROUP, ALTAIR 680, ECD MICRO MIND
9006
       DATA
9007
      DATA
      DATA
9008
             HEATH H89, COMPUCOLOR II, HEATH H11
9010 DATA EPSON HX-20, PENTEL PENPUTER, VICTOR 9000
                                                    MICRO
```



P.O. Box 4364 Flint, Michigan 48504 (313) 233-5731 (313) 233-3125


ZANIM SYSTEMS

HOME CONTROL AT YOUR FINGERTIPS



The ZCM-1 is the Master Control module that provides the interface between your computer and our line of Zanim Application Modules. Up to 15 Application Modules can be piggy-backed to the ZCM-1 Master Control module. The ZCM-1 is compatable with any standard RS-232 (serial) interface. A special Master Control module, the ZCM-1V is available for the VIC-20 and Commodore-64 computers.

*The ZCM-1V is available for VIC-20 and C-64 users.



ZAM-1 is the home control interface module that provides a fully versatile computer controlled environment. ZAM-1 can control up to 256 different lamps and appliances in your home or business providing you with an effective and easy to implement energy management and electric control system. No special modifications are necessary to your building as all control signals are sent over your existing wiring. ZAM-1 can be programmed in BASIC or optional home control software is available. ZAM-1 requires one ZCM-1 Master Control module.

*The ZCM-1/ZCM-1V Master Control module is required to use the ZAM-1 Home Control module.



The ZAM-2 allows your computer to continuously monitor up to 15 different doors or windows around your home or business. ZAM-2 is a basic building block in a complete computer controlled home security system. With our ZAM-1 Home Control module, you can have a fully integrated security and environment control system. Upon an intrusion, your computer can take the action most appropriate, whether that is to ring an alarm bell, flash all the lights around your home, or dial the police.

*The ZCM-1/ZCM-1V Master Control module is required to use the ZAM-2 Security module.



The ZAM-3 is a complete telephone answering and dialing system. It is capable of taking the phone off-hook and dialing a number under computer control or of answering the phone when it rings. With the ZAM-1 Home Control module and the ZAM-2 Security module, the ZAM-3 Phone Dialer module can be integrated into a complete home or business security/monitoring system. Applications include security, auto phone dialing, and computer-answering systems.

*Pulse dialing option is available as ZAM-3P.

*The ZCM-1/ZCM-1V Master Control module is required to use the ZAM-3/ZAM-3P Phone Dialer module.

SERIAL OR PARALLEL (CENTRONICS) PORT SWITCHER



DOES YOUR COMPUTER LOOK LIKE THIS?

A PORT SWITCHER NOW AVAILABLE FOR YOUR COMPUTER (ZSW1)

Device /	1	2
Device E		—Common

ZZ	Z	Z
----	---	---

P.O. BOX 4364 Flint, Michigan 48504 (313) 233-5731 (313) 233-3125

Dlassa	eand	me more	information	or	catalogue
riease	Sella	THE HIOTE	inionnation	01	catalogue

Name_____

Company ______

City _____ State____ Zip____

What Make/Model Computer do you own?

Faster Math Operations in Microsoft BASIC

by Peter Hiscocks

rray operations are slow in Microsoft BASIC because they have to be explicitly programmed. For example, to add two 32 element arrays, we require

FOR I = 0 TO 32 RL(I) = RL(I) + DV(I) NEXT I

which takes about 0.4 seconds.

For each trip around the loop, BASIC has to set a value for I and then find the variables RL[I] and DV[I]. We know, however, that the variables follow in sequence, and this can be used to speed things up considerably.

The variables of a floating point array are stored in five-byte lumps, one after another in memory. To operate on two arrays, we set up pointers to the zeroth elements, perform the arithmetic, then increment the pointers by five bytes, continuing until the two arrays are done. Using the ROM routines, the routine given above may be made to execute in 0.066 seconds. As a rough rule of thumb, expect a factor of 6 to 9 increase in speed.

To use this technique we have to be able to find the arrays in memory and use the BASIC floating point arithmetic routines.

The method shown here is accompanied by ROM locations for Commodore PET BASIC version 4, but the ideas should be transferrable to other versions of Microsoft BASIC.

Finding the arrays

As shown in figure 1, arrays grow upward in memory, as they are dimensioned, above simple variables. The creation of a variable or editing of BASIC text will change the shaded areas, so we cannot count on the arrays being at any fixed location. However, the Microsoft routine that finds a variable can be used to do this. Handed the zeroth element as a variable — DV(0), for example — the routine will

MADD

requires:

PET/CBM or Commodore 64

give us back the memory location of the start of the array.

Array Storage Format

An array consists of a header, which contains descriptive information about the array, and the body, which contains the array elements. A typical floating point array header is shown in figure 2. Each block is one byte.

In a multi-dimensional array, the last dimension changes least frequently. For example, DV(32,5) would be stored as DV(0,0) to DV(32,0) followed by DV(0,1) to DV(32,1), and so forth to DV(32,5).


Arithmetic Operations

The arithmetic operations could be programmed in machine language. This would be worthwhile for operations on integer arrays since Microsoft BASIC performs integer arithmetic by converting the number to a floating point, using the floating point routine, and converting back to integer.

For floating point math, the easy way out is to use the Microsoft ROM routines (table 1). These have been well described elsewhere, so this will be a summary.

Mathematical operations take place in one of two, six-byte "accumulators" on page zero. The FAC is located at \$5E to \$63, and the ARG is located at \$66 to

Figure 1: Array Storage in Ram



Commodore —

Table 1: Locations and Routines used in MAD	D and others	of interest.	
	BASIC 2	BASIC 4	64
Check for a comma: CHKCOM	CDF8	BEF5	AEFD
Evaluate an expression: FRMEVL	CC9F	BD98	AD9E
Move variable to FAC: MOVFM Variable address low byte to AC Variable address high byte to Y	DAAE DAAE	CCD8	BBA2 BBA2
Move variable to ARG: CONUPK Variable address low byte to AC Variable address high byte to Y	D998	CBC2	BA8C
Store FAC in memory: MOVMF Variable address low byte to X Variable address high byte to Y	DAE0	CD0A	BBD4
Transfer FAC to ARG	DB18	CD42	BC0C
Transfer ARG to FAC	DB08	CD32	BBFC
Convert FAC to 16 bit integer: AYINT Result in \$61 and \$62	D09A	C2EA	B1BF
Add FAC = ARG + FAC	D77B	C9A5	. B86F
Subtract FAC = ARG - FAC	D736	C989	B853
Multiply FAC = ARG * FAC	D93C	CB66	BA2B
Divide FAC = ARG / FAC	DA20	CC4A	BB12
FACHI	61	61	64
FACLO VARPNT	62 44	62 44	65 47
OVRFLO	65	65	68
UNDFLO	6D	6D	70

	. ******	******	********
	,	******	*******
	1.*	dd	
Listing 1	; * ma	100	
Listing i			on program
	; * ma	trix additi	on program
		peter hisc	orke
			rl(i) with result in rl(i)
			teger of rl(i) and
			ut table, outble
		imum 255 el	- sys gtrl,rl(0),dv(0)
	7	1 WITH 522 BT	ements
	; *		
			commodore 64
		table tor	basic 2,4, & vic
	; *		

6006	chkcom =	* \$aefd	; check for comma, else syntax error
6006	frmevl =		; evaluate expression
		case, find	
		address to	
		of matrix, i	n
		& varpnt+1	
6006	movfm =		; memory (rl) to fac #1
6006	conupk =		; memory (dv) to fac #2 (arg)
6006		\$686f	; sum of fac % arg to fac
6006	The City	\$bbd4	; fac to memory (rl)
6006		\$b1bf	; fac to integer,
10.44		in faclo	
6006	1616117	= \$64 = \$65	: mantissa lsb of fac
6006			: pointer to variable
6006	varpnt		: overflow error flag
6006		= \$68 = \$70	; underflow err flag
6006	GIIG. 10	= \$70	; under tion err ting
	;	*= \$6000	
6000		*= \$5000	
	3	= #+200	:integer output table
6000	Date		integer output cable
1		cations	
	1.	*= *+1	: loop address pointers
6001	1110		; loop address pointers
6002	1 22	*= *+1	
	1	x= x+1	
6003	dv10		
6004	4	*= *+1	
			; number of elements in each array
6005	elemen	*= *+1	*
	;		(continued)

\$6A. ROM routines are available to move a variable from its storage location into accumulator (in the process "unpacking" changes the format from five to six bytes). They are available to perform the arithmetic operation, and to repack the variable back into its storage location.

The example of listing 1, MADD, is a Matrix ADD for 32 elements. It stores each result back in memory and also converts it to fixed point format, sending that to an output table OUTBLE for use by a piece of hardware. It's a pretty specialized piece of software, but it shows how all this might go together.

The routine is called from BASIC with an instruction like

SYS XXX,RL(0),DV(0)

where XXX is the start of the machinelanguage routine in memory. Notice that the same routine XXX may be called with different parameters, or different routines may be created to perform different array operations.

When the SYS XXX instruction is executed by the BASIC interpreter, the BASIC line scanner is left pointing at the first comma.

The routine CHKCOM looks for this and prints "SYNTAX ERROR" if it's not present. The scanner is now pointing at RL(0). Calling the routine FRMEVL (evaluate an expression) will put the location of RL(0) in the page zero locations VARPNT. (It also leaves the value of RL(0) in the FAC, but that's not used here). We can snag the starting location of the array RL(I) by reading VARPNT. The routines CHKCOM and VARPNT may be used again to find the starting location of DV(I).

Loop control for the number of elements in the arrays is built into MADD as a "magic number," not a good practice. For a general purpose routine, you might tack the number of elements onto the calling SYS instruction as a third parameter, and use CHKCOM and FRMEVL to pick it up. The result would be left in the FAC in floating point, where it could be converted to integer format by calling AYINT.

The error flags OVRFLO and UND-FLO, associated with the ROM math routines, are then cleared. The pointer into the integer output table OUTBLE is reset, and we're ready for the main addition loop.

(Continued on next page)

-Commodore =

In the addition loop, you'll notice that various registers have to be set up before calling the routines. For example, the accumulator must be set up with low byte, Y index register with the high byte of a variable's address, before calling MOVFM. In the case of MOVMF, it's the X and Y index registers.

The array pointers are then incremented by 5, the OUTBLE pointer is incremented by 2 (a Microsoft integer is 2, 8-bit bytes), the loop counter is decremented, and we do it again until 32 elements have been processed.

A BASIC test routine for MADD is shown in listing 2. Two 32 element arrays are set up, MADD is called, and the result is printed.

Incidentally, the assembly shown in listing 1 was done with the PAL assembler for the PET, written by Brad Templeton, the author of POWER. I recommend it highly.

Multi-Dimensional Arrays


The variables in the calling instruction need not be one-dimensional arrays. For example, suppose RL is 32×1 and DV is 32 × 5. The calling instruction


SYS XXX,RL(0),DV(0,3)

would have the effect of adding the 32 elements in the third (of five) columns of DV to the 32 elements in RL, leaving the result in RL. Notice that

SYS XXX,RL(0),DV(3,0)

has a totally different and incorrect effect, because of the order of storage of the elements of DV.





- 10 REM MADDTEST ROUTINE
- 20 DIM RL (32), DV (32)
- 30 FOR J=0 TO 31 40 RL(J)=J:DV(J)=1.33
- 50 NEXT J
- 60 SYS 24582 ,RL(0),DV(0) 70 FOR J=0 TO 31
- 80 FRINT RL(J)
- 90 NEXT J
- 100 STOP

Peter Hiscocks is an instructor at Ryerson Polytechnical Institute, where he teaches courses in electronic and theatre technology. He builds computer interfaces on a freelance basis, and has just completed a computer-controlled sound system for the Royal Ontario Museum. You may contact him at Ryerson Polytechnical Institute, Electrical Department, 50 Gould St., Toronto, Canada M5B1E8.

MICRO

PUT PRICES IN CHECK

CARTRIDGE RIBBONS FOR

APPLE PRINTERS

NEC 8023A

C. ITOH PROWRITER

\$9.95_{EA.} \$107.46_{DOZ.}

INNOVATIVE CONCEPTS

FLIP'N'FILE

DISC STORAGE BOX HOLDS UP TO 60 DISKETTES 51/4" 8"

\$24.95 \$29.95 EA

DUAL SPOOL RIBBONS FOR

OKIDATA

PRINTERS

00 02 02 EA

80, 82, 83 92, 93

\$2.77 \$29.92

84

\$5.99 \$64.69

DOZ.

ANTI-STATIC SPRAY

FULL QUART SIZE WITH DISPENSER

\$6.95_{or}

1 GALLON REFILL \$19.95

CARTRIDGE RIBBONS FOR

EPSON

MX-80 MX-100

\$6.99_{EA}

\$11.95_{EA}

\$86.29_{EA}

\$129.06 poz

RIBBONS FOR

IDS PRINTERS

EA. DOZ.

440 \$2.77 \$29.92

PAPER TIGER \$6.95 \$75.06

MICROPRISM \$7.99 \$86.29

PRISM 10.95 118.25

MEMOREX DISKETTES

5' SINGLE SIDE - DUAL DENSITY

\$24.99

CARTRIDGE RIBBONS FOR

COMREX

DAISYWRITER 2000

\$2.49 \$26.89 DOZ

MAXELL DISKETTES

51/4" SINGLE SIDE DUAL DENSITY MD-1

\$29_90

DISKETTE STORAGE BOXES

54" - BLUE OR BEIGE

\$2_49

EA.

COLOR-CODER

LIBRARY CASE SET CONTAINS 5 BRIGHT COLORS

51/4"

\$**19.**95

\$23.95

8"

LABEL SPECIAL

\$2.99_{/,}

(5K MIN)

1 ACROSS 3 x 15/16 CONTINUOUS LABELS

MOST RIBBONS AVAILABLE IN COLORS TOO!

CALL OR WRITE FOR OUR SUPPLIES CATALOGUE ON ORDERS UNDER \$14.™ PLEASE ADD \$3.™ FOR SHIPPING MINIMUM RIBBON ORDER \$30.™ OR 1 DOZEN



TOLL FREE 800-343-7706 IN MASS 617-963-7694 PHONES OPEN 9AM-7PM EASTERN TIME Check-Mate

51 DIAUTO DR. P.O BOX 103
RANDOLPH, MA 02368

VISA

MASS RESIDENTS ADD 5% SALES TAX

Bank-Switched JSR

by Terry M. Peterson

he Commodore SuperPET contains 96K of RAM - three times the memory of its plain sister, the CBM 8032. However, the extra 64K of RAM is "stacked" into 16 4K "banks" all addressed at \$9000-\$9FFF. Only one of these banks is accessible to the processor at any moment. The active bank is selected by setting the bank-select switch, a latch at \$EFFC. For example, to activate bank seven, you would execute the equivalent of "POKE 61436,7". To use this memory with programs that won't fit within a single bank, you obviously need a method to jump from one bank to routines in other banks and back again - a "bank-switched ISR". Ideally, this bank-switched JSR would pass all processor registers between the called and calling routines just as does an ordinary ISR. Furthermore, it should place no restriction on the location of either routine within its bank. I have implemented such a bank-switched JSR using the 6502 "BRK" instruction together with a set of "jump" tables.

My bank-switched JSR sacrifices a small amount of memory, usually less than about one page per bank, in return for making inter-bank subroutine calls as easy as calls within a bank. To use this method, subroutine calls to other banks are assembled so they point to an entry in a jump table somewhere in the bank. The table consists of 8-byte entries, each of the following form:

EXTSUB BRK

NN

JSR XXXX

BRK

\$FF

RTS

where NN is the number of the bank containing the called routine and XXXX represents two arbitrary bytes. [For convenience in assembly, I usually point XXXX to EXTSUB — see listing 2.] Thus, at assembly time you need only the bank number of the called routine, not its actual address; you may assemble each bank's code in-

dependently. All banks' corresponding jump table entries must be at the same addresses, but you may place the tables anywhere in the bank - and there may be more than one table per bank. In operation, the system BRK vector is modified to point to the bankmanaging routine shown in listing 1. This "bank manager" could be put in bank-switched memory, but it is more economical to put it in normal memory since you would need to put identical copies in all potentially active banks. Whenever EXTSUB in this example is called, the bank manager saves the current bank number on the machine stack and then changes the active bank number to NN. Bank NN contains the same jump table except that XXXX must point to the actual location of the called routine. Therefore, when the bank manager restores all the processor registers and returns control to the JSR following the byte "NN", the effect is (almost) the same as if a direct JSR were executing. [The difference is that three more bytes of stack space have been

·Co	-	-	-	4-	20	
.00	***	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	v	иu	"	1

This article shows a method for using the SuperPET's bank-switched memory with 6502 machine-language programs. Although written for the SuperPET, the technique may be used on any 6502 machine having a banked memory.

used.) Obviously, the only data we may pass to the called routine is in the processor registers — unless we first move the data to non-bank-switched RAM. When the called routine executes an RTS, the second BRK is executed and the "\$FF" byte signals the bank manager that we wish to restore the previously active bank. The old bank number is pulled from the stack, then that bank is activated, and control is passed to the final RTS in the jump table entry with all processor register contents restored to their values at the time of the called routine's RTS.

Now that I've described what the bank manager does, let's look at listing 1 to see how it does it. First, it pushes on the stack (INDEX1), the contents of a pair of zero-page locations to be used temporarily. Next it fetches the program counter (PC) bytes from the stack where they were pushed during execution of the BRK. This is done using x-register indexed loads that take advantage of the fact that the stack pointer has already been loaded into the

x-register by the SuperPET's interrupthandling ROM routine before calling the bank manager. The PC is decremented by one and stored as [IN-DEX1). (INDEX1) now points to the NN byte of the jump table entry. NN is fetched and the original (INDEX1) is restored. Then NN is tested [TYA] to determine whether a jump $(NN \ge 0)$ or return-jump (NN<0) is being requested. If it's a return, the branch to UNSWT is taken. Otherwise the top six stack items are lifted to make room for the current bank number below them. Then the new bank number is switched on and control is passed to IRQDON, the operating system routine that restores the processor registers from the stack and executes an RTI. At UNSWT the return-from-bank RTS is accomplished by retrieving the old bank number from under the top six stack items, putting it on top of the stack and moving the top items back down to undo the action of the jumpto-bank stack manipulation. Finally, IRQDON is called to resume normal program execution. Probably the most difficult part of the bank manager's action to visualize is its stack manipulation. The stack diagram shown in listing 1 should help.

Using this method of bankswitched JSR is fairly straightforward at the assember level, especially with an assembler that supports conditional assembly. An example of a source file containing code for bank-switched JSR's is shown in listing 2. This listing shows the source code describing the jump table in both the called and calling banks. The value of the label LCRBNK determines which bank's object code is assembled. Notice that routines may be called by the same name whether in-bank or out-of-bank, thanks to the conditional assembly feature.

Terry Peterson is engaged in photovoltaic cell research at Chevron Research Company. He may be contacted at 8628 Edgehill Ct., El Cerrito, CA 94530.

```
-Commodore -
Listing 1
           00001
                 0000
                                    ; 6502 Assembly language
                                   ; code to manage bank switching on the SuperPET
          00002 0000
          00003
                 0000
          00004
                                     This code is entered via a BRK n. If 'n' is positive it
                 0000
          00005
                 0000
                                   : is assumed to be the bank number to be made active. If
                                     'n' is negative it flags a return to the calling program's
                 0000
          00006
          00007
                 0000
          00008
                 0000
                                   : as of 11/28/82
          00009
                 0000
                 0000
          00010
          00011
                 0000
                                    00012
                 0000
                                   :Stack Use:
                                                  TO-BANK call
                                                                                 FROM-BANK call
                 0000
          00013
          00014
                                               At Entry ---> At Exit
                                                                              At Entry -> At Exit
                 0000
                                                                             Contents Contents
                                                            Contents
          00015
                 0000
                                   : Addrs.X
                                              Contents
                 0000
                                   : OOFF
                                                            new bank < -- SP
                                                                               XX
          00016
                                               XX
                                                                               xx <--SP old
                                                   <--SP
                                                             YR
                                                                                         old hank
          00017
                 0000
          00018
                 0000
                                   : 0101
                                                YR
                                                            XR
                                                                              YR
                                                            ACC
                                                                              XR
                                                                                    YR
                 0000
                                               XR
          00019
                                   : 0102
                                                ACC
                                                                              ACC
                                                                                    XR
          00020
                 0000
                                   ; 0103
                                                            SR
                                                                                    ACC
          00021
                 0000
                                     0104
                                                SR
                                                            PCT.
                                                                              SR
                                                                              PCL
                                                                                     SR
                                                            PCH
          00022
                 0000
                                     0105
                                                PCL
                                     0106
                                                            old bank
                                                                              PCH
                                                                                    PCL
                 0000
          00023
           00024
                 0000
                                   ; 0107
                                                                              old bank PCH
          00025
                 0000
                                    00026
                 0000
           00027
                 0000
           00028
                 0000
                                          * = 0
                                                          ; (For example assembly)
                                   INDEX1 = 0
                                                          ;Any convenient z-page dbl. byte
           00029
                 0000
                                   IRQDON = $E600
                                                          ;Restore regs. and RTI
                 0000
           00030
                                   BNKSW = $EFFC
CURBNK = $9002
           00031
                 0000
                                                          :Latch for active bank
                                                          :My conventional location
           00032
                 0000
          00033
                 0000
           00034
                 0000
                       A5 00
                                   BANKER LDA INDEX1
                                                          ;Save INDEX1 on stack
           00035
                 0002
                       48
                                          PHA
                                          LDA INDEX1+1
                       A5 01
           00036
                 0003
           00037
                 0005
                                          PHA
                       BC 06 01
                                          LDY $0106.X
           00038
                 0006
                                                          ;Get desired bank #
                                          LDA $0105,X
           00039
                 0009
                       BD 05 01
           00040
                 000G
                       DO 01
                                          BNE BNK100
                                                          ; from (PC-1)
           00041
                 000E
                                          DEY
           00042
                 COOF
                       84 01
                                   BNK100 STY INDEX1+1
                                          TAY
                 0011
                       A8
           00043
           00044
                 0012
                                          DEY
                                          STY INDEX1
           00045
                 0013
                       84 00
                       AO 00
                                          LDY #0
           00046
                 0015
           00047
                 0017
                       B1 00
                                          LDA (INDEX1),Y ;got it
           00048
                 0019
                       A8
                                          TAY
                                                          ;Restore (INDEX1)
           00049
                       68
                                          PLA
                 001A
           00050
                 001B
                       85 01
                                          STA INDEX1+1
           00051
                 001D
                       68
                                          PT.A
                                          STA INDEX1
                       85 00
           00052
                 001E
                                                          ;a return-from-bank call?
                 0020
                                          TYA
           00053
                       98
           00054
                 0021
                       30 1E
                                          BMI UNSWT
                                                          ;Yes
                                          .BYT $9D, $FF, $00 ;STA $00FF, X (force abs. addr.
           00055
                 0023
                       9D
                 0024
                       FF
           00055
           00055
                  0025
           00056
                 0026
                       A0 06
                                          I.DY #6
                                                          :Move six stack items up one
                                   BNK200 PLA
                                                          ;Get top item
           00057
                 0028
                       68
                       9D 00 01
                                          STA $0100,X
                                                           Move up
           00058
                  0029
           00059
                 0020
                       E8
                                          TNX
                                                          :Next
                                          DEY
                                                          ;Done?
           00060
                 002D
                       88
                                          BNE BNK200
           00061
                 002E
                       DO F8
                                                          :Current bank (by convention)
           00062
                  0030
                       AD 02 90
                                          LDA CURBNK
                                                          ; Insert in stack
           00063
                 0033
                       48
                                          PHA
           00064
                 0034
                       8A
                                          TXA
                                                          :Calc. stack adi.
           00065
                  0035
                                          SEC
                                                          :Point to new bank item
           00066
                 0036
                       E9 08
                                          SBC #8
                                          TAX
           00067
                 0038
                       AA
                                          TXS
           00068
                 0039
           00069
                  003A
                       68
                                          PT.A
                                                          :Cet new hank
                                          STA BNKSW
                                                          ;Turn it on
                       8D FC EF
           00070
                 003B
                                          JMP IRQDON
                                                          ;Go finish interrupt
           00071
                 003E
                        4C 00 E6
                                                                                    Listing 2
           00072
                  0041
                       BD 07 01
                                   UNSWT
                                          LDA $0107,X
                                                          ;Get old bank #
                 0044
                                                          ;Put on stack
           00073
                       48
                                          PHA
                                                                                         : Example jump table for bank switching
                                          LDY #6
                                                          ;Shuffle 6 items down
           00074
                 0045
                       AO 06
           00075
                  0047
                       BD 06 01
                                   UNSLOP LDA $0106,X
                                                                                                as of 12/05/82
                                          STA $0107,X
           00076
                 004A
                       9D 07 01
                 004D
                                          DEX
                                                          ;Next
           00077
                       CA
                                                                                         .IFN > LMABNK-LCRBNK
                  004E
                                          DEY
                                                           ;Done?
           00078
                                                                                         LOADTR >
                                                                                                                :Dummy def. outside main bank
           00079
                 004F
                       DO F6
                                          BNE UNSLOP
                                                          :No
                                          PLA
                                                          ;Get old bank
           00080
                 0051
                       68
                                                                                                                ;LOADTR in bank LMABNK
                                                                                                BRK
           00081
                 0052
                       8D FC EF
                                          STA BNKSW
                                                           ;Reset it
                                                                                                 .BYTE LMABNK
           00082
                 0055
                                          PI.A
                                                           :Adi. stack
                                                                                                 JSR LOADTR
                                          JMP IRQDON
           00083
                 0056
                       4C 00 E6
                                                          ;Finish up
                                                                                                BRK
```

.BYTE \$FF

RTS

MICRO

;Back to caller

00084 0059

NIBBLE EXPRESS III YOUR APPLE* WILL LOVE IT!

TABLE OF CONTENTS

Turtle Graphics
Applesoft Line Cruncher
TRAC Income System
MANAA
MAMAAmper Free Space Catalog
Amper Free Space Catalog
Machine Language Editor
Apple CALENDAR
reaceful Coexistence
Apple Slugger
Reverse Key
Amoor Find
Amper Find
Bond Manager
0053 + 2
Amper Speed
Apple Darts
MicroCale
MicroCalcVariable Cruncher
Life
Apple Flash
Chapter
Checker
GO- Greeting Program
Quick Sort
Applesoft Line Editor
Othello
SPRINT
Disk Dump
Hi-Res Colors
Apple Record Command System
Apple Record Command System
Apple Art Gallery
Game I/O Expmt
Super Keypad
Disk Commander
Compare Applesoft
Amn-I -Soft
Amp-L-Soft Electronic Message Center
The Change
The Shape
Disk Map
Apple Bowl Football
Apple Scroller
Lower Case Letters
Recipe Box
Disk Doctor
Musearll
Quasar II
DOS Command Entry
MLE Driver

NOW AVAILABLE!

NIBBLE EXPRESS is an Anthology of the Major Articles and Programs appearing in Volume 3 of NIBBLE Magazine . . . nearly \$400 worth of Programs for your Apple II, ACE, or other Applesoft-compatible computer!

NIBBLE EXPRESS III contains up-to-date enhancements, KeyPerfect Tables, and the Best of NIBBLE!

Even if you have all 8 issues of NIBBLE in 1982, you'll want the Express to have updated program listings in one convenient package! It's a MUST for your Library!

NIBBLE EXPRESS III is a bargain at \$17.95 plus \$1.75 Postage/Handling (\$2.50 outside the U.S.).

YOUR APPLE WILL LOVE IT! (And so will you!)

NIBBLE

P.O. Box 325 Lincoln, MA 01773

☐ Also send me NIBBLE EXPRESS Vol. I at \$12.95 Plus postage/handling (see above).

☐ Send me NIBBLE EXPRESS VOL. II at \$14.95 plus postage/handling (see above).

Master Card & Visa Accepted

Card # ____ Signature: _

Please Print Clearly

State

_Zip

Name:

Address:

City_

Your check or money order must accompany your order to qualify. Outside U.S.: Checks must be drawn on a U.S. Bank.

Apple is a registered trademark of Apple Computer Inc.

*Apple is a registered trademark of Apple Computer Ind *ACE is a trademark of Franklin Computer Co.

MICRO

189

Directory Menu for the Commodore 64

by Al Korostynski

he Commodore directory can be accessed by opening it as a file and reading program and filenames. The directory can be read with GET# statements, but this method is rather slow: 50 programs take almost 20 seconds to display (it would be faster to list the directory the usual way, load the program, and run]. I wrote a short machine-language routine to speed things up: 50 programs take about five seconds to display. The program stores the machine-language routine in the second cassette buffer and opens the directory after the drive number has been selected. Two strings, one for the header and one for the filenames, are pre-extended and filled with 17 spaces.

The machine-language program reads each directory entry and stores the filename in the pre-extended string. If the filename is a program, the "p" is stored in the 17th character of the string. BASIC regains control and stores the program name in an array. Then the machine-language routine gets the next filename. This looping continues until all the entries are read, then the directory is displayed.

The Directory Menu program can be stored as the first program on a disk. If you type 'LOAD"*",8' and "RUN" the program will execute. The other programs on the disk could be modified to chain back to the directory program at the end of their execution. Inexperienced users will find this arrangement especially useful because it

allows them to run programs on a disk without having to learn and remember many disk commands or program names.

Be sure to save the program before

using it for the first time. There are two reasons for this. First, you may make an error in entering the machine-language data statements, which could destroy

```
Listing 1
```

```
10 POMESS280,6:POMESS281.1
20 FRINT"Dm"
100 DIM F4(224)
110 REM -- POME M. ROUTINE --
120 FOR %=880 TO 950: REFD 2: POME M.Z: CS=CS+Z: HENT
130 IF CSC\10432 THEN PRINT "ZMERROR - CHECK DATA STATEMENTS...M": END
150 REM -- REFD DIRECTORY --
160 PRINT THE(12)"3 DIRECTORY NNU MUM"
170 PRINT "DRIVE # 01000"; INPUT D#
180 D=%94_CD#): IF D#<0"0" HND D#<0"1" THEN 160
190 OPENIS.8.15
200 PRINT#15.8.15
200 PRINT#15.8.15
200 PRINT#15."I"+D#: GOSUB 290
210 OPENIS.8.6" "#"+": SYS 880: REM 17 SPACES - READ MERDING
230 IF ST THEN CLOSE1: CLOSE15: GOTO 340
240 F#="" THEN CLOSE1: CLOSE15: SYS 880: REM 17 SPACES - READ FILEHAME
250 IF RIGHT#(F#,1)="P" THEN C=C+1: F#<C)=LEFT#(F#,16)
    250 IF RIGHT
260 GOTO 230
270 :
280 REM -- 1
    270 :
280 REM -- DISK ERROR ROUTINE --
290 INPUT#15,EN,EM≉,ET,ES: IF EN≕0 THEN RETURN
      300 PRINT EN:EM#;ET:ES
     310 CLOSE1: CLOSE15: END
                       :

REM -- DISPLAY MENU --

IF F=0 OR F=C THEN S=1: F=C: IF C>40 THEN F=40: GOTO 360

IF C>F THEN S=S+20: F=C: IF C>8+20 THEN F=S+19
     360 L=0
370 PRINT "DEDRIVE #:E";D;"MDISK NAME:E ";H$"M"
380 FOR X=S TO S+19
                        IFI FN(F#(X))=0THEN420
       410 PRINT "3"RIGHT#(STR#(N),2)"E";CHR#(95);" ";F#(N)
420 PRINT
440 PRINT "3 ENTER: GPET) FOR NEXT PAGE & TO END E"
450 PRINT THE(9)"3 SELECT PROGRAM E";:INPUTG#
500 IF G#="6" THEN PRINT "2":END
510 G=V94.0G*): IF G=0 THEN 340
550 PRINT -- CHAIN --
560 F#=F#(G)
570 IP RIGHT#(F#,1)=" " THEN F#=LEFT#(F#,LEN(F#)-1): GOTO 570
580 PRINT "30.0AO"+CHP#(34)+D*#+":"*F#+CH#F(34)+".8"
590 PRINT "30.0AO"+CHP#(34)+D*#+":"*F#+CH#F(34)+".8"
590 POWE 631.19:POWE 632.13:POWE 633.13:POWE 198.3
610 END
870 REM -- ML ROUTINE DATA --
880 DATA 152.13:19.255.160.1,177.71.133
890 DATA 99.200.177.71.133.100.162.32.32.207
990 DATA 99.200.177.71.133.100.162.32.32.207
990 DATA 99.200.177.71.133.100.162.32.32.207
990 DATA 99.200.277.255.201.34.240.29.160.0
920 DATA 94.240.5.202.203.246.240.29.160.0
920 DATA 204.244.32.207.255.240.145.99.200
930 DATA 208.244.32.207.255.240.19.21.80,208
940 DATA 208.244.32.207.255.240.19.21.80,208
940 DATA 208.247.160.16.145.99.208.241.32.204.255
950 DATA 96
```

Listing 2 MENU DIRECTORY BY AL KOROSTYNSKI ********* START EQUATES QUOTE EQU \$22 0037 038F F005 BEO NEXT VARPTR GEOU \$47 0391 CA DEX GEQU \$63 AGATN FPACC 0039 0392 DOF6 BNE EQU \$FFC6 DONE IOSET 0394 F01D BEQ 0040 \$FFCC IORSTOR 0041 0396 A000 NEXT LDY #\$00 0398 20CFFF GETCHAR EQU \$FFCF 0042 LOOP1 ISR GETCHAR 0043 CMP #QUOTE 039B C922 ORG \$370 0044 039D F005 BEQ AGATN1 STA (FPACC),Y 0045 039F 9163 0046 03A1 C8 TNY LDX #\$01 03A2 D0F4 LOOP1 BEGIN 0047 BNE 0022 0370 A201 0372 20C6FF IOSET 0048 03A4 20CFFF AGAIN1 JSR GETCHAR 0023 0049 0024 0375 A001 LDY #\$01 03A7 F00A REO DONE (VARPTR),Y LDA 0377 B147 0050 0349 0950 CMP #\$50 0025 FPACC O3AB DOF7 BNE AGAIN1 STA 0051 0026 0379 8563 037B C8 INY 0052 03AD A010 LDY #\$10 0027 (VARPTR),Y 037C B147 T.DA 0053 03AF 9163 STA (FPACC),Y 0028 FPACC+1 037E 8564 STA 0054 03B1 D0F1 BNE AGAIN1 0029 #\$20 03B3 20CCFF JSR IORSTOR 0380 A220 0055 0030 GETCHAR 03B6 60 0031 0382 20CFFF JSR RTS 0385 CA DEX 0032 #\$1B END CPX 0033 0386 E01B LOOP 0388 DOF8 0034 038A 20CFFF JSR GETCHAR AGAIN 0035

your work. Second, when the menu program is running, it is overwritten as you chain to your first program.

The machine-language routine loads into the second cassette buffer. The routine is fully relocatable, so if there is a conflict store it elsewhere.

To run the program, enter the drive number (0 or 1). The program takes a few seconds to read the directory and then it will display the program names on the disk. If there are more than 20 names, pressing return will list the next page. All pages may be viewed in this fashion and the pages will wrap around to the first page after the last page is displayed. To end the program, press "@". To make a selection, enter the appropriate number and press return.

Note that while the program will display only program names and not sequential or relative filenames, some files are stored as program file-types, such as Word-Pro, machine language, and other files. Care must be taken not to select them from the menu.

MICRO"

C64-FORTH for the Commodore 64

CMP

#QUOTE

FORTH SOFTWARE FOR THE COMMODORE 64

C64-FORTH (TM) for the Commodore 64 - \$99.95

- Fig Forth-79 implementation with extensions
 Full feature screen editor and macro assembler
- Trace feature for easy debugging

038D C922

- 320x200, 2 color bit mapped graphics
 16 color sprite and character graphics
 Compatible with VIC peripherals including disks, data set, modem,
- printer and cartridges

 Extensive 144 page manual with examples and application screens

 "SAVETURNKEY" normally allows application program distribution
- without licensing or royalties

C64-XTEND (TM) FORTH Extension for C64-FORTH - \$59.95

- String extensions including LEFT\$, RIGHT\$, and MID\$
- BCD functions for 10 digit numbers including multiply, divide, and percentage. BCD numbers may by used for DOLLAR.CENTS calculations without the round-off error inherent in BASIC real numbers.
- Special words are provided for inputting and outputting DOLLAR.CENTS values
- Detailed manual with examples and applications screens

(Commodore 64 is a trademark of Commodore)

TO ORDER - Specify disk or cassette version

- Check, money order, bank card, COD's add \$1.50 Add \$4.00 postage and handling in USA and Canada Mass. orders add 5% sales tax
- Foreign orders add 20% shipping and handling - Dealer inquiries welcome

PERFORMANCE MICRO PRODUCTS



770 Dedham Street. S-2 Canton, MA 02021 (617) 828-1209



COMPILE

With ABC™, Monarch's new BASIC compiler for ATARI 400 and 800, you develop and debug pro-your ATARI BASIC car-tridge, then use ABC to transform them into compact code that runs up to 12 times faster, without the cartridge (and protects your source code, too). 40K and disk required. For your ABC diskette and manual, send check or diskette and manual, send check or money order for \$69.95 (or \$9.95 for manual alone). Monarch Data Systems P.O. Box 207, Cochituate

MA 01778, (617) 877-3457.

Mastercard/Visa by phone. Dealer inquiries invited. Mass. residents add 5% sales tax. ATARI, ATARI 400, and ATARI 800 are trademarks of ATARI, Inc.

Directory Menu for the Atari Atari Birectory Misk, a blank disk, and the short BASIC programs that followyou don't remember a program now you can give BASIC the common that the short BASIC programs that followed are your can give BASIC the common to the short BASIC programs that followed are your can give BASIC the common that the short BASIC programs that followed are your can give BASIC the common that the short BASIC programs that followed are your can give BASIC the common that the short BASIC programs that followed are your can give BASIC the common that the short BASIC programs that followed are your basic that the short BASIC programs that followed are your basic that the short BASIC programs that followed are your basic that the short BASIC programs that followed are your basic that the short BASIC programs that followed are your basic that the short BASIC programs that followed are your basic that the short BASIC programs that followed are your basic that the short BASIC programs that followed are your basic that the short BASIC programs that followed are your basic that the short BASIC programs that followed are your basic that the short BASIC programs that followed are your basic that the short BASIC programs that followed are your basic that the short BASIC programs that followed are your basic that the short BASIC programs that the short BASIC p

MICRO

by Jerry White

or a directory menu on the Atari all you need are your DOS master disk, a blank disk, and the two short BASIC programs that follow. If you don't remember a program name, you can give BASIC the command "DOS", then use option "A" to display your disk's directory file. DOS also provides a Binary Load option for loading machine-language programs. To load a BASIC program, it is a fairly simple matter to use the "B" option to get back to BASIC, then the BASIC "LOAD" or "RUN" commands.

Begin by inserting your Atari BASIC cartridge, then boot your computer with your DOS master disk in disk drive 1. At the "READY" prompt, type "DOS" and RETURN. Remove your DOS master and insert your blank disk. Type "I" and RETURN to tell DOS that you want to format a disk, then type "Y" and RETURN to format. Once you have a formatted disk, use DOS option "H" to write DOS files, then return to BASIC using DOS option "B".

When you boot using Atari's DOS 2.0S, the computer reads the DOS.SYS file first, then looks to see if there is a file named "AUTORUN.SYS" on the disk. If so, it loads AUTORUN.SYS and executes its instructions. To tell the computer to RUN a program called "MENU", type in the "MAKEAUTO" program. Before running any untested program, make sure you save it on a disk just in case something goes wrong.

Type in the MAKEAUTO program exactly as you see it printed, then save it using the immediate mode BASIC command SAVE"D:MAKEAUTO"

Now type "RUN" and RETURN to create your AUTORUN.SYS file. You will be instructed to insert your disk in drive 1, then press the START button to begin. If all went well, your AUTO-RUN.SYS file will be written onto the disk within a few seconds, and you will see the message BASIC IS READY.

Before you begin to type in the "MENU" program, type "NEW" and RETURN to remove the MAKEAUTO program from your computer's memory.

I used some of Atari's graphic characters and some inverse video letters in the MENU program. In line 140, the straight vertical line character is entered by holding the SHIFT key while typing the "=" or down-arrow key. The characters within quotes in line 280 are entered by holding the CTRL key while typing the "Q" key,

the "R" key 33 times, then the "E" key. Similarly, the characters within quotes in line 550 are entered by holding the CTRL key while typing the "Z" key, the "R" key 33 times, then the "C" key.

Use inverse video to enter the word "RETURN" in line 290, the word "SELECTION" in line 310, and the words "NUMBER" and "RETURN" in

When you have finished typing in the MENU program, save it on your disk using the immediate mode command, SAVE"D:MENU".

Now go back to DOS and copy a few of your BASIC or machine-language programs onto this disk using DOS option "O". At this point, if you typed in

the MAKEAUTO and MENU programs correctly and followed the preceeding instructions, you are ready to begin using your new automated system. Just turn off your computer and turn it on again. DOS.SYS should load, then turn over control to AUTORUN.SYS, which will run the MENU program.

MENU will display the contents of your disk (up to 34 files) excluding DUP.SYS and AUTORUN.SYS. All you have to do now is type your selection number and RETURN. Isn't automation wonderful?

Listing 2

```
100 GOTO 480:REM MENU by Jerry White
110 REM version date 4/12/83
120 IF DREC$(4,8)=" FREE" THEN GOTO 240
130 NUM=NUM+1: WORK$=DREC$(3,10): WORK$(9,9)=".":
        WORK$(10,12)=DREC$(11,13)
140 LINES=" ":LINES(LEN(LINES)+1)=WORKS:
        DISK$(LEN(DISK$)+1)~WORK$
150 LINE$(14,14)="(":JW=USR(1536,ADR(LINE$)):NUM$=STR$(NUM)
160 IF NUM < 10 THEN NUM$(2,2)=NUM$(1,1):NUM$(1,1)="0"
170 RETURN
180 TRAP 280: INPUT #1, DREC$
190 IF DREC$(3,5)="DUP" OR DREC$(3,5)="AUT" THEN 180 200 GOSUB 120:? LINE$;NUM$;") ";
210 TRAP 240: INPUT #1, DREC$
220 IF DREC$(3,5)="DUP" OR DREC$(3,5)="AUT" THEN GOTO 210 230 GOSUB 120:? LINE$(2,14);NUM$;") | ":GOTO 180
240 IF NUM=0 THEN 280
250 POSITION 36,(NUM/2)+2:? """
260 POSITION 2,(NUM/2)+3:? ""
270 POSITION 36, (NUM/2)+3:? " " "
290 ? "
            TYPE O AND RETURN TO RESTART": CLOSE #1
300 POKE 752,1:POSITION 1,23:? " ";:POSITION 10,22:? BLANK$
310 POSITION 1,22:POKE 752,0:? BLANK$(1,10);" SELECTION ";
320 POKE 764,255:TRAP 300:INPUT SEL:POKE 752,1:? " "; 330 IF SEL < > INT(SEL) THEN GOTO 300
3340 IF NOT SEL THEN RUN
350 IF SEL=1 THEN WORK$=DISK$(1.12):GOTO 380
360 WORK$=DISK$((SEL-1)*12+1,(SEL-1)*12+12)
370 IF WORK$(10,10)=" " THEN WORK$=WORK$(1,8)
380 IF WORK$(1,4)="MENU" THEN RUN
390 IF WORK$(1,3)="DOS" THEN DOS
400 DREC$="":FOR STP=1 TO LEN(WORK$):

IF WORK$(STP,STP)=" " THEN 420
410 DREC$(LEN(DREC$)+1)=WORK$(STP,STP)
420 NEXT STP: WORK$=DREG$: POSITION 17,22:? BLANK$(1.12)
430 DREC$="D:":DREC$(LEN(DREC$)+1)=WORK$
440 POSITION 1,22:? BLANK$(1,10);"LOADING "; WORK$:
      CLOSE #3:TRAP 450:RUN DREC$
450 TRAP 460:CLOSE #1:OPEN #1,4,0,DREG$:JW=USR(5576)
460 POSITION 4,22:? "I WAS UNABLE TO RUN THAT PROGRAM"
470 FOR JW=100 TO 255:SOUND 0,JW,10,JW/50:NEXT JW:RUN 480 GRAPHICS 0:CLOSE #3:OPEN #3,12,0,"S:":POKE 559,0
490 POKE 752,1:POKE 82,2:POKE 83,39:POKE 16,64:POKE 53774,112
500 POKE 710,160:POKE 709,13:POSITION 9,0:? "MENU by Jerry White" 510 DIM BLANK$(28):BLANK$=" ":BLANK$(28)=" ":BLANK$(2)=BLANK$
520 DIM WORK$(40), LINE$(20), DERC$(40), DISK$(400), NUM$(2)
530 CLOSE #1:OPEN #1,6,0,"D:*.*"
540 POSITION 4,2:? "TYPE PROGRAM NUMBER THEN RETURN"
550 POSITION 2,3:? "
560 FOR ME=0 TO 24:READ IT:POKE 1536+ME,IT:
        NEXT ME:POKE 559,34:GOTO 180
570 DATA 104,104,133,206,104,133,205,160,0,177,205
580 DATA 201,32,208,4,169,46,145,205,200,192,13,208,241,96
```

Listing 1

```
1 REM MAKEAUTO by Jerry White
2 REM version date 4/12/83
10 GRAPHICS 0:POKE 82,2:POKE 83,39:POKE 752,1
```

20 ? :? "INSERT DESTINATION DISK IN DRIVE 1"
30 ? :? "PRESS START TO CREATE AUTORUN.SYS.":POKE 53279,8
40 IF PEEK(53279) < >6 THEN 40

50 ? :? "CREATING AUTORUN.SYS TO RUN MENU."

60 TRAP 300:CLOSE #1:OPEN #1,8,0,"D:AUTORUN.SYS" 70 TRAP 400: FOR BYTE=1 TO 148: READ IT:

PUT #1,IT:POSITION 17,10:? BYTE;:NEXT BYTE 80 CLOSE #1:POKE 752,0:? :? "BASIC":? "IS";:END

100 DATA 255,255,0,6,133,6,162,0,189,26

110 DATA 3,201,69,240,5,232,232,232,208,244 120 DATA 232,142,105,6,189,26,3,133,205,169

130 DATA 107,157,26,3,232,189,26,3,133,206 140 DATA 169,6,157,26,3,160,0,162,16,177

150 DATA 205,153,107,6,200,202,208,247,169,67

160 DATA 141,111,6,169,6,141,112,6,169,10

170 DATA 141,106,6,96,172,106,6,48,9,185

180 DATA 123,6,206,106,6,160,1,96,138,72 190 DATA 174,105,6,165,205,157,26,3,232,165

200 DATA 206,157,26,3,104,170,169,155,160,1

210 DATA 96,0,0,0,0,0,0,0,0,0

220 DATA 0,0,0,0,0,76,0,0,0,34 230 DATA 85,78,69,77,58,68,34,78,85,82

240 DATA 255,255,226,2,227,2,0,6

300 ? :? :? "UNABLE TO OPEN AUTORUN.SYS FILE.":GOTO 80 400 ? :? :? "UNABLE TO READ BYTE #";BYTE;" OF 148."

410 ? "FIX PROGRAM DATA THEN RERUN.":GOTO 80

Atari Graphics Notepad in FORTH by Mike Dougherty

A Graphics Notepad allows the user to interactively construct images through simple keyboard commands. This article describes a minimal Graphics Notepad implemented on the Atari 800, written in APX fig-FORTH, V1.1.

Graphics Notepad is a computer environment where graphic images may be interactively drawn under control of "English-like" commands typed on a "notepad." A typical implementation of a Graphics Notepad allows a video device (CRT or RF modulated television) to create two windows on the video screen. One window serves as the workspace for the graphic images; the second window forms the notepad. Commands written on the notepad are executed by the Graphics Notepad software. Any graphic results of the commands are displayed in the graphics workspace.

This article discusses a Graphics Notepad for the Atari 800. The Graphics Notepad implementation uses Atari graphics mode 8 [GR.8], APX fig-FORTH, and an Epson MX-80 F/T printer with GRAPHTRAX firmware. Since a Graphics Notepad environment is constantly expanding and growing with the user, the FORTH words defined in this article represent only a beginning. The ultimate capability of a Graphics Notepad is limited only by the imagination of the user.

Atari 800 Graphics Notepad Implementation

The Atari graphics modes 6, 7, and 8 are well-designed to implement a simple Graphics Notepad. This article will deal only with graphics mode 8 (GR.8), but the principles could be extended to cover the other graphics modes as well. GR.8 gives the user a graphic workspace of 160 dots vertically by 320 dots horizontally and creates a four-line notepad for communication with the Graphics Notepad software. The Atari Operating System (OS) currently allows the application software or language to plot points, draw lines, and fill areas of the graphic image. This small set of OS primitives relieves some of the software burden for high-level graphic commands.

The omission of high-level graphic commands may be corrected by software extensibility. The Graphics Notepad software or language should allow new primitives to be defined and easily used. This is where a language such as BASIC has difficulty. FORTH, on the other hand, is explicitly designed for extensibility and is used in this Graphics Notepad implementation. With FORTH, graphic images may be defined and used to build more complex images. While, in principle, BASIC can provide extensibility via subroutines, FORTH words are a far superior mechanism for software extension.

Finally, the Epson MX-80 printer is used to print the graphics workspace. This printer yields a 2.25-inch by 5.25-inch image, which is sufficient for the Atari implementation of the Graphics Notepad.

Software for Minimal Atari Graphics Notepad

The software capabilities of a minimal Graphics Notepad are a function of how the Graphics Notepad will be used. There is no clear distinction between software that is part of the minimal Graphics Notepad and software that is an extension. [This is the same problem that occurs when defining standard FORTH.] The words in Glossary 1, Screens 44 through 56, bring APX fig-FORTH to what I consider the minimal Graphics Notepad. The user commands are described next.

The FORTH word GTABLET initializes the Atari Graphics Notepad windows. GTABLET sets up the GR.8 screen, erases any previous results, and sets the colors. GTABLET may be executed at any time to clean the graphics workspace. The user exits the Graphics Notepad by executing the APX fig-FORTH word, XGR. (The APX graphics package must be LOADed prior to LOADing the (Continued on page 68) Graphics Notepad.)

No. 65 - October 1983

When it comes to superior performance, we study our lines very carefully.

Superior printer performance is not a fluke. It evolves from analyzing printed line after printed line. Taking the time to test and retest. After 30 years of manufacturing precision parts, we know that there are no shortcuts.

And so we took the Gemini-10X and methodically put it through its 120 cps pace. We achieved a print head life of over 100 million characters with an extremely precise dot alignment creating each crisp character.

So far so good.

Next, sophisticated performance demanded versatility. A wide choice of character sets, a buffer expandable to 8K, and the ability to interface with all popular personal computers. We added macro

instruction, giving Gemini-10X the capability to perform up to 16 operations with one command. We included as standard a paper feed system that has a friction and fully adjustable tractor feed. Then we even built in the dexterity to print graphics and text on the same line.

Done.

And, of course, staying the best means constant reviewing and fine-tuning. Keeping the Gemini easy to find, easy to afford and so reliable it can be warranted for up to twice as long as its major competitors.

Only the most careful engineering has built the new hard-working Gemini-10X. You'll applaud its performance.



THE POWER BEHIND THE PRINTED WORD.



The FORTH word TEXT allows the Graphics Notepad user to write text directly from the keyboard onto the graphics workspace. TEXT uses an inverse video cursor under control of the arrow cursor keys for positioning the text. The cursor is moved horizontally, in steps of eight graphic dots (one full character width) and vertically, in single dot steps (one display line). The RETURN key may be used to move the cursor down by eight dots [one full character height). Once the cursor is properly positioned, the user adds the text to the graphics workspace by simply typing on the keyboard. The text added to the graphics workspace will overlap with any previous image value under the 8 x 8 character size. Upper-case, lower-case, and most graphic characters may be entered onto the graphics workspace. The user exits from the TEXT function by pressing the ESC key.

The FORTH word LABEL behaves identically to TEXT except that the text added to the graphics workspace will overwrite any previous image value under the 8×8 character size. TEXT is used to write on top of the graphics workspace, while LABEL is used to replace a part of the workspace with character text.

Both TEXT and LABEL use the Atari character generator ROM, beginning at memory address \$E000 (decimal address 57344). This ROM defines each row of a character in eight consecutive bytes for a total character size of 8 × 8 dots. The word ASCII-> ROM translates the ASCII character into the beginning ROM address for that character. Since each GR.8 line is 40 bytes long, a character is put on the GR.8 screen by moving eight consecutive ROM character bytes to GR.8 memory at 40-byte intervals (separating the character bytes by 40-byte positions, each byte under the previous byte).

Both TEXT and LABEL make use of the CASE statement defined by Dr. C. E. Eaker. The original CASE FORTH code was presented in FORTH Dimension, Volume II, Number 3, pp. 37-40. Only the CASE-word names were changed when used in the Atari Graphics Notepad (Screen 52).

The FORTH word SAVE-SCREEN allows the user to save an intermediate version of the graphics workspace. Thus, if a command does not work as anticipated, the previously saved graphics workspace may be recovered by the FORTH word RESTORE-SCREEN. Note that these two words require a workspace buffer, WORKSPACE-BUF, of 6400 bytes in size. Atari Systems with limited memory should not compile and use Screen 56.

The FORTH word BORDER simply adds a line border around the graphics workspace. This command is used primarily with the hardcopy function to define the graphics workspace on the printed page.

Hardcopy Function

The Hardcopy function of this Graphics Notepad implementation is performed by an Epson MX-80 F/T printer with GRAPHTRAX firmware. APX fig-FORTH V1.1 opens channel #6 to the printer for use with the words PON and POFF. The Atari Graphics Notepad makes use of this channel with the word PRINT-CHAR. Any changes made in updates of APX fig-FORTH will necessitate changes in PRINT-CHAR. Glossary 2, Screens 31 through 43, define

the FORTH hardcopy words used in the Atari Graphics Notepad.

The Epson printer gives high-resolution graphic output by allowing the user to control each dot on the page. For the normal graphics print mode, each 8-inch line contains 480 dots [1/60th inch per dot] and each 10-inch page contains 720 lines [1/72nd inch per line]. In the super graphics print mode, the horizontal dots in each line overlap, yielding 960 dots per 8-inch line, producing a generally more pleasing image. The graphics print mode is user-selected by the two FORTH words NORMAL and SUPER. The super graphics mode prints each image pixel [dot] twice to eliminate the horizontal spacing between dots. Since the vertical spacing is 1/72nd of an inch, the super graphics printed image usually has a more solid appearance.

The vertical line spacing of each print line is adjustable from a single dot to an 85-dot spacing, allowing printed lines to be overlapped or widely separated. The Atari Graphics Notepad uses two vertical line spacings with the FORTH words FAST-GRAPH and SLOW-GRAPH. FAST-GRAPH prints graphic lines utilizing the full available column of eight dots and a line spacing of eight. SLOW-GRAPH uses a line spacing of only four and prints only the upper four dots of each graphic character. As a result, FAST-GRAPH will print the graphics workspace in 20 full lines [160 rows/8 dots per row], while SLOW-GRAPH takes 40 full lines [160 rows/4 dots per row].

SLOW-GRAPH is included in the Graphics Notepad due to two problems with the Atari 850 Interface Module firmware. While the Epson printer is in normal or super graphics print mode it does not interpret the graphic characters as having any special meaning. Each graphic character is simply a bit pattern telling a specific printer dot to print [1] or not [0]. Unfortunately, the Atari 850 firmware does not have a graphics mode. Because of this, the graphics character 155 (\$9B = 10011011) is interpreted as an end-of-line character, EOL. The 850, not knowing about the Epson graphics modes, decides that a printer requires a carriage return (CR), 13 (\$0D = 00001101), instead of the EOL and automatically converts the EOL to a CR. From the viewpoint of a graphic character, this 155 to 13 conversion changes four dot values. FAST-GRAPH solves this problem by changing all 155 characters to 147 (\$93 = 10010011) before sending the character to the Atari 850 for printing. The 147 is incorrect by only one bit, which usually will not be missed.

The second problem occurs when two consecutive carriage return characters are sent to the 850. Apparently, the Atari printers do not like consecutive CRs, so the 850 automatically inserts an extra space character, decimal 32 (\$20 = 00100000), between the CRs. This can lead to very unusual results that are hard to correct on the Epson! Since the most common occurrence of two CRs occurs when using super graphics print mode (each character is printed twice), PRINT-DOTS converts the first 13 to a 9 (\$09 = 00001001). The 9 is again incorrect by only one dot, which should never be missed. However, SLOW-GRAPH, which prints only the upper four bits of each line, will never be printing the 155 (EOL) or 13 (CR) characters. Thus, for cases when the hardcopy must be an exact duplicate of the graphics workspace (or all else fails), use SLOW-GRAPH for printing. Most of the time, FAST-GRAPH will be sufficient and will print in half the time.

There is one additional printer problem. The data link from the Atari 800 to the printer is a one-way link. Once data is sent to the printer, there is no guarantee that it reaches the printer without an error. I have found that with my six-foot ribbon cable, the data is occasionally susceptible to error. For normal listings, an error usually means a misspelled word. However, when transmitting graphics data, many strange things can, and do, happen! Short of improving the cable, do the following for a runaway Epson:

- Abort the FAST-GRAPH or SLOW-GRAPH by pressing any key (other than break).
- Turn off the EPSON to initialize some of the printer variables. (If the run-away printer is ejecting paper, do this first!)
- Manually position the paper as needed since most disasters include creative paper spacing.
- Turn on the printer.
- Software reset the printer with the FORTH word RESET-EPSON.

Although not the best solution, the above steps seem to work after enough tries.

Atari Graphics Notepad Applications

To illustrate a simple use of the Graphics Notepad, figures 1 through 5 were drawn with the Atari Graphics Notepad and printed on the Epson. The basic construction of each figure is discussed below. Except where noted, all hardcopy used the super graphic print mode and FAST-GRAPH printing.

Figure 1 is a demonstration of what TEXT and LABEL can do with interactive text entry. The image was created by using the Atari 800 keyboard alone.

Figures 2 through 5 illustrate the capability of FORTH to build upon images. The image word FAN was defined as:

```
: FAN (xy ---)
320 10 DO (Across the screen)
2DUP (Save a copy of x,y)
1 ROT ROT PLOT (Plot the start)
1 I 0 DRAW (Draw a line of FAN)
20 + LOOP
2DROP; (Clean up stack)
```

Figure 2 was created by the commands:

160 159 FAN BORDER SUPER FAST-GRAPH

The word FAN-LINE was defined, based upon FAN:

```
: FAN-LINE ( × ---)
160 39 DO ( Down the screen)
DUP I FAN ( Draw a FAN)
40 + LOOP ( Every 40 lines down)
DROP ; ( Clean up column number)
```

Figure 3 was created by the commands:

```
0 FAN-LINE
319 FAN-LINE
```

160 120 FAN BORDER SUPER FAST-GRAPH


The lettering was added with the TEXT and LABEL Graphics Notepad words. For figure 4, FAN-LINE was modified:

```
: FAN-LINE
160 120 DO
DUP I FAN
5 + LOOP
DROP :
```

The Graphics Notepad "160 FAN-LINE" command creates the figure 4 ghostly specter with small beady eyes! Figure 5 is the same but with the NORMAL graphics print mode.

Hopefully the figures will inspire you to build your own Graphics Notepad and to create new and better graphic worlds. At the worst, you will end up having a lot of fun!

The author may be contacted at 7659 West Fremont Ave., Littleton CO, 80123.



FOCUS ON THE 6809 MICRO WORTH SWITCHING FOR

FOCUS ... ON ITS SUPERIOR HARDWARE

- 6809E Microprocessor provides 8-bit economy with 16-bit capabilities, position independent code and many advanced features
- Commercial quality Keyboard with full UPPER/lower case ASCII, numeric keypad and cursor control keys
- Two double-sided double-density mini diskettes with 640K bytes of IBM-compatible storage
- 56K Bytes User RAM
- Full Video with programmable screen formats, bit mapped graphics, user definable character sets, reverse video and hardware scrolling, plus a light pen interface
- Full Communications support for RS-232 at 50 to 19.2K baud with programmable data formats
- Built-in I/O Drivers include 6 parallel I/O ports, 3 serial I/O ports, 6 timers/counters, 20 mA current loop, and a programmable cassette interface

FOCUS ... ON ITS EXTRAORDINARY SOFTWARE

- Includes the popular FLEX™ Operating System a standard for the 6809 (supported by many vendors.
- Extended Floating Point Disk BASIC Interpreted and Compiled
- Text Editor and Macro Assembler
- Full feature FlexiMon debugging monitor
- Built-in Word Processor

FOCUS ... ON ITS VERSATILE EXPANDABILITY

- IEEE-488 Bus Controller option for instrumentation
- Supports multiple 8" diskette drives
- PASCAL, FORTH and other high level programming languages are available
- Complete Application Packages are available from many software sources
- Add-on Hardware includes: Date/Time, Opto-Isolators, Stepper-Motor Controller, A/D and D/A, RAM and EPROM Memory, and others from several manufacturers

FOCUS ... ON YOUR APPLICATION REQUIREMENTS

 FOCUS provides a completely integrated system of hardware and software, so that you can concentrate on your application requirements THIS IS FOCUS



\$399500

VERY COMPLETE



34 Chelmsford Street Chelmsford, MA 01824 Phone: 617/256-3649 Telex: 955318 INTL DIV




Figure 4




Figure 5

Glossary 1. Minimal Atari Graphics Notepad

- C-RIGHT [—] Screen 4:
 Move the TEXT/LABEL cursor right eight dots, one character width.

Glossary 2. Epson MX-80 F/T Hardcopy

- FAST-GRAPH (—)Screen 43
 Print the graphics workspace on the Epson printer, eight display lines at a time. Due to the 850 Interface Module, the EOL [155] and CR [13] characters may be modified refer to the article for details.

- NORMAL-EPSON [—] Screen 36
 Reset the Epson line spacing to 1/6th inch default.
- PRINT-CR (—) Screen 34
 Print a carriage return on the Epson.
- PRINT-CRS (n —) Screen 3
 Print "n" carriage returns on the Epson.
- PRINT-SPACE [—] Screen 34
 Print a space on the Epson.

Graphics Notepad application.

```
-Atari =
                                                                                                                                                                SCR # 34
0 ( BASIC EPSON LINES )
                                                                                                                                                                    2 : PRINT-CR
3 155 PRINT-CHAR ;
                      The Atari Graphics Notepad
                                                                                                                                                                    5 : PRINT-CRS
6 0 DO PRINT-CR LOOP;
                              requires:
                                                                                                                                                                    8 : PRINT-SPACE
9 32 PRINT-CHAR ;
                              Atari 400/800
                              Atari 810 disk drives
                                                                                                                                                                      ( n --- )
                              32K bytes of memory.
                              APX fig-FORTH V1.1, Rev 1
                                                                                                                                                                 SCR # 35
0 ( SET EPSON INTO GRAPHICS MODE )
SCR # 30
O ( Atari Graphics Notepad for APX fig-FORTH V1.1, Rev 1
                                                                                                                                                                   0 (SET EPSON INTO SEMENALS

1 2: EPSON GRAPHICS

3 - DUP IF

4 ASCII - ESC PRINT-CHAR

5 GNODE 0 IF

6 ASCII L PRINT-CHAR

7 ELSE

8 ASCII K PRINT-CHAR

9 ENDIF

10 255 / MOD SMAP

11 PRINT-CHAR

12 PRINT-CHAR

13 ENDIF;
                                                                                                                                                                                                                                                   ( n --- )
( If any graphics*bytes )
( Then init to expect graphics )
( If super graphics mode )
( use "(ESCXLij" )
( Else normal graphics mode )
( use "(ESCXKij" )
                              by Mike Dougherty
         ( To LOAD both the Epson Hardcopy and the Graphics Notepad: ( -- 30 LOAD
  6 (
7 ( To LOAD the Atari Graphics Notepad only:
8 ( — remove comments on SCREEN definition, Forth Screen #44 )
9 ( -- 44 LOAD
10 (
11 ( To LOAD SAVE-SCREEN and RESTORE-SCREEN [requires 6400 bytes]:)
12 ( — 56 LOAD
                                                                                                                                                                   9
10
11
12
13
14
15 -->
                                                                                                                                                                                                                                                   ( Where i=LSB, j=MSB of n )
( Note: i,j should not be 155 )
( ' or 13 due to 850 Inter-)
( face Module )
                                                                                                                                                                 SCR # 36
0 ( RESET FROM GRAPHICS PRINTING )
1
2 : NORMAL—EPSON
3 ASCII—ESC PRINT—CHAR
4 ASCII 2 PRINT—CHAR;
 SCR # 31
0 ( EPSON HX-80 F/T HARDCOPY FOR PRINTERS WITH GRAFTRAX[TH] )
1
2 6 CONSTANT PRINTER-CHANNEL ( APX fig-Forth printer cha
    1 2 6 CONSTANT PRINTER-CHANNEL ( APX fig-Forth printer chan ) 27 CONSTANT ASCII-ESC ( For Epson printer commands ) 4 0 VARIABLE GRB-DATA 6 ALLOT ( For col of "vertical" bytes ) 5 0 VARIABLE GRB-DATA 6 ( Super/normal graphics mode )
                                                                                                                                                                                                                                                     ( --- )
( Reset the Iine spacing )
( with "<ESC>2" )
                                                                                                                                                                      5
6: RESET-EPSON
7 ASCII-ESC PRINT-CHAR
8 ASCII @ PRINT-CHAR;
                                                                                                                                                                                                                                                     ( --- )
( Reset the entire Epson )
( with "<ESC>@" )
     8 : NORMAL
9 O GMODE ! ;
                                                                                 ( --- )
( Set hardcopy normal graphics
                                                                                                                                                                    9
10 : SCREEN
11    106 Ce
12    256 *
13    7856 - ;
                                                                                                                                                                                                                                                     ( --- gr8base )
( Get current top of memory )
( Form 16 bit address )
( Backup to first of GR.8 mem )
   9 0 GMODE ! ;

10

11 : SUPER

12 1 GMODE ! ;

13

14 -->
                                                                                  ( --- )
( Set hardcopy super graphics )
                                                                                                                                                                     12
13
14
15 -->
                                                                                                                                                                   SCR # 37
O ( MOVE DATA TO 8 BYTE BUFFER )
1
  SCR # 32
O ( OUTPUT TOP OF STACK TO PRINTER )
                                                                                                                                                                       1 2 : GET-DATA 3 8 0 D0 4 DUP C 5 GR8-D 6 C! 7 40 + 8 LOOP 9 DROP;
                                                                                                                                                                                                                                                  ( memaddr --- )
( For B bytes of vert slice )
( Get a byte )
( Buffer addr )
( Save whole byte )
( Next line, 40 bytes down )
      1 : PRINT-CHAR
2 : PRINTER-CHANNEL
4 PUTC
5 DROP;
                                                                                                                                                                                     8 O DO
DUP C@
GR8-DATA I +
                                                                                    ( char --- )
( APX fig-Forth printer chan )
( Put a character )
( Drop the status )
    6
7
8
9
10
11
12
13
14
15
  SCR # 38
O ( ACCUM BIT7, SHIFT BUFFER )
1
2 CODE BIT-SLICE
                                                                                                                                                                                                                                                       ( bufaddr --- bitslice )
( Move addr to N,N+1 )
( For all 8 bits )
( To clear buffer )
( Bet buffer byte )
( Put bit7 into carry )
( Save shifted result )
( Put carry into result )
( Put carry into result )
( All 8 ? )
( Not yet )
( Yes, reset y req )
                                                                                                                                                                       0 ( ACCUM BIT7, SHIFT BUFFER

2 CODE BIT-SLICE

3 1 % LDA, SETUP JSR,

4 BEGIN,

5 CLC,

6 N )Y LDA,

7 ROL.A,

8 N )Y STA,

9 N 2 + ROL,

10 INY,

11 B % CPY,

12 O= END,

13 0 % LDY,

14 N 2 + LDA, PUSHOA JMP,

15 FORTH -->
                                                                                    (n — 2**n)
(Initialize for 2**0)
(If non-zero ...)
(For n times)
(Raise by a power of 2)
                                                                                                                                                                                                                                                        ( Yes, reset y reg )
( Exit with N+2 on stack )
```

```
SCR # 39
0 ( INITIALIZE )
                                                                                                                                                                                                                                                                                                     SCR # 44
O ( MINIMAL GRAPHICS TABLET FOR ATARI )
    0 ( MARANILLE STATE OF THE STAT
                                                                                                                                                                                                                                                                                                           2 : GNOTEPAD
3 P OF
                                                                                                                                                     ( n --- )
( Space down the paper )
( Set line spacing to n dots )
( with "<ESC>An" )
                                                                                                                                                                                                                                                                                                                                                                                                                                                         ( --- )
( Initialize mode*8 graphics )
( Erase the graphics workspace )
( Set the video colors )
( Change according to personal )
( taste. )
                                                                                                                                                                                                                                                                                                                                    8 GR.
SCREEN 6400 ERASE
1 0 0 SETCOLOR
2 9 3 SETCOLOR
4 6 1 SETCOLOR;
       B : INIT-LINE
                                                                                                                                                      ( --- )
( Space over the paper )
( If super graphics mode )
( Epson will get 640 char/line )
( Normal graphics mode )
( Epson will get 320 char/line )
                              13 PRINT-SPACES
6MODE @ IF
640 EPSON-GRAPHICS
ELSE
                                                                                                                                                                                                                                                                                                        9
10 (: SCREEN
11 ( 106 (
12 ( 256 4
13 ( 7856
14
15 —>
                                                                                                                                                                                                                                                                                                                                                                                                                                                        ( Remove comments if LOADing )
( The Atari Graphics Notepad )
( only — else Ieave commented )
( out of the Forth LOAD )
                                                                                                                                                                                                                                                                                                                                             106 C@
256 *
7856 - ;
                                        320 EPSON-GRAPHICS
                               ENDIE :
                                                                                                                                                                                                                                                                                                       SCR # 45
0 ( PUT CHARACTERS ONTO GR.8 SCREEN USING ATARI CHAR ROM )
SCR # 40
0 ( GRAPHICS KLUDGE DUE TO 850 INTERFACE MODULE FIRMWARE )
      0 C GRIEFITA SECULIONES
2 SON-KLUDGE
3 DUP 155 = IF
4 DROP 147
5 ENDIF
6 GHODE @ IF
7 DUP
10 ENDIF
11 PRINT-CHAR
12 ENDIF;
13
                                                                                                                                                                                                                                                                                                               1
2 O VARIABLE CURSOR-X
3 O VARIABLE CURSOR-Y
4 O VARIABLE INVERSE
5 O VARIABLE TEXT/LABEL
                                                                                                                                                                                                                                                                                                                                                                                                                                                           ( X position on screen )
( Y position on screen )
( Inverse character flag )
( Flag to use different modes )
                                                                                                                                                   ( char --- char )
( If char is Atari EOL )
( Convert, else 850 makes CR )
( 147 is better than 13 )
( If in super graphics mode )
( Each character printed twice
( But 2 CRs, 850 inserts space
( So conver CR to 00001001 )
( 9 is close, no added $20 )
( Output char twice )
                                                                                                                                                                                                                                                                                                               6 7 : CURSOR-ADDR
                                                                                                                                                                                                                                                                                                                                                                                                                                                           ( --- addr )
( Get base addr of screen )
( Add for line position )
( Add for col position )
                                                                                                                                                                                                                                                                                                                                      SCREEN
CURSOR-Y @ 40 * +
CURSOR-X @ + ;
    9
10
11
12
13
14 -->
                                                                                                                                                                                                                                                                                                           11
12 --->
13
14
15
                                                                                                                                                                                                                                                                                                          SCR # 46
0 ( ASCII VALUE TO CHARACTER GENERATOR ROM ADDRESS )
 SCR # 41
0 ( PRINT A LINE OF DOTS )
                                                                                                                                                      ( addr mask --- addr+40 )
( Set up line spating, graph )
( For 40 bytes of display mem )
( For 40 columns of data )
( For dots in each column )
( Set the vertical bit slice )
( Keep mask bits of data )
( Correct for 850, do GMODE )
( Output graphics column )
( All 8 vertical columns )
( All across the screen row )
( Drop mask, leave addr+40 )
( Move to a new line )
                                                                                                                                                                                                                                                                                                                          57344 CONSTANT CHAR-ROM
                                                                                                                                                                                                                                                                                                                                                                                                                                                             ( Atari char ROM at $E000 )
         1
2 : PRINT-DOTS
                                                                                                                                                                                                                                                                                                                                                                                                                                                            ( key — addr )
( Isolate Inverse flag )
( Strip any inverse value )
( If control character )
( Map into 64-95 )
( Not control character )
( If uppercase )
( Map into 0-63 )
( Else leave value 96-127)
                                                                                                                                                                                                                                                                                                                       : ASCII->ROM
DUP 128 AND INVERSE !
127 AND
DUP 32 < IF
64 +
ELSE
DUP 96 < IF
32 -
ENDIF
ENDIF
8 *
                                    INIT-LINE
                                   40 0 DO
OVER GET-DATA
                                          8 0 DO

BRB-DATA BIT-SLICE

OVER AND

850-KLUDGE
                                                   PRINT-CHAR
                                         LOOP
SWAP 1+ SWAP
                                                                                                                                                                                                                                                                                                                                                                                                                         ( 8 bytes per char )
--> ( Add base address )
                                  LOOP
                                   PRINT-CR L
                     I 42
I DUMP A GRAPHICS 8 SCREEN )
SCREEN-DUMP
DUP SETUP-EPSON
SCREEN
OVER 160 SWAP /
0 DO
DVER HINUS 8 + 2**N
HINUS 256 +
PRINT-DOTS
OVER 1 - 40 * +
7TERNINAL IF
KEY DROP LEAVE
ENDIF
  SCR
0
1
2
3
4
5
6
7
8
                                                                                                                                                                                                                                                                                                          ( n --- )
( Set Epson to n dots/line )
( Set the start of GR.8 mem )
( % of n dot lines to print )
( For each line of n dots )
( For bit mask for n dots )
( as 256 - 2**E8-n] )
( Print the dots not masked )
( Update GR.8 address )
( If any key is pressed )
( Get/ignore key, abort loop )
                                                                                                                                                                                                                                                                                                                                                                                                                                                                ( --- )
( For all 8 lines*of char )
( Get address of graph cursor )
( Get graphics byte )
( Invert value )
( Set back in memory )
                                                                                                                                                                                                                                                                                                                                      LOOP :
                                                                                                                                                                                                                                                                                                                  10 -->
                                                                                                                                                         ( For all n dot lines )
( Clean up n,addr )
( Reset printer to normal mode )
                                   ENDIF
LOOP
2DROP
NORMAL-EPSON ; -->
                                                                                                                                                                                                                                                                                                            SCR # 49
0 ( TEXT/LABEL CURSOR MOVEMENT )
1
2 : C-RIGHT
   SCR # 43
0 ( BASIC SCREEN DUMP MODES )
1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                  ( --- )
( Toggel cursor to original )
( Move to the right 1 char )
( Wraparound if necessary )
( Save new position )
( Set the new cursor position )
           2 : FAST-GRAPH
                                                                                                                                                                                                                                                                                                                                            -KIGHI
CURSOR
CURSOR-X @ 1 +
DUP 39 > 1F DROP 0 ENDIF
CURSOR-X !
CURSOR;
                                                                                                                                                         ( Print GR8 screen 8 rows/line )
                                    8 SCREEN-DUMP ;
            5 : SLOW-GRAPH
6 4 SCREEN-DUMP 1
                                                                                                                                                         ( --- )
( Print GR8 screen 4 rows/line )
                                                                                                                                                                                                                                                                                                                              : C-LEFT
                                                                                                                                                                                                                                                                                                                                                                                                                                                                  ( --- )
( Toggel cursor to original )
( Move to the left 1 char )
( Wraparound if necessary )
( Save new position )
( Set the new cursor position )
                                                                                                                                                                                                                                                                                                                                             CURSOR
CURSOR-X @ 1 -
DUP 0 < IF DROP 39 ENDIF
CURSOR-X !
CURSOR;
```

MICRO

MICRObits

The Cheap Assembler Includes unlimited length labels, free field programming, two-pass RAM/disk-based assembly, ten-command text editor, interactive operation, tutorial manual, and demonstration routines. APPLE II+, 48K, DOS 3.3 required. Send \$20.00 plus \$4.00 P&H to: Thunder Software, P.O. Box 31501, Houston, TX 77231, (713) 728-5501.

Payroll Compatible with 64K Apple computers. Features: 100 employees per disk, time-card adding, automatic overtime, user-changeable tax tables, five miscellaneous deductions — fixed or percentage amounts, tips, automatic printing of checks, W-2 forms, and reports. Bill Martin, 6485 Diana Drive #2, Poland, OH 44514, [216] 757-2143.

Digitizer/Graphics Tablet THE HELPING HAND — more than just a drawing device. More versatile than paddles or joysticks. Drawing board is 16" × 20" and includes two function keys. Connects to the 9-pin game port of VIC-20, C64, Atari, TI, etc. \$44.50. Persimmon Peripherals, Route 2, Box 2306A-MI, Claytin, GA 30525.

Peripherals for the VIC-20 and C64 Light pen model BR2064, very accurate readings in vertical and horizontal, pushbutton switch, excellent documentation and software listings included. \$26.95. 51K plus expansion memory expands VIC-20 to 56K RAM, assembled and tested. Excellent documentation. \$140.00. Miami Valley Micro Systems, 3341 Sheffield Rd., West Carrollton, OH 45449.

OSI — Affordable DBM B&W File Master runs under OS65D V3.3. 32K RAM minimum. Features: user and/or predefined files w/codes, formatted viewing and inputting, find, edit, delete, and page. Multiple dumps. Only \$55.00. Label printer add \$25.00, report generator add \$25.00, manual only \$10.00. For more information contact: Bunin & Ward Computer Services, P.O. Box 895, Church Street Sta., New York, NY 10008, (212) 434-5760.

VIC-20 Plug-Ins Reset Switch, uses the serial port — \$5.00. Amplifier Adapter Cable, uses the audio/video port — \$10.00. Send check or money order to: DLW Co., Box 485, Cupertino, CA 95015.

Attention Software Vendors Expand your market! Your BASIC programs, 8K or smaller, will run on OSI C1P, or C4P. I will translate your program for either/both machines on a fee basis. Bruce Showalter, 857 Cedar, Abilene, TX 79601.

Apple Software Learn Applesoft programming, use of the disk drive, graphics, etc. Each learning package includes two disks and instructional tutorial manual. The Apple's Core—\$49.95. Part II: The Seed—\$59.95. Free brochure. The Professor, P.O. Box 301M, Swanton, VT 05488, (514) 747-9130.

MICRO

Atari-

```
SCR # 49
O ( TEXT/LABEL CURSOR MOVEMENT )
    : C-UP
                                              --- )
         CURSOR
                                              Toggel cursor to original )
  3
                                              Move up one display line )
         CURSOR-Y @ 1 -
         DUP 0 < IF DROP 152 ENDIF
CURSOR-Y !
                                              Wraparound if necessary )
                                              Save the new position :
                                              Set the new cursor position )
         CURSOR :
  9
    : C-DOMN
                                              Toggel cursor to original )
 10
         CURSOR
                                              Move down one display line )
         CURSOR-Y @ 1 +
 11
         DUP 152 > IF DROP O ENDIF
                                              Wraparound if necessary )
                                              Save the new position )
 13
                                              Set the new cursor position )
         CURSOR :
 14
SCR # 50
    ( TEXT/LABEL CURSOR MOVEMENT )
  0
    : C-RETURN
                                              Turn off current cursor )
          CURSOR
                                              Move down 8 rows )
          CURSOR-Y @ 8 +
  4 5
         DUP 152 > IF DROP O ENDIF
CURSOR-Y !
                                              Wrap around )
                                              Save new value )
  678
                                              Turn on current cursor )
          CURSOR #
 10
 11
12
SCR
       PUT ATARI CHAR ON GRAPHICS 8 SCREEN )
  0
                                            ( ascii --- )
       SHOW
                                              Get ROM and cursor addr )
          ASCII->ROM CURSOR-ADDR
                                              For all 8 char lines )
Get a display byte )
  3
          8 0 DO
            OVER I + C@
                                              If INVERSE flag on
  5
            INVERSE @ IF
              255 XOR
                                            ( Invert screen data )
  67
            ENDIF
            TEXT/LABEL @ IF
                                            ( If TEXT mode )
  8
                                              Get the current video line )
              OVER I 40 * + C@
                                            ( Remove cursor, add ROM line )
               255 XOR OR
 10
            ENDIF
            OVER I 40 * + C!
                                            ( Move text char to screen )
 12
 13
                                            ( Drop ROM and screen addr
          DROP DROP
                                            ( Move to next video position )
          CURSOR C-RIGHT ;
     ( CASE STATEMENT BY DR. C. E. EAKER )
( FROM FORTH DIMENSION, VOL II, NO. 3, PP. 37-40 )
       DOCASE ?COMP CSP @ !CSP 4 ; IMMEDIATE
CASE 4 ?PAIRS COMPILE OVER COMPILE = COMPILE OBRANCH
HERE 0 , COMPILE DROP 5 ; IMMEDIATE
ENDCASE 5 ?PAIRS COMPILE BRANCH HERE 0 ,
SWAP 2 [COMPILE] ENDIF 4 ; IMMEDIATE
   3 : DOCASE
   8 :
        ENDCASES 4 ?PAIRS COMPILE DROP
        BEGIN SP@ CSP @ = O= WHILE
        2 [COMPILE] ENDIF REPEAT
CSP ! ; IMMEDIATE
  11
                                             ( Stop flag for TEXT/LABEL )
  13 O VARIABLE C-FLAG
  15 -->
```

Atari =

```
SCR # 53
    ( OVERLAY TEXT UNTIL <ESC> )
  0
      TEXT
                                        Init to no quit, set to TEXT )
Initialize the Eursor )
      O C-FLAG !
                  1 TEXT/LABEL !
      CURSOR
                                        Loop until (ESC) pressed )
      BEGIN
                                        Do case upon input key )
        KEY DOCASE
                    C-RIGHT
                             ENDCASE
                                        Atari right arrow )
         31 CASE
                    C-LEFT
                              ENDCASE ( Atari left arrow )
         30 CASE
                                      ( Atari up
                                                     arrow
         28 CASE
                    C-UP
                              ENDCASE
  8
                              ENDCASE
                                        Atari down arrow )
                    C-DOWN
         29 CASE
                                      ( Atari ESC key )
         27 CASE 1 C-FLAG ! ENDCASE
 10
        155 CASE
                   C-RETURN ENDCASE
 11
                                      ( Else put on screen if can )
            DUP SHOW
        ENDCASES
 13
                                      ( Do until ESC pressed )
      C-FLAG @ UNTIL
                                       ( Reset final cursor )
      CURSOR :
```

```
SCR # 54
   ( REPLACE TEXT UNTIL <ESC> )
 0
                                             - )
     LABEL
                                        ( Init to no quit, set LABEL )
                    O TEXT/LABEL !
      O C-FLAG !
 2
                                          Initialize the cursor )
Loop until (ESC) pressed )
      CURSOR
      BEGIN
        KEY DOCASE
                                          Do case upon input key )
                    C-RIGHT
                               ENDCASE (
                                          Atari right arrow )
         31 CASE
                     C-LEFT
                               ENDCASE
                                          Atari left arrow )
         30 CASE
                                        ( Atari up arrow )
( Atari down arrow )
          28 CASE
                     C-UP
                               ENDCASE
                     C-DOWN
                               ENDCASE
9
         29 CASE
          27 CASE 1 C-FLAG ! ENDCASE
                                          Atari ESC key )
         155 CASE
                    C-RETURN ENDCASE
             DUP SHOW
                                        ( Else out on screen if can )
 12
        ENDCASES
13
      C-FLAG @ UNTIL
CURSOR ;
                                        ( Do until ESC pressed )
                                -->
                                        ( Reset final cursor )
```

```
SCR # 55
    ( PUT A BORDER AROUND THE GRAPHICS NOTEPAD )
  2 : BORDER
                                      ( Start in upper left corner )
        1 0
1 319
                 O PLOT
                                      ( Draw counter clock wise )
                O DRAW
        1 319 159 DRAW
  5
            0 159 DRAW
                 O DRAW :
  8
    ;5
 10
 11
 12
 14
```

```
( SAVE AND RESTORE SCREEN -- REQUIRES 6400 BYTES )
                                  6398 ALLOT ( Image working space )
   O VARIABLE WORKSPACE-BUF
 4 : SAVE-SCREEN
                                            -- )
                                         ( From the GR.8 screen mem )
        SCREEN
                                         ( To the working space )
        WORKSPACE-BUF
                                         ( 160 rows x 40 bytes each )
( Move the image to mem )
        6400
 8
        CMOVE ;
10 : RESTORE-SCREEN
        WORKSPACE-BUF
                                         ( From the working space )
11
                                         ( To screen memory )
        SCREEN
12
                                         ( 160 rows x 40 bytes each )
( Move the mem to image )
13
        4400
        CMOVE ;
14
15 :5
```

500 sheets \$14.95, 1000 sheets \$24.95. We pay shipping. Texas orders add 5½% tax. Select ink color: red, blue, brown,

YOUR NAME HERE

PERSONALIZED

COMPUTER PAPER

Printed with your name, club,

anything. Paper is white 20#

stock and fits all printers

using 91/2x11continuous pa-

per [81/2x11 when detached].

0

0

0

gray, or canary. Specify name(s) up to 30 letters & spaces. Enclose check or money order. No COD's. Allow 3 weeks. Faster delivery with M/C, Visa phone orders. Write or phone

Personalized Computer Paper D, Box 20539/San Antonio, Tx. 78220/ [512] 227-0585.

CP/M° FOR YOUR COMMODORE® C-64





- Run All CPM® Formated Software
- Supports 5¼" or 8" Disk Drives
- Z-80, Disk and DMA Controller on Interface Card
- Plugs into the Commodore 64[®] Expansion
- Uses Soft Sectored IBM 5¼" and 8" Format Disk Drives

599°° Interface Card

Commodore 64 is a registered trademark of Commodore Business Machines, Inc. CP/M is a registered trademark of Digital Research, Inc.



To Order Phone (913) 827-0629 825 N. 5th Street Salina, Kansas 67401

Directory Menu for the Color Computer

by Steve Kronschnabel and Phil Daley

he CoCo version of the menu program offers a choice of a directory menu or a directory backup onto the unused portion of track 17. This is helpful since TRS-80 DOS is noted for occasionally clobbering the directory sectors and essentially ruining the entire disk. With this program it is possible to back up your directory whenever you want and restore it to its former state should a sector become damaged. This program will save up to 48 directory entries, enough for most full disks: you would have to have a great number of short programs to fit more than 48 on one disk.

After it is determined whether you wish to back up the directory or run the menu program (line 30), lines 60-150 read the directory and store the names of the entries in N\$() and the extensions in E\$(). Lines 170-250 print out the directory names two across, then the program waits for a choice to run. All BASIC programs will work with this menu; machine-language programs may or may not work depending upon their load address. Among my collection, EDTASM + works, while many games do not.

Lines 370-400 determine whether the directory is to be saved or replaced due to disk crash. Lines 410-430 perform a fail-safe prompt, in case of a mistake, because the replace will cause a loss of any programs saved since the last backup. Lines 470-560 do the actual work. The same FOR-NEXT loop is used for saving or replacing the information.

This program, although simple in concept, works great and will save your sanity if your disk system crashes. Also, the menu program can be added to your disk to make it easy for beginners to choose a program to run.

Listing 1

- 10 CIEAR2000 CLS
- 20 DIMN\$(72),E\$(72) 30 PRINT@64, "mENU OR dIRECTORY"
- 40 A\$=INKEY\$:IFA\$=""THEN40
- 50 IFAS="D"THEN370
- 60 CLS:PRINT@64, "reading directory" 70 FORX=3T011
- 80 DSKI\$0,17,X,A\$,B\$
- 90 IFASC(A\$)=255THENX=11:GOTO150
- 100 C\$=A\$+LEFT\$(B\$,127)
- 110 FORN=0T07
- 120 N\$((X-3)*8+N)=MID\$(C\$,N*32+1,8)
- 130 E\$((X-3)*8+N)=MID\$(C\$,N*32+9,3) 140 NEXTN
- 150 NEXTX
- 160 CLS: PRINT@10, "directory"
- 170 FORX=0T072 180 Y=Y+1:A\$=""
- 190 IFASC(N\$(X))=255THENX=72:GOT0250
- 200 IFASC(N\$(X))=OTHENY=Y-1:GOT0250
- 210 GOSUB340
- 220 PRINTX\$" "N\$(X)"."E\$(X)" ";
- 230 IFY/28=INT(Y/28)THENPRINT@480,"";:
- INPUTA\$:PRINT@32,"";
- 240 IFLEN(A\$) < > OTHEN280
- 260 PRINT@480. "":
- 270 INPUTA\$: IFLEN(A\$)=OTHENY=0:GOTO160
- 290 IFE\$(A)="BAS"THEN320 300 IFE\$(A)="BIN"THEN330
- 310 CLS:PRINT"CAN'T RUN THAT PROGRAM": END

- 320 LOADN\$(A).R
- 330 LOADM N\$(A):EXEC
- 340 X\$=STR\$(X):X\$=MID\$(X\$,2)
- 350 TFX < 10THENX\$="0"+X\$ 360 X\$=LEFT\$(X\$,2):RETURN
- 370 CLS5: PRINT@32, "sAVING OR
- PEPLACING DIRECTORY?
- 380 A\$=INKEY\$:IFA\$=""THEN380 390 IFA\$ < > "S"ANDA\$ < > "R"THEN380
- 400 TFAS="S"THEN450
- 410 CLS7:PRINT@64,"ARE YOU SURE THAT YOU WANT TO
- REPLACE THE DIRECTORY?"
- 420 INPUT"yES OR nO? "; A\$ 430 IFA\$ <> "Y"THENCLS: END
- 440 X1=10:X2=0:GOTO460
- 450 X1=0:X2=10
- 460 E=0
- 470 FORX=2T08
- 480 DSKI\$0,17,X+X1,A\$,B\$
- 490 DSK0\$0.17,X+X2,A\$,B\$
- 500 DSKI\$0,17,X+X2,C\$,D\$
- 510 DSKI\$0,17,X+X1,A\$,B\$ 520 IFC\$=A\$ANDD\$=B\$THEN560
- 530 E=E+1:IFE=1THEN470
- 540 CLS5:PRINT@64,"TOO MANY READ OR WRITE ERRORS
- CANNOT CONTINUE ...
- 550 END 560 NEXTX
- 570 CLS1:END

AKCRO

Animated Graphics Routines for the 6809

by Craig Carmichael

This versatile package of related graphics subroutines displays moving animated figures, moving dots, and custom characters.

ave you ever wanted to write a machine-language program that required moving graphics (such as an arcade-type game) and not known where to start? Faced with this problem, I developed a set of general-purpose graphics subroutines that can be used for a wide variety of programs where moving graphics are required.

These graphics routines operate in the Color Computer's G6R or G6C graphics modes but are easily adapted for other display modes or other computers. (I first developed them on a homemade computer.)

Animated Graphics

requires:

6809 computer with memorymapped graphics display such as CoCo. The animated figures generated by these routines are eight bits (one byte) wide by "n" bits tall, as selected by the user. In mode G6R the byte will be divided into eight dots, while in G6C it will be divided into four doublewidth dots, each of which can assume four colors.

All values necessary for printing the figures are stored at positive offsets from the "U" register — from 0,U to \$D,U. Other information pertinent to the figure (e.g., its status, fuel, or score) may be stored at other offsets near the U register. To select different figures, simply move the U register.

In addition to animated figures, there are routines for moving a single bit (for bullets) and for printing in specific columns to display numbers, letters, and custom characters while in graphics modes (score, fixed scenery, text).

Speed is essential to moving graphics programs; a move of one 8 × 8 character requires replacement of 32 somewhat disordered bytes of video RAM with new data - in a short time. I move all my figures during the vertical blank period of the TV scan, which is indicated by the 6847's FS* signal. That way, the figures are displayed clearly (without flickering or interference once in each position through which they move. The available time is just over 4 milliseconds. With a 3.579MHz CPU clock (Color Computer normal speed), these routines will move in this time: two 8×8 figures plus several bullets, three 8 × 7 figures, or one figure up

If more figures are to be moved, I double their velocities and move them on alternate scans. The motion may not appear smooth if displays are updated less often, but one move per three or four scans may be acceptable if the velocity is low. There is no limit to the velocity a figure may have except its visual appearance on the screen.

If a figure passes through scenery or other figures, it will change color as it crosses, but afterwards both the figure(s) and the scenery will be unchanged.

If any print extends off the right or bottom of the screen, the other end of the figure will be printed on the left or top of the screen. If a figure or bullet moves off any edge of the screen, it will reappear on the opposite edge.

Descriptions of the Routines

PRGR and PRGX

These animated character print/erase routines will print or erase a figure at any screen coordinate. The two routines are identical except that PRGR checks for collisions and PRGX doesn't; consequently PRGX runs faster. Both routines affect the X, Y, and D registers.

The secret to the print/erase feature is the use of exclusive-or between the figure and the current TV picture. The "1" bits in the shape table will remain 1's if they are printed onto a blank (0) bit on the screen, but if they are printed onto a "1" bit, they will become a 0. Thus, the second time the character is printed into the same place, the screen is restored to its initial value.

The collision checks also make use of this feature. If any "1" bits of the shape table become 0's on the screen, a collision is registered, and "Z" in the CC register will be cleared at RTS, allowing tests by BEQ (no collision) and BNE (collision) instructions.

It should be mentioned here that in four-color mode, a color with a bit pattern "01" (yellow or cyan) will never register a collision with a "10" bit pattern color (blue or magenta), since the "1" of one will always land on the "0" of the other.

Notice that a collision will always be registered when erasing because the figure has "hit" itself.

PRGX and PRGR actually print one bit position to the right of the specified position; you must allow for this when checking the specific screen position of a figure.

MOVG and MOVC

These routines move figures around the screen and change their animations after they have been printed once by PRGX or PRGR. MOVG is for twocolor modes (G6R) and MOVC is for four-color modes (G6C). Their operation sequence is:

- 1. Erase present figure with PRGX.
- Add (two's complement) VVEL to VPOS and correct for off-screen position if necessary.
- 3. Add HVEL to HPOS. In the case of MOVC, HPOS units will always be set to an odd number to maintain the figure's correct shape and color.
- 4. Update PST to present animation.
- 5. Print new figure with PRGR.
- 6. Restore D, X, and Y, and return from subroutine.

Make your initial collision checks after a MOVe.

My method for finding what you've hit is to erase the figures that you could have hit, one at a time, then erase and reprint your figure. If you are no longer hitting anything, you've erased that figure with which you were in contact. If none of them check out, you must be contacting the inanimate playfield. If anyone can find a shorter method, please write!

PRGB

This routine prints or erases a single bit on the screen instead of a graphics character, but otherwise it is the same in operation as PRGR. In addition to printing bullets, this print may be used as a building block where a print is built up one dot at a time. D and X registers are affected.

MOVB

This routine is similar to MOVG, except that it moves a single bit (the bullet) instead of an animated figure. As with MOVG or MOVC, don't forget to do an initial PRGB to print the bit.

PRPX and PRPXD

These prints ignore the three least significant bits of HPOS and thus print on byte boundaries in 32 distinct columns. They are also absolute prints, unlike the PRG s; the original value of the screen is replaced by the print's shape table. These prints always use the figure's current animation, unlike PRGR and PRGX, which can only update their animations with a MOVe.

PRPX prints a normal 8 × "n" bit figure, while PRPXD prints a double wide 16 × "n" bit figure, with two bytes of shape table required for each line of height.

SETT

This subroutine is called by the other subroutines. It changes the coordinates into a screen memory location, and it forms a "shift multiplier," which moves bits from one to eight bit positions to the right, depending on their HPOS.

Descriptions of the Operands Used

VPOS (0,U-1,U) is the vertical position of the top of the figure. 0,U is the actual vertical position, from 00 at the top of the screen to \$BF at the bottom. The MOVe routines apply a correction factor to VPOS if the value exceeds \$BF.

1,U is the fractional component, the amount left to move before the figure moves up or down a line. It is used in conjunction with the fractional part of VVEL in MOVes to effect smooth motion at any given velocity.

HPOS (2,U-3,U) is the horizontal position of the left side of the character from \$00 at the left to \$FF at the right. It is similar to VPOS, but without a correction factor.

(Continued on next page)

		Op	erands (used by e	ach rout	ine
OFFSET	NAME	MOVG MOVC	PRGR PRGX	MOVB	PRGB	PRPX PRPXD
0,U 1,U	VPOS -units -fraction	X	X	X	X	X
2,U 3,U	HPOS -units -fraction	X	X	X	X	X
4,U 5,U	VVEL -units -fraction	X		X		
6,U 7,U	HVEL -units -fraction	X		X		
8,U	HEIGHT	X	X			X
9,U	ANIMATION	X	X			X
\$A,U	ZERO SHAPE TABLE	X				X
\$B,U	(ZST)	X				X
\$C,U	PRESENT SHAPE TABLE	X	X			
\$D,U	(PST)	X	Х			

VVEL [4,U-5,U] is the two's complement vertical velocity, with integer and fractional components.

A value of \$0100 (or \$FF00) will move a character down (or up) exactly one bit position with each MOVe that is called. Smaller values will not move the figure every MOVe, while larger values will skip over some positions as the figure moves.

HVEL (6,U-7,U) is the two's complement horizontal velocity, similar to VVEL.

HEIGHT (8,U) is the height of figures at their tallest animation. For each line of height, a figure requires one byte of shape table.

ANIMATION (9,U) is the number that determines the shape table that will be used at a figure's next MOVe, PRPX, or PRPXD. By changing this number, a figure may be shown snapping its jaws, with or without a sword, or facing different directions, etc.

ZERO SHAPE TABLE [ZST, \$A,U-\$B,U] is the assigned pointer to the start of the figure's shape table(s). Shape tables must be consecutive and must all be the length, in bytes, of the HEIGHT number.

PRESENT SHAPE TABLE (PST, \$C,U-\$D,U) is the pointer to the shape table selected by the animation number. It is set by the MOVes and PRPXes by the following equation:

PST = ZST + (HEIGHT * ANIMATION)

Thus, if a figure is five bits high and animation two is selected, then PST will point \$A bytes past ZST, allowing five bytes for animation zero and five bytes for animation one.

Variations to Suit...

Different Display Memory Address

Line 3670 of the program listing adds the upper byte of the starting address of the video display to the address obtained from the coordinates. The lower byte is assumed to be 0. Example: for display at \$6800-\$7FFF, use ADDA#\$68. Also, lines 2050, 2280, 3010, 3280, and 3900 must be CMPX (last byte of display memory), in this case, CMPX \$7FFF.

Shorter Height

G6R and G6C both map \$C0 (192) lines onto the screen. If your display mode maps fewer, or if you don't want to use the whole screen, then change lines 2490 and 4090 to CMPA#

[number of lines], and adjust the correction factors in the lines following these. Lines 2050, 2280, 3010, 3280, and 3900 must be CMPX# (last byte of display], and lines 2090, 2300, 3050, 3320, and 3920 are LEAX (-bytes of display memory), X.

Shorter Width

G6C and G6R both map \$20 (32) bytes per line. If you want \$10 bytes per line, the top of the SETT subroutine should be changed to LSLB, LSRA, RORB, LS

If your display maps other than such nice even numbers of bytes per line, you'll have to use the general formula in SETT to convert the coordinates to a memory location: Location = (HPOS/8) + (VPOS * (bytes per line) + start of TV memory. HPOS correction factors will have to be set up similar to the VPOS ones. Remember, these are the units of HPOS and VPOS — not the fractions.

Final Words

If you're not quite clear how it all fits yet, study the demonstration in the

listing. It contains examples of all of the routines used in two-color mode. To try the four-color mode, change line 330 to LDA #\$E5 to set mode G6C, and change line 1400 to LBSR MOVC. The shapes won't look right since the tables were designed for G6R, but you'll see the idea.

The "SYNC" instruction at line 1300 is the wait for vertical blank. I've left the BASIC handling the interrupt; all it does is clear the interrupt and return.

Once you have the program typed in be sure to save it, since running it will probably wipe out your source text. When you have it all working, delete the demo program, ORG the subroutines at some convenient spot, and save the machine code on tape. Be sure to write down the addresses of the labels that start the routines. You can write your programs and use equates for the subroutine addresses and simply load in the subroutine package when you are ready to test.

Now you're ready to write useful graphics programs without spending countless hours coaxing the bits to move themselves around on the screen as I have done. Good luck!

You may contact Mr. Carmichael at 820 Dunsmuir Road, Victoria, British Columbia, Canada V9A 5B7.


sting 1: Anii	mate	d Grap	ohics Routines	s and	Dellio	
*			*ANIMATED GRAD	PHICS R	OUTINES FO	OR THE 6809
			*			
			*CRAIG CARMIC	HAEL.		
			*			
			*ROUTINES	RATION 1	PROGRAM T	HAT CHECKS MOST OF THE
			*			
			*		*****	
3000			00190	ORG	\$3000	TOD COMPLIED
			*DEMONSTRATIO			
			*PRINTS A 2 B	LIE MID	E SHAPE, .	A SINGLE WIDE SHAPE, AND OYSTICK-BIRD FIRES UPWARD
				AROUND	WITH A J	ONSTICK-BIRD FIRES OPWARD
			*		rad danun	W MO 04P AM 0400 INFE
						N TO GGR AT 0600-1DFF. *REMOVE STACK FROM SCREEN
		0400	00250 DEM01	LDS	#\$400	
3004		FFD4	00260	LDX	#\$FFD4	*SET "SAM" CONTROLLER
3007		83	00270 DEM2	STA	,X	
3009		FFCO	00280	CMPX	#\$FFCO	
300C		F9	00290	BHI	DEM2	
300E		03	00300	STA	3,X	
3010		05	00310	STA	5,X	
3012		07	00320	STA	\$07,X	
3014		09	00330	STA	\$09,X	
3016		F5	00340	LDA	#\$F5	*AND VDG
3018	B7	FF22	00350	STA	>\$FF22	
			*ENABLE V BLA			I TO CPU.
301B		FF21	00370	LDX	#\$FF21	
301E		09	00380	BSR	CLRINT	
3020		FF01	00390	LDX	#\$FF01	
3023		04	00400	BSR	CLRINT	
3025		02	00410	INC	2,X	
3027	20	OD	00420	BRA	CLRS	
3029		84	00430 CLRINT	LDA	, Х	*DISABLES 2 INT'S.
302B	84	FC	00440	ANDA	#\$FC	(Continued on page 80

_		-	-	-
. T	RS	.8	n	

•	(contin					30D1 13		01310 SINC	SYNC	##OFFO	
302D A7	84	00450	STA	, X		30D2 CE	2720	01320	LDU	#\$2720 \$0F,U	*FLAP BIRD'S WINGS
302F A6	02	00460	LDA	2,X		30D5 6A	4F	01330		NOFLAP	AFLAF BIRD B WINGE
3031 84	FC	00470	ANDA	#\$FC		30D7 26	OB	01340	BNE		*EVERY 16TH SCAN
3033 A7	02	00480	STA	2,X		30D9 86	10	01350	LDA	#\$10	*EVERT TOTH SOM
3035 39		00490	RTS			30DB A7	4F	01360	STA	\$OF,U	
		*CLEAR TV				30DD A6	49	01370	LDA	9,0	
3036 8E	0600	00510 CLR		#\$0600		30DF 4C		01380	INCA	Was a	
3039 6F	80	00520 MOR		, X+		30E0 84	03	01390	ANDA	#\$03	
303B 8C	1DFF	00530	CMPX	#\$1DFF		30E2 A7	49	01400	STA	9,0	The second second
303E 23	F9	00540	BLS	MOREBY		30E4 17	00A7	01410 NOFLAP	LBSR	MOVG	*MOVE BIRD
		*PRINT DO	UBLE WIDTH	FIGURE ON	BYTE BOUNDARIES.	30E7 CE	2730	01420	LDU	#\$2730	*POINT AT BULLET
3040 CE	2700	00560 DRA	w LDU	#\$2700		30EA 6D	4E	01430	TST	\$OE,U	*IS THERE ONE?
3043 CC	1010	00570	LDD	#\$1010		30EC 27	9F	01440	BEQ	LOOP	
3046 A7	C4	00580	STA	,U	*VPOS	30EE 6A	4E	01450	DEC	\$OE,U	*END OF RANGE?
3048 E7	42	00590	STB	2,U	*HPOS	30F0 27	09	01460	BEQ	ENDBUL	
304A CC	1000	00600	LDD	#\$1000		30F2 17	017F	01470	LBSR	MOVB	*NO, MOVE IT
304D ED	48	00610	STD	8,U	*HEIGHT AND ANIMATION	30F5 27	96	01480	BEQ	LOOP	*HIT ANYTHING?
304F 30	8D OOAD	00620	LEAX	DUBLPX, F	CR	30F7 6F	4E	01490	CLR	\$OE,U	*YES, END BULLET
3053 AF	4A	00630	STX	\$0A,U	*SHAPE TABLE	30F9 20	92	01500	BRA	LOOP	
	00E4	00640	LBSR	PRPXD	DIAL D TIME	30FB 17	0160	01510 ENDBUL		PRGB	*ERASE BULLET
3055 17	U0E4	00040	шоп	TIG NO		30FE 20	8D	01520	BRA	LOOP	
		*	NOTE HERMI	ETOUDE ON	DAME BOUNDABLE			01530 DUBLPX		\$03CO	*DOUBLE WIDE SHAPE TAR
					BYTE BOUNDARIES.	3100	0300				"DOODER WIDE DING I THE
3058 CE	2710	00670	LDU	#\$2710		3102	0030	01540	FDB	\$0030	
305B CC	40C0	00680	LDD	#\$40C0		3104	1008	01550	FDB	\$1008	
305E A7	C4	00690	STA	,U	*VP0S	3106	2004	01560	FDB	\$2004	
3060 E7	42	00700	STB	2,U	*HPOS	3108	4002	01570	FDB	\$4002	
3062 CC	0800	00710	LDD	#\$0800		310A	4002	01580	FDB	\$4002	
3065 ED	48	00720	STD	8,U	*HEIGHT AND ANIMATION	3100	8001	01590	FDB	\$8001	
3067 30	8D 00B5	00730	LEAX	PIXLS, PO		310E	8001	01600	FDB	\$8001	
306B AF	4A	00740	STX	\$0A,U	*SHAPE TABLE	3110	8001	01610	FDB	\$8001	
306D 17	00F8	00750	LBSR	PRPX		3112	8001	01620	FDB	\$8001	
JUD 11	00.0	*				3114	4002	01630	FDB	\$4002	
		*PRINT TH	E BIRD			3116	4002	01640	FDB	\$4002	
2070 05	2720		LDU	#\$2720		3118	2004	01650	FDB	\$2004	
3070 CE	2720	00780				311A	1008	01660	FDB	\$1008	
3073 CC	6080	00790	LDD	#\$6080	*IDOC				FDB	\$0C30	
3076 A7	C4	00800	STA	,U	*VPOS	311C	0030	01670	FDB		
3078 E7	42	00810	STB	2,0	*HPOS	311E	0300	01680		\$0300	*SINGLE WIDE SHAPE TAI
307A CC	0500	00820	LDD	#\$0500		3120	183C	01690 PIXLS	FDB	\$183C	POINGER WIDE SHAPE TAI
307D ED	48	00830	STD	8,U	*HEIGHT AND ANIMATION	3122	7EFF	01700	FDB	\$7EFF	
307F 30	8D 00A5	00840	LEAX	PXBIRD,		3124	FF7E	01710	FDB	\$FF7E	
3083 AF	4A	00850	STX	\$OA,U	*ZERO SHAPE TABLE	3126	3018	01720	FDB	\$3018	
3085 AF	4C	00860	STX	\$0C,U	*PRESENT SHAPE TABLE	3128	E718	01730 PXBIRD		\$E718	*4 BIRD SHAPE TABLES
3087 17	0146	00870	LBSR	PRGX		312A	1818	01740	FDB	\$1818	
308A 6F	C8 1E	00880	CLR	\$1E,U	*NO BULLET YET	3120	24	01750	FCB	\$24	
, VI		*MATN TOO	P: GET BIRE	'S MOVES	ROM JOYSTICK, AND MOVE	312D	0066	01760	FDB	\$0066	
					SOMETHING.	312F	9918	01770	FDB	\$9918	
			STICKS INTO		A Table Library	3131	24	01780	FCB	\$24	
208D AD	QF #00*			[\$AOOA]		3132	0000	01790	FDB	\$0000	
308D AD	9F A00A		R. JOYSTK IN			3134	7E99	01800	FDB	\$7E99	
2001 05	2020		LDU	#\$2720		3136	18	01810	FCB	\$18	
3091 CE	2720	00940	CLRA	1142120		3137	0000	01820	FDB	\$0000	
3094 4F	04.55	00950		~ 001ED			183C	01830	FDB	\$183C	
3095 F6	015B	00960	LDB	>\$015B		3139 3139	DB	01840	FCB	\$DB	
3098 58		00970	LSLB			313B	DB				TNES
3099 58		00980	LSLB	100				*6809 ANIMA	ED GHAPI	TION ROUT	INDO
309A 83	0800	00990	SUBD	#\$0080				*	O L DIVE O	N TO Y	
309D ED	44	01000	STD	4,U				* BY CRAIG	CARMICH	AEL	
		*H.R. JO	YSTK INTO H	ÆL.				*			
309F 4F		01020	CLRA								ARE STORED AT POSITIVE
30A0 F6	015A	01030	LDB	>\$015A				*OFFSETS FRO	M "U". S	SEE TABLE	IN TEXT.
30A3 58	/	01040	LSLB					*			
30A4 58		01050	LSLB					*			
30A5 83	0080	01060	SUBD	#\$0080				*PRPXD PRINT	S "DOUB!	LE" WIDTH	(16 BIT) CHARACTER IN
	46	01070	STD	6,U				*OF 32 COLUM	INS. THE	3 LOWEST	BITS OF HPOS ARE IGNOR
30A8 ED	40			0,0		1		*ORIGIONAL	ONTENTS	OF THE L	OCATION ARE LOST.
2011 25	0000		IN FLIGHT?	##20220		313C 34	36	01960 PRPXD	PSHS	Y,X,D	
30AA CE	2730	01090	LDU	#\$2730		313E 17	00F8	01970	LBSR	SETT	
30AD 6D	4E	01100	TST	\$OE,U		וו שנונ	OUFO				E TABLE, PUT IN Y.
30AF 26	20	01110	BNE	SINC		2111	10		LDA	9,U	Libits, For the f.
					IRD FIRE ONE?	3141 A6	49	01990	LDB		
30B1 B6	FF00	01130	LDA	>\$FF00		3143 E6	48	02000		8,U <\$10	*GET HEIGHT INTO <\$
30B4 85	01	01140	BITA	#\$01		3145 D7	10	02010	STB	< ⊅T0	AGET VETOUT INTO CA
					D'S CO-ORDINATES.	3147 58		02020	LSLB		
30B6 26	19	01160	BNE	SINC		3148 3D		02030	MUL		
30B8 EC	50	01170	LDD	-\$10,U		3149 E3	4A	02040	ADDD	\$0A,U	
30BA 4A		01180	DECA			314B 1F	02	02050	TFR	D,Y	
30BB ED	C4	01190	STD	, U							POINTS OFF SCREEN.
30BD EC	52	01200	LDD	-\$0E,U		314D 8C	1DFF	02070 PPPP	CMPX	#\$1DFF	
30BF ED	42	01200	STD	2,0		3150 25	09	02080	BLO	OKAYD	
					*HVEL=0	3152 26	03	02090	BNE	PASSD1	
30C1 6F	46	01220	CLR	6,U	~nvEL=U	3154 30	88 20	02100	LEAX		*OFF CORNER CORRECTIO
3003 6F	47	01230	CLR	7,U							X *OFF BOTTOM CORRECTIO
3005 CC	FF00	01240	LDD	#\$FF00		3157 30	89 E800	OZIIO PASSD.	DAME OF		
3008 ED	44	01250	STD	4,U	*VVEL=-1(UP)						ABLE ON NEXT LINE OF PIX
J000 ED	0191	01260	LBSR	PRGB		315B EC	A1	02130 OKAYD	LDD	, Y++	
			TO FLY \$40			315D ED	84	02140	STD	, Х	
30CA 17		*BULLET	TO THE WHO	DI MODE.				00150			
30CA 17			LDA	#\$40		315F 30	88 20	02150	LEAX	\$20,X	*DOWN TO NEXT LINE
	40	01280 01290				315F 30 3162 0A		02160	DEC	\$20,X <\$10	*DOWN TO NEXT LINE *MORE LINES?

80

3164	26	1 (contin	02170	BNE	PPPP	
3166		В6	02180	PULS	PC,Y,X,	,D
			* *PRINT SING	LE WIDTH	FIGURE IN	ONE OF 32 COLUMNS.
						OUBLE WIDTH.
3168	34	36	02220 PRPX	PSHS	Y,X,D	
316A	17	OOCC	02230	LBSR	SETT	
316D		49	02240	LDA	9,U	
316F		48	02250	LDB	8,U	
3171		10	02260	STB	<\$10	
3173			02270	MUL		
3174		4A 02	02280 02290	ADDD TFR	\$OA,U	
3176 3178		1DFF	02300 PPPS	CMPX	D,Y #\$1DFF	
317B		04	02310	BLS	OKAYS	
317D			02320	LEAX	\$E800.X	
3181		AO	02330 OKAYS		,Y+	•
3183		84	02340	STA	, X	
3185		88 20	02350	LEAX	\$20,X	
3188		10	02360	DEC	<\$10	
318A		EC	02370	BNE	PPPS	
318C		В6	02380	PULS	PC,Y,X,	D
			*			
						TER BY ERASING THE
						EW ANIMATION AND
						EW CHARACTER THERE.
2105	21	26				BEQ NOCOL, OR BNE COLISM.
318E		36	02440 MOVG		Y,X,D	KEDACE OTD CHARACTER
3190		3E	02450	BSR	PRGX	*ERASE OLD CHARACTER
3192		42	02460	LDD	2,U	*FIND NEW HOR POSN.
3194		46	02470	ADDD	6,U	ACMODE IN THE UPON
3196		42	02480	STD	2,U	*STORE IT IN HPOS
3198		C4	02490 SAMECO		, U	*FIND NEW VERT POSN.
	E3	44	02500	ADDD	4,0	
3190		CO	02510	CMPA	#\$CO	*AND MAKE SURE ITS ON SC
319E		08	02520	BLO	OKAYMG	
31A0		E0	02530	CMPA	#\$E0	
31A2		02	02540	BHS	HEREMG	
31A4		80	02550	SUBA	#\$80	
31A6		40	02560 HEREMO		#\$40	
31A8	ED	C4	02570 OKAYMO	STD	, U	*AND STORE IN VPOS
			02580			
			*FIND SHAPE			MATION.
31AA		49	02600	LDB	9,U	
31AC		48	02610	LDA	8,U	
31AE		1.	02620	MUL	001 11	
31AF		4A	02630	ADDD	\$OA,U	
31B1	ED	4C	02640	STD	\$OC,U	I ICION OUEOU AND DESIDA
31B3	8D	47	02660	BSR	PRGR	LISION CHECK, AND RETURN.
31B5		B6	02670	PULS	PC,Y,X,	В
رسدر))	DO	*	1013	10,1,1,	
			*MOVC HAS TH	E SAME F	UNCTION A	S MOVG, BUT OPERATES IN 4
). COMMENTS FOR MOVG ALL
			*APPLY HERE.		, , , , , ,	, , , , , , , , , , , , , , , , , , , ,
31B7	34	36	02720 MOVC	PSHS	Y,X,D	
31B9		15	02720 MOVO	BSR	PRGX	
31BB		42	02740	LDD	2,U	
31BD		46	02750	ADDD	6,U	
31BF		42	02760	STD	2,U	
						/DOT, AND PRGR/X SHIFT
						HT, THE HPOS UNITS MUST
			*ALWAYS BE A			,
31C1	44		02800	LSRA		
3102		D4	02810	BCS	SAMECG	
3104			02820	LSLA	2.11.000	
,107	10				ENT TO IF	FT OR TO RIGHT?
3105	6D	46	02840	TST		on to month
3107		02	02850	BPL	HEREMC	
1101	LA.	V.	*JUMP ANOTHE			TGHT.
3109	80	02	02870	SUBA		10111
31CB		UZ	02880 HEREMO		T WUZ	
31CB		42	02880 HEREMU	STA	2.U	
טטבע	n/	76	*FROM HERE,			CO THERE
2100	20	Ca				OU INERE.
31CE	20	C8	02910	BRA	SAMECG	
				OD DDAG	C AN O D	IT WIDE BY "H" BITS TALL
						NO COLLISION CHECK, USED
						BE 8 BITS WIDE BY "H"
						WILL BE 4 DOUBLE WIDE
24122	an.	400				8 SINGLE DOTS.
31D0		67	02980 PRGX		SETT	
31D2			02990	LDA	8,U	
31D4			03000	STA	<\$10	
	10AE	4C	03010	LDY	\$OC,U	
3 TDO						
3109		1DFF	*PRINT LOOP. 03030 PPPPGX		RE PRINT : #\$1DFF	IS ON SCREEN.



Let Unique Data Systems help you raise your sights on AIM 65 applications with our versatile family of AIM support products.

Go for high quality with our ACE-100 Enclosure. It accommodates the AIM 65 perfectly, without modification, and features easy access two board add-on space, plus a 3" × 5" × 17" and a 4" × 5" × 15.5" area for power supplies and other components. \$186.00.
Get high capability with Unique Data System's add-on boards. The UDS-100 Series Memory-I/O boards add up to 16K bytes of RAM memory or up to 48K bytes ROM/PROM/EPROM to your Rockwell AIM 65. You also get 20 independently programmable parallel I/O lines with an additional user-dedicated 6522 VIA, two independent RS-232 channels with 16 switch-selectable baud rates (50 to 19.2K baud), and a large on-board prototyping area. Prices start at \$259.00.
If you need to protect against RAM data loss, the UDS-1008 of-

rates to to 19.2/k Daudy, and a large on-board prototyping area. Prices start at \$259.00.

If you need to protect against RAM data loss, the UDS-100B offers an on-board battery and charger/switchover circuit. \$296.00.

Heighten your AIM 65's communications range by adding the UDS-200 Modem board. It features full compatibility with Bell System 103 type moderms and can be plugged directly into a home telephone jack via a permissive mode DAA. No need for a data jack or acoustic coupler. The UDS-200 also has software-selectable Autoanswer and Autodial capability with dial tone detector. The modem interfaces via the AIM 65 expansion bus, with the on-board UART and baud rate generator eliminating the need for an RS-232 channel. \$278.00.

The UDS-300 Wire Wrap board accepts all .300/.600/.900 IC sockets from 8 to 64 pins. Its features include an intermeshed power distribution system and dual 44-pin card edge connector for bus and I/O signal connections. \$45.00.

Get high performance with the ACE-100-07 compact 4" × 5" × 1.7" switching power supply, delivering +5V @ 6A, +12V @ 1A, and +24V for the AIM printer. \$118.00.

Installation kits and other related accessories are also avail-

Installation kits and other related accessories are also available to implement your AIM expansion plans. Custom hard-able to implement your AIM expansion plans. Custom hard-ware design, programming, and assembled systems are also available. High quality, high capability, high performance, with high reliability... all from Unique Data Systems. Call or write for additional information.

Unique Data Systems Inc. 1600 Miraloma Avenue, Placentia, CA 92670

(714) 630-1430

	_					11		00010	LSRA		
Listing 1	(contin	ned)			1	323F 44		03640 03650	RORB		
				OVAVOY	1	3240 56		03660	LSRA		
31DC 25	09	03040	BLO	OKAYGX	4	3241 44			RORB		
31DE 26	03	03050	BNE	PASTGX		3242 56		03670		HTC CODE	EN MEMORY IS AT 0600-1DFF
31EO 30	88 20	03060	LEAX	\$20,X	and the state of t		01		ADDA	#\$06	EN PEROIT IS AT COOK IST.
31E3 30	89 E800	03070 PASTGX	LEAX	\$E800,X	DUTER IN DICHE HEIM	3243 8B	06	03690	TFR	D,X	
					, SHIFT IT RIGHT USING	3245 1F	01	03700			BIT SET, IN"A" AND IN < \$1
		*SHIFT MULTIP					40		LDB	2.U) DEI, IN N IND IN 142.
31E7 A6	AO	03100 OKAYGX		,Y+		3247 E6	42	03720	LDA	#\$80	
31E9 27	09	03110	BEQ	ENDLNX	ĭ	3249 86	80	03730	LSRB	m DOO	
31EB D6	11	03120	LDB	<\$11		324B 54		03740	BCC	SHFT1	
31ED 3D		03130	MUL	.mv. coppe	W MUTH DRIME IT	324C 24	01	03750		SHELL	
		*EXCLUSIVE OR			N THEN PRINT IT.	324E 44		03760	LSRA LSRB		
31EE A8	84	03150	EORA	, X		324F 54	0.0	03770 SHFT1	BCC	SHFT2	
31F0 E8	01	03160	EORB	1,X	1	3250 24	02	03780	LSRA	OHF 12	
31F2 ED	84	03170	STD	, Х	*NEXT LINE DOWN ON TV	3252 44		03790	LSRA		
31F4 30	88 20	03180 ENDLNX	LEAX	\$20,X	*NEXT LINE DOWN ON IA	3253 44		03800	LSRB		
31F7 OA	10	03190	DEC	<\$10	MODE (IMPG)	3254 54	0/	03810 SHFT2	BCC	SHFT4	
31F9 26	DE	03200	BNE	PPPPGX	*MORE LINES?	3255 24	04	03820	LSRA	SHF14	
31FB 39		03210	RTS			3257 44		03830	LSRA		
		*	CAME .C	DDOV PV	EDG IT CHECKS FOR	3258 44		03840 03850	LSRA		
		*PRGH IS THE	SAME AS	PRGX EXC	EPT IT CHECKS FOR	3259 44			LSRA		
		*COLLISIONS.			5 APPLI.	325A 44	19.4	03860 03870 SHFT4	STA	<\$11	
31FC 8D	3B	03250 PRGR	BSR	SETT	/.	325B 97	11		RTS	< ФTT	
31FE A6	48	03260	LDA	8,U		325D 39		03880	RIO		
3200 97	10	03270	STA	< \$10	/4				AED V GEG	A STACIE	BIT ON THE SCREEN.
3202 10AE		03280	LDY	\$0C,U			50		BSR	SETT	DIT ON THE BOILDEN.
3205 OF	13	03290	CLR	<\$13		325E 8D	D9	03910 PRGB	CMPX		*CHECK FOR OFF SCREEN
3207 80	1DFF	03300 PPPPGR	CMPX	#\$1DFF		3260 8C	1DFF	03920	BLS	OKAYGB	"Oneon for our bonder.
320A 25	09	03310	BLO	OKAYGR		3263 23	04	03930 03940	LEAX	\$E800.X	
320C 26	03	03320	BNE	PASTGR		3265 30	89 E800	*A=SHIFT MPYH			
320E 30	88 20	03330	LEAX	\$20,X	. (4	2010 00	14	03960 OKAYGB		<\$14	. IRINI II.
3211 30	89 E800	03340 PASTGR	LEAX	\$E800,	`	3269 97	84	03970 OKATGB	EORA	, Х	
3215 A6	AO	03350 OKAYGR	LDA	,Y+		326B A8	84	03980	STA	, X	
3217 27	16	03360	BEQ	ENDLNR		326D A7	14	03990	ANDA	<\$14	*CHECK FOR COLLISION
3219 D6	11	03370	LDB	<\$11		326F 94	14	04000	CMPA	< \$14	Onzon ton tone
321B 3D		03380	MUL			3271 91	14	04010	RTS	- WI	
	_	*PRINT NEXT I		.01/		3273 39		*	RID		
321C DD	14	03400	STD	<\$14					CRAPH	ICS BIT BY	ERASING THE OLD BIT,
321E A8	84	03410	EORA	, Х				ACALCII ATINC	THE ME	I LOCK AN	D PRINTING A DOT THERE.
3220 E8	01	03420	EORB	1,X		1		*IF USED IN			D I HILLIAN II DOL IIII
3222 ED	84	03430	STD	, Х	BITC OF THE SHADE TABLE	ì		*TE OPED IN	CHANCI	COLOR AS	IT MOVES HORIZONTALLY.
				Y THE "1 <\$14	" BITS OF THE SHAPE TABLE,	3274 34	16	04070 MOVB	PSHS	X,D	
3224 94	14	03450	ANDA	< \$14 < \$15		3274 34 3276 8D	E6	04070 HOVB	BSR	PRGB	*ERASE OLD DOT
3226 D4	15	03460		<\$15 <\$14			C4	04080	LDD	,U	*FIND NEW VPOS
3228 1093		03470	GMPD	< \$14 ENDLNR		3278 EC	44	04090	ADDD	4.U	. 1.10
322B 27	02	03480	BEQ		DEEN A COLLISION	327A E3	CO	04100	CMPA	#\$CO	*MAKE SURE ITS ON SCREEN
					BEEN A COLLISION.	327C 81	08	04110	BLO	OKAYMD	.a com 115 cm bottom
322D OA	13	03500	DEC	<\$13		327E 25	U8 E0	04120	CMPA	#\$EO	
322F 30	88 20	03510 ENDLNR		\$20,X		3280 81		04130	BHS	GOBOTM	
3232 OA	10	03520	DEC	<\$10		3282 24	02	04140	SUBA	#\$80	
3234 26	D1	03530	BNE	PPPPGR	COLLISION AND DETRIEN	3284 80	80	04160 GOBOTM		#\$40	
					COLLISION, AND RETURN	3286 80	40 C4	04170 OKAYMD		, U	
3236 OD	13	03550	TST	<\$13		3288 ED	42	04170 OKAIMD 04180	LDD	2,U	*FIND NEW HPOS
3238 39		03560	RTS			328A EC		04180	ADDD	6,U	The Har III oo
		*	D.T.M. C.	PHIC		328G E3	46		STD	2,U	
		*SET-UP TO P	HINT GR	APHICS.	TO MEMORY LOCAN GOOD 19EE	328E ED	42	04200 04210	BSR	PRGB	*PRINT NEW DOT AND RETU
Name of Street					TO MEMORY LOC'N 0000-17FF.	3290 8D	CC		PULS	PC,X,D	THE DOT MED TOTAL
3239 A6	C4	03600 SETT	LDA	, U		3292 35	96	04220 04230	END	10,1,0	
323B E6	42	03610	LDB	2,U				04230	END		
323D 44		03620	LSRA								MICRO
323E 56		03630	RORB								



Powerful — Economical — Professional

Peripherals for your Apple II*





A/D 12-Bit, 16 Channel \$450.00 AD — 121602

• Simple Software Selection of Channels


- Range ±10, ±5, ±2.5, +5, +10
- High-Speed 25 μ Sec. Conversion
- Full Software Support Disk or Prom
- · Adjustable Bipolar Reference

\$190.00 APB - 102 Ultra Rom Board/Editor

- Powerful G.P.L.E. (Global Program Line Editor) built in
- Includes: Search and Replace Insert and Delete and much more
- Edit programs 2 to 5 times faster
- 32K of Bank Switchable ROM Space
- Totally Transparent Remove or Reload with a few keystrokes without disk!
- Extensive Macro Table eliminates multiple keystrokes for common operations
- · Useful Ampersand (&) Utilities all in one place
- Applesoft* Extensions including "IF, THEN, ELSE"
- Support for other HOLLYWOOD HARDWARE Products in Rom

6842 Valjean Avenue, Van Nuys, California 91406 (213) 989-1204

*Trademarks of Apple Computer Inc.



WORD
PROCESSOR
PROGRAM

\$99

BUSICALC 1

BUSINESS CALCULATION PROGRAM

§69

A "BEST BUY"
Electronic Spread Sheet
for all Commodore's

BUSICALC 2

BUSINESS
CALCULATION
PROGRAM

\$99

Personal/Professional Word Processor for the Commodore 64 The MOST CAPABLE Electronic Spread Sheet for the Commodore 64

VERE HERE



Skyles Electric Works

231E South Whisman Road Mountain View, CA 94041 (415) 965-1735 AVAILABLE NOW! Call 800 227-9998**
For the name of your nearest dealer,
detailed information or a catalog of products.

**California, Canada and Alaska, please call (415) 965-1735.

In Europe: SUPERSOFT, Winchester House, Canning Road, Harrow Wealdstone, England HA3 7SJ, Tel. 01 861 1166

No. 65 - October 1983

MICRO

83

COMPUTER MAIL

♣ TeleVideo



910					
912 \$689.00					
920					
925 \$719.00					
950\$929.00					
970 CALL					
COMPUTERS					
8004\$1099.00					
800A\$1099.00 802\$2699.00					
800A \$1099.00 802 \$2699.00 803 \$1949.00					
800A\$1099.00 802\$2699.00					
800A \$1099.00 802 \$2699.00 803 \$1949.00					
800A \$1099.00 802 \$2699.00 803 \$1949.00 802H \$4695.00					

MOOEMS HAYES

.\$3399.00

Smart	
Smart 1200 (1200 Baud)	
Chronograph	.\$199.00
Micromodem 100	.\$309.00
Micromodem II	.\$279.00
Micromodem II (with term)	.\$299.00
Smart Com II	\$99.00
Smart 1200B	.\$469.00
NOVATION	
J-Cat	.\$119.00
Cat	.\$144.00
D-Cat	.\$159.00
103 Smart Cat	\$189.00

103 Smart Cat	
Apple Cat II	\$279.00
103/212 Smart Cat	\$439.00
212 Apple Cat II	\$609.00
Apple Cat II 212 Upgrade	\$309.00
ANCHOR	
Mark I (RS-232)	\$79.00
Mark II (Atari)	\$79.00
Mark III (T. I. 99)	\$109.00
Mark IV (CBM-PET)	\$125.00
Mark V (Osborne)	\$95.00
Mark VI (IBM-PC)	\$179.00
Mark VII (Auto Ans/Auto Dial)	\$119.00
Mark VIII	
TRS-80 Color Computer	\$99.00
9 Volt Power Supply	\$9.00
ZENITH	
ZT1 Terminal	\$369.00





HP41CV\$209.00
HP 755749.00
HP 41C\$146.00
HP 10C\$52.00
HP 11C \$69.00
HP 12C \$92.00
HP 15C\$92.0
HP 16C \$92.0
For HP41/41CV
HPIL Module\$99.0
HFIL Cassette or Printer\$359.0
Card Reader\$144.0
Extended Functions Module \$64.0
Time Module\$64.0



IIE-1\$1369.00
IIE-2\$1649.00
HE-3\$2399.00
IIE-4\$3199.00
PC-E\$1579.00
PC-1\$2399.00
PC-2\$2799.00
PC·XL\$3599.00
1620\$3599.00
1630\$5499.00
1640\$6499.00
Cyma SoftwareCALL

MONITORS AMOEK \$149.00 300G

300A	\$159.00
310A	\$169.00
Color I	\$279.00
Color I plus	\$299.00
Color II	\$399.00
Color III	\$349.00
Color IV	\$999.00
usi	
usi	
Pi 1, 9" G	
Pi 2, 12" G	\$119.00
Pi 3, 12" A	\$159.00
Pi 4. 9" A	
1400 Color	\$299.00
ZENITH	
ZVM 122A	\$119.00

ZVM 122A
ZVM 123G\$109.00
BMC
12" Green\$85.00
9191 13" Color\$299.00
TAXAN
12 N Green \$129.00
12 A Amber\$139.00
PANABONIC
TR 120 Hi-res. Green \$149.00
CT 160 Dual Mode Color \$279.00
NEC
JB 1260 \$119.00
JB 1201\$149.00
JC 1212\$299.00
JC 12-202\$299.00
JC 1203 \$469.00
GORILLA
12" Green\$89.00

EPSON COMPUTERS QX-10 CALL



TIMEX SINCLAIR *49

1000	
16K Memory	\$44.95
2040 Printer	\$99.95
Vu-Calc	\$17.95
Mindware Printer	\$99.00



NEC 3550 PRINTER PERCOM/TANDON ORIVE

	#270 OO
51/4" 320K Floppy	
5 meg hard w/controller	.\$1495.00
10 meg hard w/controller	. \$1795.00
15 meg hard w/controller	.,\$2195.00
20 meg hard w/controller	.\$2595.00
AMOEK	
310A Amber Monitor	\$169.00
DXY 100 Plotter	\$599.00
Color II	\$399.00

AST RESEARCH, INC SIXPAKPLUS.64K-

clock,serial,parallel,gameport\$339.00
MEGAPLUAII.64K-
clock,serial,parallel\$339.00
clock,serial,parallel.gameport\$379.00
clock, 2 serial parallel, gameport, \$419.00
COMBOPLUSII,64K-
clock.serial.parallel\$299.00
I/OPLUSII-
clock.serial.parallel\$145.00
clock.serial.parallel.gameport\$179.00
PROFESSIONAL SOFTWARE

PC Plus Word Processing ...\$319.00 MICRO PRO

Word Star/Ma	ail Merge	\$\$319.00
		\$299.00
Spell Star		\$159.00
CallStar		\$159.00
MI	CROS	
		6120.00

MICROSOFT
Multiplan\$199.00
ASHTON-TATE

D-Base II \$419.00
IUS
EasyWriter II \$209.00
EasySpeller \$129.00
EasyFiler \$129.00
CONTINENTAL SOFTWARE
1st Class Mail/Form Letter\$89.00
The Home Accountant Plus\$109.00

SYNAPSE
File Manager\$119.00
LOTUS
123 \$369.00
PFS
ADDLE IBM

	APPLE	IBM
File	\$89.00	\$99.00
Report	\$89.00	\$89.00
Graph	\$89.00	\$99.00
Write	n/a	\$99.00
	KRAFT	
IBM Joystick		\$55.00
IBM Paddles		\$39.00

BM Paddles \$39.00	
QUAD RAM CALL	



PC-1500A	\$169.00
Pocket Com	puter

PC-1250A\$89.00
125 Printer/Micro Cassette \$129.00
150 Printer/Plotter/Cassette\$172.00
152 Cassette Recorder\$62.00
155 8K RAM\$94.00
158 8K RAM Battery \$129.00
161 16K RAM\$139.00



The state of the s	
MBC-555PC	.\$795.00
MBC 1100	
MBC 1150	
MBC 1200	
MBC 1250	\$2399.00
FDD 3200-320K Drive	.,\$399.00
FDD 6400-64K Drive	
PR 5500 Printer	\$699.00

DRINTERS

EPSON	
MX80 FT, MX100, RX80,	
FX80, FX100 CALL	
OKIDATA	
82, 83, 84, 92, 93CALL	
STAR	
STX 80\$169.00	
Gemini 10X\$299.00	

STX 80\$169.00	
Gemini 10X\$299.00	
Gemini 15\$479.00	
Serial Board \$75.00	
SMITH CORONA	
TP-1\$469.00	
CALL	

TP-2	CALL
Tractor Feed	\$119.00
C.ITOH	
Gorilla	\$209.00
Prowriter 8510P	\$379.00
Prowriter 1550P	
Starwriter F10-40P	
Printmaster F10-55P	.\$1569.00

Prowriter 8510P	\$379.00
Prowriter 1550P	\$689.00
Starwriter F10-40P	\$1149.00
Printmaster F10-55P	\$1569.00
Tractor Feed	\$199.00
DAISYWRIT	ER
2000 Letter Quality	\$1149.00

2500NEW
Tractor Feed \$109.00
OIABLO
620
630\$1769.00

IOS Call for ALL Configurations on IDS PRISM PRINTERS.

NEC	
8023	\$399.00
8025	\$729.00
3510\$	1449.00
3530\$	1499.00
3550\$	1799.00
7710/7730\$	1999.00

BMC 401 Letter Quality\$699.00

BROTHER
Comriter II Printer \$499.00
CABLES & CONNECTIONS
Atari to Parallel\$29.00
Atari to Serial\$29.00
Apple to Parallel\$69.00
Apple to Parallel/Graphics\$99.00
Apple to Serial\$89.00
IBM to Parallel\$35.00
1044 to Contail \$20.00

IBM to Parallel IBM to Serial Parallel to Parallel Serial to Serial Grappler Plus PKASO Atari to Modem Cable CBM 64 to IEEE Board. Apple 80 Column Card CBM Pet to Parallel CBM Pet to Serial \$29.00 ...\$29.00 ..\$129.00 ..\$139.00 ..\$29.00 ..\$79.00 ..\$159.00 ...\$99.00

PAPER SUPPLIES

1or2"Address Labels(Tract.Feed)...\$9.95 15" Report Paper(Tract Feed)...\$24.95 81/4"Blnk Wht Paper(Tract.Feed)...\$19.95

Order Status Number: 588-5654 In NV call (702)588-5654

Dept. 1015; P.O. Box 6689, Stateline NV 89449

No risk, no deposit on C.O.D. orders. Pre-paid orders receive free shipping within the UPS continental United States with no waiting period for certified checks or money orders. Add 35/minimimum \$5.00) shipping and handling on all C.O.D. and credit card orders. Larger shippinents may require additional charges. NV and PA residents add sales tax. All items subject to availability and price change. We stock manufacturers and third party software for most all computers on the market. Call today for our catalog.

TER MAIL OR



ACE 1000 Color Computer
ACE 1100 Drive & Cover for ACE 1000
ACE 1200 Computer with Disk Drive
ACE PRO PACK:

E PRO PACK:
ACE 1000, Disk Drive,
80 Column Card, ACECalc &
ACEWriter II

MICRO-SCI

Apple & Frank	
A2	.\$249.00
A40	.\$349.00
A70	.\$459.00
C2 Controller	\$79.00
C47 Controller	
RANA	
Elite I (Apple/Franklin)	.\$279.00
Elite II (Apple/Franklin)	CALL
Elite III (Apple/Franklin)	CALL
VISICORP	

VISICORI	
FOR APPLE, IBM & F	
Visidex	
Visifile	\$189.00
Visiplot	\$159.00
Visiterm	\$89.00
Visitrend/Piot	\$229.00
VisiSchedule	\$229.00
Desktop Plan	\$189.00
Visicalc (Apple, IBM, CBM	1)\$179.00
Visicalc 4 (IBM)	\$209.00
Visicalc Advanced IIe	\$309.00
Stretch Calc	\$89.00
Visicorp prices for IBM may	y vary slightly.
LJK	
Letter Perfect Apple	
Data Perfect Apple	\$75.00

AXLON
Apple/Franklin 128K Ram \$299.00
Apple/Franklin Ram Disk\$729.00
MPC
- 1

Bubdisk (128K Non Volitare)... \$649.00 Joystick \$21.95 Famous Red Ball \$23.95

Power Grip\$21.95
Three-Way Deluxe\$22.95
Atari/VIC Trackball \$34.95
Apple Trackball\$59.95
KRAFT
Atari Single Fire\$13.00
Atari Switch Hitter\$16.00
Apple Joystick\$44.00
Apple Paddles\$39.00

(commodore



4040

8250 9060 9090 4023 64K Upgrade Spell Master Z-Ram Silicon Office
The Manager Soft Rom

CBM 8032 ^{\$}599

CBM64...\$219

VIC 20 \$99 Executive 64 Portable

Jos Printer/Plotter \$169.00

1520 Color Printer/ Plotter	
1525 80 Column Printer	
1526	
1530 Datasette	\$69.00
1541 Single Disk Drive	.\$249.00
1600 VIC Modem	\$59.00
1650 AD/AA Modem	\$89.00
1701 14" Color Monitor	.\$249.00
Pet 64	.\$569.00
Pet 4032	.\$599.00
CBM 8032	.\$599.00
Super Pet	.\$999.00
B128-80	.\$769.00
BX256-80	.\$969.00
2031	.\$299.00

.....S139.00 Jinsam..... Call Result 64. PROFESSIONAL

...\$699.00 ...\$949.00 ...\$1199.00 ...\$1999.00 ...\$379.00 ...\$1399.00 ...\$149.00 ...\$549.00 ...\$749.00

.\$209.00 .\$129.00

	SOFTWARE	
	Word Pro 2 Plus	\$159.00
ı	Word Pro 3 Plus	\$189.00
	Word Pro 4 Plus	\$279.00
	Word Pro 5 Plus	
	InfoPro	\$179.00
	Administrator	\$399.00
	Power	\$79.00
	Word Pro 64 Plus	\$65.00
	CARDCD	
	for VIC 20/64	
	Light Pen	\$32.00
	Cassette Interface	\$29.00
	Parallel Printer Interface	\$69.00
	3 Slot Expans. Interface (20).	\$32.00
	6 Slot Expans. Interface (20).	\$79.00

RI HOME COMPUTERS





ATARI 600XL	\$149
ATARI 800XL	\$269
ATARI 1200XL	CALL
ATARI 400	CALL
ATARI 800	CALL

ATARI 800	•	•
1010 Program Recorder \$7	4.	00
102040 Col. Printer/Plotter \$24	19 .	00
1025 80 Col. Printer \$44	19.	00
1027 Letter Quality Printer \$29	99.	00
1050 Disk Drive \$37	9.	00
1030 Direct Connect Modem	CA	LL
CX30 Paddles\$1	12.	00
CX40 Joystick	88	oc
CX42 Remote Joystick	CA	LL
CX77 Touch Tablet\$6	39.	OC
CX80 Trak Ball \$4	19.	OC
CX85 Keypad\$10)5.	OC.
CX418 Home Manager\$6	39.	00
CX488 Communicator II\$23	29.	00
KX7098 Atari Accountant \$20	٥9.	00
KX7101 Entertainer\$6	õ9.	00
KX7102 Arcade Champ \$	75.	OC

ALIEN

Atari Voice Box	\$119.00	
Apple Voice Box	\$149.00	
MEMORY BDAR	ps	
Axlon 32K Ram	\$59.00	
Axion 48K Ram	\$99.00	
Axion 128K Ram	\$299.00	
Intec 32K Board	\$59.00	
Intec 48K Board	\$85.00	
Intec 64K Board (400 only)	\$99.00	
Intec Real Time Clock	\$39.00	
DISK & CART HOLDERS		
Flip-n-File 10	\$4.00	
Flip-n-File 50	\$19.00	
Flip-n-File 400/800 Cart	\$19.00	

PERCOM

DISK DRIVES FOR AT	ARI	
AT88-S1	.\$369.00	
AT88-A1	.\$299.00	
AT88-S2	.\$569.00	
AT88-S1 PD	.\$469.00	
AT88-S2 PD	\$669.00	
AT88-DDA	.\$139.00	
AT44-S1	.\$579.00	
AT44-S2	.\$969.00	
TEXAS INSTRUMENTS DRIVE		
TX 99-S1	.\$349.00	
BANA		
1000 Atari Disk Drive	.\$319.00	

FLOPPY DISKS		
MAXELL		
MD-1\$32.00		
MD·2\$44.00		
FD-1(8")\$40.00		
FD-2(8" DS DD)\$50.00		
ELEPHANT		
51/4"SS SD\$18.95		
5¼" SS DD\$24.95		
51/4" DS DD\$29.95		
VERBATUM		
51/4" SS DD\$26.00		
5¼" DS DD\$36.00		
HEAD		
Disk Head Cleaner \$14.95		

TOP 80 CMO

APPLE/FRANK	CLIN
1. Choplifter	\$27.00
2. Bank Street Writer	
3. PFS: File	\$89.00
4. Visicalc	\$179.00
5. Home Accountant	\$55.00
6. Zaxxon	\$29.00
7. Most Amazing Thing	\$28.00
8. Visifile	
9. Fathoms 40	
10. Deadline	
11. PFS: Report	
12. Zork III	
13. Frogger	\$24.00
14. Facemaker	\$24.00
15. Snooper Troops #1	
16. Delta Drawing	
17. Castle Wolfenstine	
18. Wayout	
19. Canyon Climber	
20. Bandits	\$26.00

.\$65.00
.\$29.00
. \$14.95
.\$69.00
.\$39.00
,\$79.00
.\$29.00
.\$23.00
.\$49.00
.\$29.00
.\$29.00
.\$14.95
.\$29.00
.\$14.00
.\$32.00
.\$29.00
.\$14.95
.\$11.00
.\$19.00
\$32.00

	ATA
1. Donkey Kong	\$39.00
2. Zaxxon	\$29.00
3. E.T. Phone Home	\$39.00
4. Miner 2049er	\$35.00
5. Dig Dug	\$33.00
6. Choplifter	\$29.00
7. Donkey Kong, Jr	\$39.00
8. Canyon Climber	\$25.00
9. Snooper Troops #2	\$34.00
10. Word Wizard	\$59.00
11. Picnic Paranoia	\$34.00
12. Jumpman	\$29.00
13. Shamus	\$34.00
14. Letter Perfect	\$109.00
15. File Manager 800	
16. Preppie	
17. Astro Chase	
18. Blade/Black Hole	
19. Pac Man	
20. Baja Buggies	\$25.00

21. Crush. Crumble & Chomp \$24.00	VO1
23. Zork I \$29.00 24. Visicale \$159.00 25. Atari Writer \$79.00 26. Three Little Pigs \$25.00 27. Upper Reaches of Apshai \$16.00 28. Starbowl Football \$24.95 29. Dreibs \$26.00 30. Protector \$34.00 31. Frogger \$25.00 32. Lunar Leeper \$24.00 34. Kindercomp \$21.00 35. Moon Shuttle \$22.00 36. Home Accountant \$55.00 37. Temple of Apshai \$59.00 38. Spell Wizard \$39.00 39. Nautilus \$26.00	
23. Zork I \$29.00 24. Visicale \$159.00 25. Atari Writer \$79.00 26. Three Little Pigs \$25.00 27. Upper Reaches of Apshai \$16.00 28. Starbowl Football \$24.95 29. Dreibs \$26.00 30. Protector \$34.00 31. Frogger \$25.00 32. Lunar Leeper \$24.00 34. Kindercomp \$21.00 35. Moon Shuttle \$22.00 36. Home Accountant \$55.00 37. Temple of Apshai \$59.00 38. Spell Wizard \$39.00 39. Nautilus \$26.00	22. Wayout\$27.00
25. Atari Writer	
26. Three Little Pigs . \$25.00 27. Upper Reaches of Apshai . \$16.00 28. Starbowl Football . \$24.95 29. Drelbs . \$26.00 30. Protector .\$34.00 31. Frogger . \$25.00 32. Lunar Leeper . \$24.00 33. Wizard of Wor . \$34.00 44. Kindercomp . \$21.00 45. Moon Shuttle . \$22.00 36. Home Accountant . \$55.00 37. Temple of Apshai . \$29.00 38. Spell Wizard . \$39.00 39. Nautilus . \$26.00	24. Visicalc\$159.00
27. Upper Reaches of Apshai . \$16.00 28. Starbowl Football . \$24.95 29. Dreibs . \$26.00 30. Protector . \$34.00 31. Frogger . \$24.00 32. Lunar Leeper . \$24.00 33. Wizard of Wor . \$34.00 34. Kindercomp . \$21.00 35. Moon Shuttle . \$22.00 36. Home Accountant . \$55.00 37. Temple of Apshai . \$29.00 38. Spell Wizard . \$39.00 39. Nautilus . \$26.00	25. Atari Writer \$79.00
28. Starbowl Football \$24.95 29. Drelbs \$26.00 30. Protector \$34.00 31. Frogger \$25.00 32. Lunar Leeper \$24.00 33. Wizard of Wor \$34.00 34. Kindercomp \$21.00 35. Moon Shuttle \$22.00 36. Home Accountant \$55.00 37. Temple of Apshai \$29.00 38. Spell Wizard \$39.00 39. Nautilus \$26.00	26. Three Little Pigs\$25.00
29 Dreibs \$26.00 30 Protector \$34.00 31 Frogger \$25.00 32 Lunar Leeper \$24.00 33. Wizard of Wor \$34.00 34. Kindercomp \$21.00 35. Moon Shuttle \$22.00 36. Home Accountant \$55.00 37. Temple of Apsha \$29.00 38. Spell Wizard \$39.00 39. Nautilus \$26.00	27. Upper Reaches of Apshai \$16.00
30. Protector. \$34.00 31. Frogger. \$25.00 32. Lunar Leeper. \$24.00 33. Wizard of Wor. \$34.00 34. Kindercomp. \$21.00 35. Moon Shuttle \$22.00 36. Home Accountant \$55.00 37. Temple of Apshai \$29.00 38. Spell Wizard \$39.00 39. Nautilus \$26.00	28. Starbowl Football \$24.95
31 Frogger. \$25.00 32 Lunar Leeper \$24.00 33 Wizard of Wor. \$34.00 34 Kindercomp \$21.00 35 Moon Shuttle \$22.00 36 Home Accountant \$55.00 37 Temple of Apsha \$29.00 38 Spell Wizard \$39.00 39 Nautilus \$26.00	29. Drelbs\$26.00
31 Frogger. \$25.00 32 Lunar Leeper \$24.00 33 Wizard of Wor. \$34.00 34 Kindercomp \$21.00 35 Moon Shuttle \$22.00 36 Home Accountant \$55.00 37 Temple of Apsha \$29.00 38 Spell Wizard \$39.00 39 Nautilus \$26.00	30. Protector \$34.00
33. Wizard of Wor. \$34.00 34. Kindercomp \$21.00 35. Moon Shuttle \$22.00 36. Home Accountant \$55.00 37. Temple of Apsha \$29.00 38. Spell Wizard \$39.00 39. Nautilus \$26.00	
34. Kindercomp. \$21.00 35. Moon Shuttle. \$22.00 36. Home Accountant. \$55.00 37. Temple of Apshai. \$29.00 38. Spell Wizard. \$39.00 39. Nautilius. \$26.00	32. Lunar Leeper\$24.00
35. Moon Shuttle \$22.00 36. Home Accountant \$55.00 37. Temple of Apshai \$29.00 38. Spell Wizard \$39.00 39. Nautilus \$26.00	33. Wizard of Wor\$34.00
36. Home Accountant	34. Kindercomp\$21.00
37. Temple of Apshai\$29.00 38. Spelt Wizard\$39.00 39. Nautilus\$26.00	35. Moon Shuttle\$22.00
38. Spell Wizard \$39.00 39. Nautilus \$26.00	36. Home Accountant\$55.00
39. Nautilus\$26.00	37. Temple of Apshai \$29.00
	38. Spell Wizard\$39.00
40. O'Riley's Mine\$22.00	39. Nautilus\$26.00
	40. O'Riley's Mine\$22.00

= EASTES

In PA call (717)327-9575 Order Status Number: 327-9576




PRODUCTS from MICRO

Revised edition now available! All new text added to the original atlas and gazetter...

"What's Where in the Apple"

A Complete Guide to the Apple Computer.



This revised edition of the famous Apple Atlas will:

- provide you with more information on the Apple's memory than is available elsewhere
- guide you with a numerical Atlas and an alphabetical Gazette — to over 2000 memory locations of PEEKs, POKEs and CALLs
- give you names and locations of various Monitor, DOS, Integer BASIC and Applesoft routines and tells you what they're used for
- enable you to move easily between BASIC and machine language
- guide you through the inner workings and hidden mechanisms of the Apple

The Atlas and the All New Guide are now available in one 256-page Wire-O-Bound book for only \$24.95.

All Apple users will find this book helpful in understanding their machine and essential for mastering it.

Retail price\$24.95

If you own the original What's Where in the Apple purchase The Guide to complete your edition. This 128-page Wire-O-Bound version contains all the new material to be used with the memory map and atlas.

Don't miss this opportunity to complete your


edition of What's Where in the Apple.

Order your copy of The Guide now.
Retail price


......\$9.95

THE

GUIDE



This series of books for the APPLE computer is the best source of Apple specific programming aids, utilities, enhancements, games and much more. MICRO has taken the best APPLE material ever published in MICRO magazine and brought it together in this three volume series.



Volume 1 allows you to -

Round and format numbers accurately, get lower-case letters and punctuation into Applesoft strings or play the hit game "Spelunker"

Volume 2 lets you -

Speed up machine-language programming using five powerful machine-language aids, add additional editing and I/O features, or play the intriguing game "GalactiCube"

Volume 3 gives you more -

Machine-language aids, I/O enhancements, graphics and games

Each volume comes complete with diskette to save you the time of typing hundreds of lines of code.

If you use to an APPLE computer you should own

FOR EASY ORDERING CALL TOLL FREE 1-800-345-8112

(IN PA 1-800-662-2444) MasterCard and VISA Accepted

AND now the "MICRO on the APPLE" series is available as a boxed set.



All three voumes are packaged in an attractive box with the 110 programs on one diskette.

The set is available at a 20% savings off the individual price.

Retail price\$59.95

Use postage paid card opposite page 95 to order your Micro subscription today . . .



Hardware Catalog

A New Expansion Unit

for the Commodore, VIC-20 and Personal Computer

Computer Place has announced the release of a new VIC-20 Expander. It differs from the others because it has such built-in features as four highquality positively keyed connector slots for full memory expansion and utility cartridges; gold-plated contact fingers for solid, long-lasting connection: an on-board RESET button that allows the restart of the VIC-20 without turning off the computer; four individual slot ON/OFF control switches, which are arranged for easy access and designed with fingertip control rather than pentip; an external power supply hook-up provision with a two-way power source switch; and a fuse block for overload and short protection. \$54.95

> Computer Place 23914 Crenshaw Blvd. Torrance, CA 90505 (213) 325-4754




for Your Color Computer

Flexible Computer Solutions will install 64K of memory in your Color Computer. F.C.S. will also include a program to copy your ROM(s) to RAM and instructions on how to turn the upper 32K of RAM on and off. Extended BASIC and Disk BASIC are not required: Note: your upgraded 64K machine will behave like a standard 32K machine as far as BASIC is concerned, except that you can copy the ROM(s) to RAM and then PEEK and POKE to the RAM where BASIC does not sit; or you can actually modify BASIC if you wish. Programs that are set up to use 64K such as Flex and Master Writer will have access to the full 64K. F.C.S. will also do repairs.

For 4K, 16K, or 32K "D" or "E" boards or 16K "F" boards.

\$89.00 plus \$5.00 shipping. 90-day guarantee.

> Flexible Computer Service 1410 W. North Loop #108 Austin, TX 78756 (512) 458-9783



Super RAM for Atari

Mosaic Electronics, Inc., announces its second release in the RAM Select series. Named the Mosaic 64K RAM Select, this new board will plug into both the Atari 400 and 800. Atari 800 owners can plug up to three Select boards into their computer for 196,608 bytes of useable RAM. The Mosaic 64K RAM Select is totally bus-compatible for use with Atari 16K and/or Mosaic 32K RAM boards. Atari 800 owners can use the board to simulate the Atari board for super powerful bank selection. The 64K Select is compatible with both 8K and 16K ROM cartridges and installs without solder. Used with the Mosaic Adapter, 48K Atari 800 owners will have 112K RAM.

64K Select owners will have access to the "Select" club that includes a monthly newsletter covering new applications for the board and a program library that includes selections such as HANDYMAN, SUPERDRIVE, and THE [26-3023] (requires Disk #0) MEMORY MANAGER.

> Mosaic Electronics, Inc. P. O. Box 708 Oregon City, OR 97045

Color Disk Drives

for the Extended BASIC Color Computer

The Color Disk Drive from Radio Shack turns the Extended BASIC Color Computer into a disk system at a new low price. A Color Disk Drive gives 156,672 characters of user storage for program and data files. It can also be used with color-disk software.

Easy to install, the Color Disk Drive controller Program Pak is plugged into the Color Computer's cartridge port. The Color Disk Operating System is completely contained in the controller Program Pak, so the full 1200 architecture or configure the 156K-byte disk capacity is available for on-line storage.

The first drive comes with one 51/4-inch double-density, 35-track floppy disk drive, plug-in Program Pak cartridge with cable, one blank 51/4-inch diskette, reference manual, and operator's instructions. Included cable allows up to two drives on a system. The Color Disk #0 Kit \$399.95 (26-3022)

The Color Disk #1, 2, or 3 \$279.95

Tandy Corporation/Radio Shack 1800 One Tandy Center Fort Worth, TX 76102

Hardware Catalog (continued)

The Apple Blooms! for the Apple II and IIe

Hollywood Hardware's new program development package installs such crucial professional features as a Global Program Line Editor, definable Function Keys, Output Formatting, and Structured Program Aids with one special firmware card. The package requires no disk loading and uses no memory space, yet speeds editing up to five times, using Insert, Delete, Search, Replace, and more. Powerful macros perform common tasks like Catalog and List with one keystroke, and you can program and nest custom macros to produce complex command sequences:

Additional "&" utilities extend Applesoft (e.g., "IF, THEN, ELSE", and "PRINT USING"), perform Searches, Number-Base Conversions, Garbaged Program Recovery, and others.

Future utilities from Hollywood

Hardware (including: Renumber, Append, Disk Diagnostics, etc.), and user programs are supported with a documented memory manager and six open sockets totalling 24K of ROM expansion capabilities. \$190.00

Hollywood Hardware 6842 Valjean Avenue Van Nuys, CA 91406 (213) 989-1204

Apple Computer Announces A New Monitor

for the Apple II Personal Computer

Apple Computer, Inc. has announced a new monochrome video display designed to blend aesthetically with its *Apple II* family of personal computers. The newly-styled **Monitor II** features superior resolution for 80-column text

and graphics display, an anti-reflective, high-contrast screen, and a tilt mechanism for adjusting the screen's angle.

The monitor's 12-inch screen displays up to 24 80-character lines of text and high-resolution graphics in P31 green phosphor, a color that minimizes eyestrain. The monitor's tilt mechanism and anti-reflective, high-contrast screen also help to reduce eye fatigue in a variety of lighting situations.

The Monitor II can be used with any Apple II, Apple II+, or Apple IIe computer. Every Apple IIe computer comes with a video cable that allows the monitor to be easily connected to the computer's back panel. Video cables that were provided with Apple II and Apple II+ computers also work with the new monitor.

\$229.00 (90-day warranty)

Apple Computer, Inc. 20525 Mariani Avenue Cupertino, CA 95014 (408) 973-2042

ADD 60 COMMANDS TO YOUR COMMODORE 64 WITH:

grafDOS

An enhanced disk operating system adds 40 NEW commands to both BASIC and DOS! Includes easy to use Disk Commands, HIRES Graphics, LORES Graphics, Text and Sprites.

MINIMON

A powerful machine code monitor which adds 20 NEW commands to examine memory, disassemble, text dump, miniassembler and MORE!

ONLY \$3995

MINIMON available separately for \$19.95

DUST COVERS

Attractive, brown vinyl covers.

COMPUTER or DRIVE	\$7.95
OLD STYLE DATASETTE	\$3.95
NEW STYLE DATASETTE	\$3.95
1525 PRINTER	\$7.95

Send for our FREE catalog of the lowest prices for:

CBM-64 GAMES • NEW PRODUCTS VIC-20 GAMES • BOOKS AND MORE!

INTERESTING SOFTWARE

21101 S. Harvard Blvd. Torrance, CA 90501 (213) 328-9422

Visa/MC/Check/Money Order — Add \$2.00 CA residents add 61/1 % sales tax DEALER INQUIRIES INVITED

Hardware Catalog (continued)

The Interfacer by Data-Cue for the Apple II

The InterFacer by Data-Cue provides Apple II owners with an affordable solution to interfacing and communications. The InterFacer provides one fully programmable serial communications port. The port supports synchronous/asynchronous communications as well as both the RS-232 and the RS-422 electrical standards. The InterFacer also provides two complete parallel printer ports.

The InterFacer comes with software drivers for printers as well as a terminal emulator for communications with remote computers. This allows the connecting of a modem, high-speed data processing printer, and word-processing printer to the Apple II or Apple IIe all at the same time using a single board.

\$95.00

Data-Cue 5696 HWY 431 South Brownsboro, AL 35741 (205) 883-2933

The RAINBO-256 Analogue RGB Video Interface

for the Apple II+ and Apple IIe

The RAINBO-256 is a high-resolution analogue RGB interface card designed to interface from Apple II+, IIe computers to Electrohome, Taxan, and other similarly interfaced color video monitors.

Conventional video monitors are composite in nature, meaning that the video signal is not separated into red, green, and blue signals (thus the name RGB). Further, using conventional monitors will limit you to the number of colors available at the output of the computer — in Apple's case only 16 colors.

The RAINBO-256 eliminates a number of problems inherent in the video circuits of the Apple, Franklin, or other look-a-likes. The video output generally is not 'clean,' meaning that there is substantial smearing among the colors. Further, when in the color hi-res mode, text takes on a variety of hues instead of being white like they

should be. The RAINBO-256 solves all of these problems in one slot.

The RAINBO-256 is also programmable, unlike any other RGB board on the market today. Instead of being limited to the computer's color capabilities, the RAINBO-256 may be programmed for 256 individual colors by addressing 16 additional memory locations that the RAINBO-256 adds to the Apple.

As the output connector differs from Taxan and Electrohome, when ordering the RAINBO-256, specify the model you wish: RAINBO-256-E for the Electrohome or RAINBO-256-T for the Taxan.

The RAINBO-256 in either configuration retails for \$279.00 and is available from your authorized MICROTEK dealer. \$279.00

MICROTEK 4750 Viewridge Avenue San Diego, CA 92123 (619) 569-0900

MICRO



"Just Released"

MACH-9 Control Pascal
A superset of standard Pascal
No rom expansion board necessary

Introductory Price \$69.00 plus \$5.00 S&H US and Canada

In Europe contact: SKYLAB s.r.l. • Via M. Giola 66 201,25 Milano Italy • Tel. (02/688.38.06) Telex 335535 SKYLAB I

*AIM-05 is a trademark of Rockwell International

MMCH-9 Features: 6809 CPU Plug-in assembly

Superset of AlM monitor • Full two pass assember • Enhanced cut and paste editor • All thips socketed •

Extra 2-K static ram • UF sockets for roms • \$289.00 plus 6.00 S&H*** US and Canada

For more Information Contact:

Modular Mining Systems, Inc. • 1110 E. Pennsylvania St.

Tucson, Arizona • 85714 • (602) 746-0418

In the UK Contact: RCS Microsystems Ltd. • Gresham House Twickenham Rd: • Feltham Middlesex TW13 OHA • 01-898-3775.

THE P.



**Byte Magazine Sept. 1981 pg. 192

***\$20.00 S&H for overseas.

MICRO

Software Catalog

New Weather-Sensing Package for Commodore 64 and VIC-20


Designed for use with Commodore 64 and VIC-20 computers, the new HAWS (Home Automatic Weather Station) from Vaisala combines a professional quality weather sensor with a creative software package that teaches, forecasts, and graphically displays weather. More than a toy or game, HAWS utilizes the same weather sensor used by weather services in 60 countries worldwide. In addition, HAWS represents the first personal computer application utilizing an external sensing device, allowing the user to interact and analyze input that is not contained in his computer or the software itself.

HAWS allows the user to monitor weather conditions inside or outside the home as well as allowing the user to interact with the

software program to help predict and cope with changing weather conditions. HAWS even allows the user to rate his/her forecasting performance against the local weatherman's predictions.

HAWS is an excellent educational tool for teaching meteorology concepts and for learning about weather, either in the home or in the classroom. In addition, HAWS can also be used to monitor and control indoor living space, greenhouses, and office environments, etc.

Priced at \$199.95, the package includes sensor, choice of cassette tape or floppy disk program, 15-foot cable with connector for the computer, and complete user manual. For more information including dealer inquiries, write or call Consumer Products, Vaisala, 2 Tower Office Park, Woburn, MA 01801; (617) 933-4500.



A Powerful Software Tool from Soft Path Systems

BRAINSTORMER for the Apple II with CP/M is a powerful software tool for generating potential solutions to complex problems. It works by building a description of a problem in terms of the themes and variations that affect its solution. The description of the problem is "probed" by BRAINSTORMER to generate ideas about potential solutions to the problem. The user refines the process by controlling the occurrence of particular themes and variations until a sufficient quantity of potential solution strategies is produced. Up to ten billion "idea probes" can be generated for any user-specified problem.

Potential applications for BRAINSTORMER include increasing flexible thinking, discovering new products, targeting new markets, and exploring organizational problems.

BRAINSTORMER is available for TRS80 I, III, and IV and for CP/M 80-column monitor machines including Apple II, Osborne I, and Kay-Pro II. All systems require MBASIC, two drives [51/4 SS or SD only), and 48K.

This friendly and helpful package, complete with User's Guide and example files, sells for \$50.00 if used on a single machine. A program with concurrent group license for 2-10 machines used by a single organization costs \$100.00. It is available from Soft Path Systems, c/o Cheshire House, 105 North Adams, Eugene, OR 97402; (503) 342-3439.

Store Tape-based Machine-Language Programs on Disk

DISK LOADER for the TRS-80 Color Computer loads most 16K machinelanguage programs from tape to disk. This new program takes tape-based machine-language programs, stores them on disk, and allows them to run automatically. DISK LOADER is especially designed to load programs that interfere with normal disk operation. It saves multiple copies, allows renaming the program, and automatically gives program load and execute addresses. DISK LOADER is supplied on tape with easyto-operate instructions and works with any 32K or 64K Color Computer disk system.

Price is \$13.95 ppd from Stuart Hawkinson, 6695 S. W. 203rd Court, Aloha, OR 97007.

Three Game-Format Programs to Strengthen Math Skills

Arith-Magic for the Commodore 64 with 64K and one disk drive or tape recorder consists of three interactive game-format programs that strengthen basic math skills for elementary/intermediate level and above. Arith-Magic provides enrichment opportunities for abler students through experimentation with mathematical patterns.

Price is \$35.00 for one disk or tape and manual. Available from Quality Educational Designs, P. O. Box 12486, Portland, OR 97212-0486; (503) 287-8137.

(Continued on page 92)



VICTORY SOFTWARE INTRODUCES

THE EARTH WARRIOR SERIES

METAMORPHOSIS \$19.95

You stumbled into the nest of the Cyglorx and find yourself fighting off robot tanks guarding the Cyglorx eggs. You think you have everything under control and then the eggs start hatching. Commodore 64 version features 4 different screens. Available for COMMODORE 64 and VIC-20. Played with JOYSTICK



\$19.95

CREATOR'S REVENCE

The creator assembled a massive army of robots and insects to take revenge on the earth. Destroy insects, get treasures, and get the neutron bomb deactivator. Battle robots and destroy the neutron bomb before it annihalites your city. Miss and you must face the mutants. Features 4 different screens. Available for COMMODORE 64. Played with JOYSTICK

LABYRINTH OF THE CREATOR \$19.95

Journey into the most complex and dangerous fortress ever build by the creator. You will encounter deadly robots, skulls, lakes, avalanches, false creators, and a creature who roams 256 rooms relentlessly pursuing you.

Available for COMMODORE 64. Played with JOYSTICK.

Programs for the VIC-20 and the COMMODORE 64.

All games available on TAPE or DISK.

All Arcade-Style games are packed full of MACHINE CODE.

KONGO KONG

\$19.95

Climb ladders, avoid the barrels the cra-

zy ape is rolling at you, and rescue the damsel. Commodore 64 version features 4 different screens! Available for COMMODORE 64 and VIC-20. Played with JOYSTICK OF KEYBOARD.



GRAVE ROBBERS

\$19.95

Introducing the first GRAPHIC ADVEN-TURE ever available for the VIC-20 or COM-MODORE 64! With realistic audio-visual effects, you explore an old deserted graveyard and actually see the perils that lie beyond. Available for COMMODORE 64 and VIC-20. Played with KEYBOARD.

BOUNTY HUNTER

\$19.95

An adventure in the Old West. Journey back with us into the days of Jessie James and Billy the Kid where the only form of justice was a loaded revolver and a hangman's noose.



In this full-length text adventure, you play the role of Bounty Hunter, battling against ruthless outlaws, hostile Indians, wild animals and the elements of the wilderness with only your wits and your six gun. Average solving time: 20-30 hours. If you love adventures, this one is a real treat.

Available for COMMODORE 64 and VIC-20 (with 8K or 16K expander). Played with Key-

CHOMPER MAN

Don't let the bullies catch you as you gobble the goodies! This program has 8 screens and still fits in the standard memory



Available for COMMODORE 64 and VIC-20. Played with JOY-STICK OF KEYBOARD.

Illustrations: Elizabeth Hauck

\$14.95

Earth's surface is threatened by collapse from a strange group of creatures who bore out the earth's crust to make their dens. Your objective is to enter the creature's habitat and spin the invaders to death.

Available for COMMODORE 64. Played with JOYSTICK

Check your LOCAL DEALER or order directly.

ORDERING: We accept personal checks, money orders, VISA, and MASTERCHARGE. Charge orders please include number and expiration date. Overseas orders please use charge or have check payable through a U.S. bank. Add \$1.50 postage and handling per order. PA residents please add 6% sales tax







VICTORY SOFTWARE INC. VICTORY SOFTWARE INC.
7 Valley Brook Road, Paoli, PA 19301
(215) 296-3787

MICRO

Software Catalog (continued)

HODGE PODGE Now Available for the Atari

DYNACOMP announces that HODGE PODGE is now available for the Atari HODGE PODGE was originally written for the Apple and was well accepted by both parents and teachers. It was given top grades by several reviewers and has been included in many elementary school curriculums.

The Atari version of HODGE PODGE is almost an exact translation of the Apple version. All of the sound, color, and graphics features have been retained.

The Atari version requires 32K [cassette], 48K [disk] and will run on an Atari 400, 600, 800, or 1200 having sufficient memory. Recommended age range: 2-7.

Price: \$14.95 (cassette), \$18.95 (disk). For more information contact DYNA-COMP, Inc., 1427 Monroe Ave., Rochester, NY 14618; [716] 442-8960.

Oh No! It's TROMPERS

TROMPERS from Avant-Garde is a new game for the *Apple, Atani,* and *Commodore.* Hundreds of practical-joking space critters are falling from the sky! Can you help Arnold Stump, the local dog catcher, snare them before they take over the entire city? Armed with only a net and your own skills, it's you and Arnold *versus* TROMPERS!

Available from your local dealer or from Avant-Garde Creations, Inc., P.O. Box 30160, Eugene, OR 97403; (503) 345-3043.

A Grade- and Attendance-Management Package

GradeCalc is a gradeand attendance-management package for the Apple, Atari, and Commodore 64. It is designed to free the teacher from many of the time-consuming tasks of record keeping. Grade filing and reporting are set up in a flexible manner to accommodate any teacher's existing gradebook format.

With GradeCalc the teacher has on file all the raw grades and assignment information. This file can then average grades using a variety of methods.

GradeCalc maintains attendance records in the same flexible manner as grade records. The teacher can recover a variety of reports based on the attendance records. These

reports include cumulative totals of all attendance records and problem reports based on excessive absences of other problems.

The GradeCalc package is available on disk for Commodore 64, the 40- or 80-column CBM or PET computer, Apple II, Apple II Plus, or Apple IIe with at least 32K memory, and for the Atari 400, 800, or 1200 with 40K of memory. The price is \$29.95 for all versions except the Atari, which is \$34.95. Contact Tamarack Software, Inc., Water St., Darby, MT 59829; [406] 821-4596.

A Color Compiler for the TRS-80C

Computerware introduces THE COLOR BASIC COMPILER for the

(Continued on page 94)

VIC-20 USERS: Get Serious With A PROMQUEEN

MICRO

- A cartridge development system
 Comprehensive manuals
- Program from Commodore VIC-20 keyboard into built-in 4K
 ROM emulator
 Jumper to target ROM socket
- · Test programs in circuit
- Fits EXPANSION PORT
- Includes Hexkit 1.Ø, a powerful 100% machine code editor/debugger utility program that makes coding for 8-bit Micros a snap.
- · Built-in EPROM programmer and power supply
- Burns & runs EPROMS for the Commodore VIC-20, too

Programs 2716, 2732, 2732A, 27C16, 27C32, adaptable to 2532 & 2764



PHOMQUEEN CARTRIDGE COMPLETE ONLY \$199

	US	Canada
Promqueen 64	\$299.00	\$399.00
8K board with 1 EPROM	\$29.95	\$39.95
16 board with 1 EPROM	\$39.95	\$49.95
8K board with 1 EPROM, C64	\$39.95	\$49.95

Send for Free Brochure

GLOUCESTER COMPUTER, INC.

Distributed in U.S. by **Arbutus Total Soft, Inc.,** 4202 Meridian, Suite 214, Bellingham, WA 98226. Phone 800-426-1253, in Washington 206-733-0404 Distributed in Canada by **IBC/Distribution Canada**,4047 Cambie St., Vancouver, BC V5Z 2x9. Phone 604-879-7812

Alspa Computer, Inc.

Price-performance leader. Includes Z80A, 8" ds/dd drives. 3 serial + 1 parallel port, winchester port, networking. Prices start below \$1500, DEALER / OEM inquiries invited

SPECIALS ON INTREGATED CIRCUITS

6502	7.45	10/6.95	50/ 6.55	100/6.15
6502A/6512A	8.40	10/ 7.95	50/ 7.35	100/6.90
6520 PIA	5.15	10/ 4.90	50/ 4.45	100/4.15
6522 VIA	6.45	10/6.10	50/ 5.75	100/ 5.45
6532	7.90	10/ 7.40	50/ 7.00	100/6.60
2114-L200		2.45	25/ 2.30	100/ 2.15
2716 EPROM		4.90	5/4.50	10/ 4.00
2532 EPROM		6.90	5/ 6.75	10/ 6.45
6116 2K×8 CMO	S RAM	6.90	5/ 6.75	10/ 6.45
4116 RAM				8 for 14
4164 RAM				6.50
Zero Incertion For	ce 24 nir	Socket (S	canhe)	2.00

Hewlett Packard



FREE SOURCE MEMBERSHIP WITH SIGNALMAN

All Signalman Modems are Direct Connect, and include cables to connect to your computer and to the telephone. Signalman Modems provide the best price-performance values.

Dealer and OEM inquiries invited

[/9]	55
	9
(99)	59
(279)	179
(159)	89
(399)	295
	219
	529
	(99) (279) (159)



PROM QUEEN for VIC	170
Apple Emulator for Commodore 64	Call
STAT Statistics Package for C64	95
Solid Oak 2 Level Stand for C64 or VIC	29
C64/VIC Switch (networking)	125
BACKUP V1.0 tape copier for C64 or VIC	20
CARDBOARD/6 Motherboard - VIC	64
CARDBOARD/5 Motherboard - C64	56
CARDPRINT Printer Interface - C64/VIC	64
CARDBOARD/3s Motherboard - VIC	32
CARDCO C64/VIC Calculator Keypad	32
CARDRAM/16 RAM Expansion - VIC	64
Complete CARDCO Line in stock	
CIE and VIE IEEE Interfaces in stock	
BASM Compiler/Assembler for C64	89
ADDIC CDANVIIN	ITEMO

APPLE-FRANKLIN IIEMS KRAFT Apple Joystick AN 59

ION	NAM CATE IVI APPIC	03
Solid	Oak 2 Level Stand for Apple	29
Seria	I Card for Apple	99
MPC	RAM/8D column card for IIE (AP/TXT)	139
Z80	Softcard and CP/M (Microsoft)	235
RAN	A Elite I with Controller	389
Para	llel Printer Interface/Cable	79
Appl	e Oumpling (Microtek) Printer Interface	115
Appl	e Dumpling with 16K Buffer	160
	pler + Interface	129
Kraft	Products for Apple in stock	
DC H	layes Micromodem II	299
PFS:	File	100
PFS	Report	10D
	x 80 Column Card	209

@commodore

See us for Personal, Business, and Educational requirements. Educational Discounts available.

PETSCAN I \$245 base price

Allows you to connect up to 30 CBM/PET Computers to shared disk drives and printers. Completely transparent to the user. Perfect for schools or multiple word processing configurations. Base configuration supports 2 computers. Additional computer hookups \$100 each.

OMPACK/STCP

Intelligent Terminal Package for PET, CBM, C64 Includes ACIA Hardware / STCP Software

\$115

VE-2 IEEE to Parallel Interface 110 Includes case, power supply, full 8-bit transmission, and

switch selectable character conversion to ASCII. **VIDEO ENHANCER for Commodore 64** Realize video quality equal or better than composite monitor

using standard color TV. SCREEN MAKER 80 Column Adapter for C64 Provides big screen capability for business applications.

GENISIS Computer Corp ViController (for C64 as well) 50 combine with BSR modules for home or business control COMSENSE Remote Sensing Adapter for C64 or VIC COM VOICE Synthesizer for C64 or VIC 139 includes software for test to speech, pitch, etc. COM CLOCK Real Time Clock with battery backup 45

VIC 20 Products and So	ftware	in stock	
Thorn EMI Software		UMI Software	
ABACUS Software		HES Software	
16K RAM for VIC	64	Vanilla Pilot	27
VICTORY S	oftwar	e for VIC and C64	
Street Sweepers (VIC)	12	Kongo Kong (VIC)	16
Night Rider (VIC)	11	Cosmic Debris (VIC)	12
Annihilator	16	Adventure Pack I	16
Adventure Pack II	16	Metamorphosis	11
Educational Pack I	11	Trek	12
Strategy Pack I	16	Grave Robbers	12
PAPER CLIP Word Pro	cesso		109
ORACLE Data Base fro	m Bat	teries Included	125

	PAPEN CLIP WOLD LINGESSOL	103
	ORACLE Data Base from Batteries Included	125
	Commodore 64 Programmers Reference Guide	16
	MicroChess for C64-8 levels of play	19
	Computel's First Book of PET/CBM	11
	C64 or VIC SWITCH	125
	POWER ROM Utilities for PET/CBM	78
	WordPro 3+/64	69
	WordPro 4+ - 8032, disk, printer	295
	SPELLMASTER spelling checker for WordPro	
	VISICALC for PET, ATARI, or Apple	189
	PET-TRAX PET to Epson Graphics Software	40
ı	SM-KIT enhanced PET/CBM RDM Utilities	40
	Programmers Toolkit - PET ROM Utilities	35
	EASY CALC for C64	65
	PET Spacemaker II ROM Switch	36
l	COPYWRITER Word Processor for C64	69
ı	2 Meter PET to IEEE or IEEE to IEEE Cable	40
l	Dust Cover for PET, CBM, 4040, or 8050	8
l	CmC Interfaces (ADA1BOO, ADA1450, SADI in sta	ck)
l	Programming the PET/CBM (Computel) - R. West	20
ı	Compute! First Book of VIC	11
ı	HES MODEM with Software	65

UMI products in stock \$110 FlexFile for PET/CBM/ C64

HES Software and Hardware in stock

Database, report writer with calculations, maning Ex	
FDRTH for PET/C64 full FIG model — Cargill/Riley	\$50
Metacompiler for FORTH for independent object code	30
KMMM PASCAL IV.1 for PET/C64	95
EARL for PET/CBM Disk-based ASSEMBLER	65

Super Graphics — BASIC Language Extensions Fast machine language graphics routines for PET/CBM 4K \$75 8K \$90 RAM/RDM for PET/CBM modore Public Domain Software for C64

A B Computers

DISK SPECIALS



Scotch (3M) 5" ss/dd	10/ 2.20	50/ 2.00	100/ 1.95
Scotch (3M) 5" ds/dd	10/3.05	50/ 2.80	100/ 2.75
Scotch (3M) 8" ss/sd	10/ 2.30	50/ 2.10	100/ 2.06
Scotch (3M) 8" ss/dd	10/ 2.85	50/ 2.70	100/ 2.65

We stock VERBATIM DISKS Write for Dealer and DEM prices.

Sentinal 5" ss/dd 10/ 1.90 50/ 1.85 100/ 1.80 Sentinal 5" ds/dd 10/ 2.55 50/ 2.50 100/ 2.45

We stock Dysan disks

Head Cleaning Kits

Wabash 5" ss/sd 10/ 1.60 50/ 1.55 100/ 1.45 10/ 1.90 50/ 1.85 100/ 1.75 10/ 2.00 50/ 1.95 100/ 1.85 Wabash 5" ss/dd Wahash 8" ss/sd

We stock MAXELL DISKS

Write for dealer and OEM prices. Disk Storage Pages 10 for \$5 Hub Rings 50 for \$6 8"-3.00 5"-2.25 Disk Library Cases

11 CASSETTE TAPES-AGFA PE-611 PREMIUM

100/.50 C-10 10/.61 50/.58 10/.85 50/.82 C-30

DATASHIELD BACKUP POWER SOURCE Battery back up Uninterruptible Power Supply with surge and noise filtering. The answer to your power problems.

Zenith ZVM-121 Green Phosphor Monitor	95
Zenith new color and monochrome monitors in stock	-
MultiPlan—IBM or Apple	185
Quadboard for IBM available	
Peachtext 5000 Software Package	219
PFS Software for IBM and Apple in stock	
VOTRAX Personal Speech System	280
VOICE BOX Speech Synthesizer (Apple or Atari)	
CompuServe Subscription (5 hours free)	35
Dynax (Brothert DX-15 Daisy Wheel Printer	469
Itoh Prowriter Parallel Printer	379
Panasonic 1090 Printer with Correspondence Mode	319
USI CompuMOD 4 R F Modulator	39
Daisywriter 2000 with 48K buffer	1050
Many printers available (Gemini-Star, Brother, OKI,	etc.)
We Stock AMDEK Monitors	
Amdek DXY-100 Plotter	590
A P Products 15	% OFF
Watanabe Intelligent Plotter 990 6-per	1290
BROOKS 6 Outlet Surge Suppressor/Noise Filter We stock Electrohome Monitors	54
Syneriek SYM-1 Microcomputer	189
ALL BOOK and SOFTWARE PRICES DISCOU	NTED
Panasonic 12" Monitor (20 MHz) with audio	139
Panasonic CT-160 Dual Mode Color Monitor	259

USI Video Monitors-Green or AMBER 20 MHz hi-res. Dealer and OEM inquiries invited

data ENITH systems 2145

HERO 1 Robot (factory assembled) Z29 Terminal (DEC and ADM compatible) ZT-10 Intel. Terminal with Serial Port Z100 16-bit/8-bit Systems in stock



We stock entire Zenith line

45



680

340

CALL

WE STOCK ENTIRE LINE—write for prices. Software for Atari in stock

WRITE FOR CATALOG. Add \$1.50 per order for United Parcel. We pay balance of UPS surface shipping charges on all prepaid orders (add extra for mail, APO/FPO, air). Prices include cash discount. Regular prices slightly higher. Prices subject to change.

215-822-7727

252 Bethlehem Pike Colmar, PA 18915

Apple Blue Book

Havden Software for Apple 20% OFF

Software Catalog (continued)

Radio Shack Color Computer with 32K and at least one disk drive. If you have ever written a BASIC program only to find that it runs too slow to provide any action and you haven't had the courage to learn assembler, then the Color Compiler is the answer to your problem. The Color Compiler lets you write your program in easy BASIC and then converts it into fast machine language. After you run your compiled program, you may find it necessary to add some delays because the Color Compiler will make your program run an average of 40 times faster.

The Color Compiler features a total of 46 commands and functions. Most

of these are a subset of Extended Color BASIC. Except for a few restrictions. you can program in BASIC and assume that anything is legal and the Color Compiler will understand. The Color Compiler generates position-independent code so that you may put the compiled program anywhere in memory, including into a ROM-pack! Don't be misled by the low price - this is a very powerful development package.

Price is \$39.95 (plus \$2 shipping) and is available from Computerware dealers or directly from Computerware at Box 668, 4403 Manchester Ave., Suite 103, Encinitas, CA 92024; (619) 436-3512.

Two Sports Strategy Games

Parr Programming introduces two sports strategy games on cassette for the Commodore VIC-20. In Baseball Adversary, you make tough managerial decisions against your computer opponent. Additional players on the bench allow for pinch hitting and relief pitching.

Football Adversary places you in the role of head coach opposing the computer. Features include a selection of 31 plays and a display of half-time game statistics.

Baseball Adversary requires no memory expansion and retails for \$10.95. Football Adversary requires 8K memory expansion and

retails for \$14.95. Available postpaid from Parr Programming, 2664 Tyler St., Gary, IN 46407; [219] 885-0611

ARCADIA MANIA

Perseus Programming presents a fast-action game for the Commodore 64 entitled ARCADIA MANIA. Nineteen different waves of creatures await your attack.

For more information or to order at \$24.95 each, write to Perseus Programming, 9311 Avery Rd., Broadview Heights, OH 44147.

MICRO!



THE SYSTEM



Essential for telecommunications. Two independent full duplex RS232 channels. Uses 6551 ACIAs. Chystal-driven TTL Lock. Supports at Standard baud rates to 19,200. Can support interrupt-driven I/O. Demonstration source code provided.

COM-1

(916)

SYM-PHYSIS! Call

To

\$139



REAL-TIME

CLOCK/CALENDAR
Demonstration software with source
and data sheet. Uses the OKI
MSM5832. Provision for user-supplied

MSMS32. Provision for user-supplied battery backup.
On board crystal for accurate timekeeping.
CMOS circuitry Low power Year, month, date, day-of-week, hours, minutes & seconds! 12/24 hour Leap Year correction 4 interrupt rates sociable.

CLK-1

\$60





I/O EXPANSION BOARD

For microcomputers that use 6522 VIAs for 1/O and do not provide full address decoding on board. This board has physical space for four additional 6522 VIAs, and provides additional decoding for a total of 16 devices. Two versions of this board are available. The I/OX.122 mounts above, and directly plugs into, an on-board 6522 socket, and relocates the original VIA to the expansion board. Where there are space limitations, the I/OX.222 uses a dip header and an 8" cable for remote installation.

I/OX-122 \$60

I/OX-222 \$72

ALTERNATIVE ENERGY

Dealer and Distributor Inquires Invited.

P.O. Box 1019 Whittier, CA 90609

(213) 941-1383

EPROM PROGRAMMER

Particular combination of hardware and software (machine language) used results in VERY LOW programming overhead. Flexible design; supports luture EPROM designs. Will program EPROMS up to 256K bits (32K bytes).

Programs all these EPROMS: 2508, 2516, 2532, 2564, 2758A, 2758B, 2716, 27C16, 2732, 2732A, 2764, 27C64, 27128,

27C.32, 2764, 27C64, 271 MCM68764 All personality modules INCLUDED. Menu driven program for easy operati

PRG-1

\$250



32K CMOS STATIC RAM BOARD

Models MB-132/32K, \$299 /16K \$241./8K \$197

Features

- 200ns Low Power CMOS, STATIC RAM
- Extends your expansion connector
 Plug compatible with 2716 EPROMS
- First 8K are jumper selectable
 Entire board may be bank-switched

All boards feature G-10 glass/epoxy, solder mask, and gold plated connectors. All boards carry a full 1-year limited warranty. When ordering specify SYM or AIM version; add S &

H in U.S. and Canada \$2.50, overseas \$4.00 (US). Calif. residents add sales tax.





9" Data Monitor

- 80 Columns × 24 lines
- Green text display
- East to read no eye strain
- Up front brightness control
- High resolution graphics
- · Quick start no preheating
- Regulated power supply
- Attractive metal cabinet
- UL and FCC approved

• 15 Day Free Trial - 90 Day Immediate Replacement Warranty

9" Screen - Green Text Display

\$ 79.00

12" Screen - Green Text Display (anti-reflective screen)

\$ 99.00

12" Screen - Amber Text Display (anti-reflective screen)

\$119.00

Display Monitors From Sanyo

With the need for computing power growing every day, Sanyo has stepped in to meet the demand with a whole new line of low cost, high quality data monitors. Designed for commercial and personal computer use. All models come with an array of features, including upfront brightness and contrast controls. The capacity 5×7 dot characters as the input is 24 lines of characters with up to 80 characters per line.

Equally important, all are built with Sanyo's commitment to technological excellence. In the world of Audio/Video, Sanyo is synonymous with reliability and performance. And Sanyo quality is reflected in our reputation. Unlike some suppliers, Sanyo designs, manufactures and tests virtually all the parts that go into our products, from cameras to stereos. That's an assurance not everybody can give you!




• LOWEST PRICES • 15 DAY FREE TRIAL • 90 DAY FREE REPLACEMENT WARRANTY
• BEST SERVICE IN U.S.A. • ONE DAY EXPRESS MAIL • OVER 500 PROGRAMS • FREE CATALOGS

Add \$10.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$20.00 for CANADA, PUERTO RICO, HAWAII orders. WE DO NOT EXPORT TO OTHER COUNTRIES.

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! Canada orders must be in U.S. dollars. Visa · MasterCard · C.O.D.

PROTECTO ENTERPRIZES (WE LOVE OUR CUSTOMERS)

BOX 550, BARRINGTON, ILLINOIS 60010 Phone 312/382-5244 to order



Subscribe to MICRO...
Save 20% and we'll send you a BONUS GIFT

with your subscription!

Fill out the attached card and mail today!

CHOOSE FROM:

★ Best of MICRO Vols. 2 and 3An \$18.00 Value — FREE!

or

★ MICRO Calc for Apple, Atari, TRS-80, or C64
A \$14.95 Value — FREE!

Of

★ What's Where in the AppleA \$24.00 Value for Only \$12.00

TWO NEW FROM

These Great MICRO Publications

A Feast Of Computing Ideas

Use These Postage-Paid Cards To Order

SAVE 20%!

Use This Postage-Paid Card To Subscribe... Or Call Toll-Free

1-800-345-8112

(In PA 1-800-662-2444)

(MasterCard and VISA Accepted)

INICRO SAVE 20%


- ☐ YES! Enter my subscription to MICRO for just \$24.00! and with it send me the BONUS GIFT I've checked.
- ☐ Best of MICRO Volumes 2 and 3. An \$18.00 Value FREE!
- □ MICRO Calc for □ Apple □ Atari □ TRS-80 □ C64 A \$14.95 Value FREE!
- ☐ What's Where in the Apple at Half Price! A \$24.00 Value Only \$12.00!

Please rush my subscription and the BONUS GIFT I've checked to:

Address

City_ __State ____Zip_

(Allow 6-8 weeks for delivery)



BOOKS MICRO!

//ICRO's Newest Books

NEW for VIC-20 Users!

Mastering Your VIC-20 With 8 BASIC Projects

A book that makes learning to program your VIC-20 fun! Contains 8 projects and programs. Games, utilities - even a VIC-20 version of 'VisiCalc.'' All 8 programs on cassette to help you learn faster.

☐ Mastering the VIC-20 @ \$19.95

NEW for OSI Users! MICRO on the OSI

Includes Machine-Language enhancements and BASIC Aids, hardware modifications for enhanced/reversed video, programs for control code and upper/lower case entry. A valuable programming tool.

☐ MICRO on the OSI @ \$19.95

Please rush the MICRO	Books I've	checked	above to:	
Nome				

Address

(Allow 6-8 weeks for delivery)

City

I'm paying by:	Check	□ МО
	VISA	□ MC

Total Enclosed: \$ (Add \$2.00 s/h per book.)

Visa/MC#

CRO's Best Sellers

State

The Best of MICRO

Make your computer reference library complete by adding the "Best of MICRO" to your present book collection. Each volume full of articles and programs pulled from the pages of MICRO. Excellent software at a very low price!

BOM Volume 2 @ \$8.00 □ BOM Volume 3 @ \$10.00

What's Where in the Apple

Revised new addition with text added to the original atlas and gazetter. All Apple users will find this book helpful in understanding their machine and essential for mastering it.

- ☐ What's Where in the Apple @ \$24.95
- □ The Guide @ \$9.95

Best Sellers for **APPLE Users!** MICRO on the APPLE

Programming aids, utilities, games, enhancements. Together Volumes 1, 2, and 3 contain over 100 programs on diskette. Fully documented and explained.

☐ 3-Volume Gift-Boxed @ \$59.95 □ Vol.1□ Vol.2□ Vol.3 \$24.95 ea.

Please rush the MICRO Books I've checked above to:

Name

Address_ City . _State _____Zip_

(Allow 6-8 weeks for delivery)

I'm paying by: ☐ Check ☐ MO □ VISA □ MC

Total Enclosed: \$

(Add \$2.00 s/h per book.)

Visa/MC#

Exp. Date:_



BUSINESS REPLY CARD

FIRST CLASS PERMIT NO. 20, AMHERST, NH

POSTAGE WILL BE PAID BY ADDRESSEE



P.O. Box 6502 Amherst, NH 03031 NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES



SAVE
20%!!!!
Subscribe
to
//ICRO

Use This Postage
Paid Card to Order
the Next 12 issues
of MICRO and SAVE
\$6.00 Off
Newsstand Price!



BUSINESS REPLY CARD

FIRST CLASS PERMIT NO. 20, AMHERST, NH

POSTAGE WILL BE PAID BY ADDRESSEE



P.O. Box 6502 Amherst, NH 03031 NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES



A Feast Of Computing Ideas...

New Books
From

AICRO



BUSINESS REPLY CARD

FIRST CLASS PERMIT NO. 20, AMHERST, NH

POSTAGE WILL BE PAID BY ADDRESSEE



P.O. Box 6502 Amherst, NH 03031 NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES



Order These

Best Sellers From

MICRO

MICRO

Interface Clinic

by Ralph Tenny

have discussed the serial port on your computer and demonstrated experiments for the Color Computer. As I mentioned previously, the serial port on several computers is a software toggle of a PIA bit. This type of port is often referred to as a bit banger, in case you have heard that term. Most previous experiments depended upon the serial port being software driven, but this month I have desiged an I/O port to work with any kind of RS-232 serial port. It will give you eight bits parallel output and eight bits parallel input, driven by the serial port of your computer.

The device that allows this expansion is called a Universal Asynchronous Receiver/Transmitter (UART). UARTs are common in computers and, when used as originally intended, allow the microprocessor to write each character out on its data bus and go on about its business. The UART accepts this data, sets a "busy" flag, and serially transmits the character at a present baud rate. Simultaneously, the UART can monitor a serial input channel (at the same or a different baud rate) for incoming data. If a character is received, the UART sets a "data ready" flag to signal that it has data. Remember, computers with bit-banger serial ports must be involved with sending and receiving serial data - counting down the timing loops to match the timing of the selected baud rate. Therefore, the computer can't do anything else during serial transmission. The UART allows the processor to do something else for relatively long periods of time. This project will show you a slightly different use for a UART, but the UART will function about the same.

Let's look at a typical UART [figure 1]. There are eight parallel input lines, eight parallel output lines, a serial in line and a serial out line, a clock line for each channel, and various handshake and status lines for each channel. The principle of operation for a UART is basically simple and involves having the clock speed 16 times the bit rate or baud rate. It is also important to

remember that asynchronous transmission of serial data has another important feature — the start bit/stop bit protocol. That is, when data is not being sent, the serial line is held at a logic 1 level; when a character is sent, the serial line is taken to logic 0 for one bit time. Immediately after that, the bits are sent, one at a time, until the required number of data bits (usually eight) are sent. Then either one or two stop bits will be sent; that is, the serial line will be held at logic 1 for either one or two bit times.

It is easy to understand how the UART manages the proper bit timing to transmit a character, but how about the receive operation? Here is where the 16X-bit clock comes in. Inside the UART, a very simple circuit spins in a loop, waiting for the start bit to happen. As soon as the serial line goes to logic 0, the input circuit counts off the next eight bit clocks and samples the serial line again. If it is still at logic 0 with half a bit time used up, a start bit is recognized. Next follows a delay of 16 clock periods and the line is sampled again. That means that the logic level of the serial line is checked at about the middle of each bit time, and the 0 or 1 levels are reconstructed into an 8-bit binary word. While the stop bits are active, the input circuit is getting ready for the next character.

The description of how the various hand-shake and status lines operate will be left for you to work out. The data sheet furnished with the UART specified will aid in this research. Ignore those pins that require no connection; this will simplify the schematic diagram of the project. Table 1 shows the various pin names you need to hook up and how to strap them to obtain the performance you need.

Figure 2 shows the schematic of the serial/parallel converter. U1a and U1b plus a special crystal make a precision oscillator to drive the UART clock. U2 and U3 form a divide-by-47 circuit to change the 455 kHz oscillator to the 9600 Hz clock needed for a 600-baud interface $\{600 \times 16 = 9600\}$. Look at the divider network for a moment: 47 decimal is 2F hexadecimal, and U2 is a

7-bit binary counter. A full count on U2 is 7F, so if you skip the high-order output of U2 (/128) and connect the /64, /16, /8, /4, and /2 outputs to an AND gate [U3], then the output of the AND gate will go high every 47 input clock cycles. Pin 2 of U2 is the RESET pin, so U2 will divide by 47, giving the required 9600 Hz (within .8%).

The /64 output is sent to the UART for both clock inputs. U4c is a powerup RESET circuit, which performs the required initialization of the UART, while U4a and U4b generate a slow clock signal, which causes the UART to periodically sample the parallel input lines and send a serial data stream to the computer. There are two ways you can make the computer read this input: you can put the computer into a loop polling the serial input line until it gets an 8-bit character, or you can have it respond to an interrupt. Those with other computers may have to rely on polling, but the Color Computer has an interrupt input on the serial port. U4b and Q2 "tickle" the CD input of the serial port, and you can either poll the port or set up an interrupt. U4a and

(Continued on next page)

Table 1

- 1. Vcc + V
- 2. N/C
- 3. GND
- 4. Received Data Enable GND
- 5. 12 Received Data Bits
- 17. Receiver Clock
- 18. Reset Data Avail. + V
- 20. Serial Input
- 21. External Reset
- 23. Data Strobe
- 40. Transmitter Clock
- 39. Odd/Even Parity Select GND
- 38. # Bits/Char. 2 + V
- 37. # Bits/Char. 1 + V
- 36. # Stop Bits GND
- 35. No Parity + V
- 34. Control Strobe + V
- 26-33. Data Bit Inputs
- 25. Serial Output

Interface Clinic (continued)

causing the UART to load whatever parts list, which was done to give you logic levels are on the input lines (DB7-DB0) and then transmit that binary word to the computer.

Anytime CD is pulled up by Q2, the IRQ flag in the PIA is set; if interrupts are enabled, the computer can be programmed to read the input port to service the interrupt; otherwise, the computer would have to poll the interrupt bit as was done on the previous input adapter (MICRO 63:122). U4c ple gate packages, and any of the secgenerates a .2-second delay as power comes on; this resets the UART. Ulc and the associated resistors adapt the incoming RS-232 levels to the UART serial-in line, while Q1 is driven by the serial-out line from the UART. Although Q1 and Q2 feed the RS-232 lines on the computer, their output swings only from Vcc to ground. This will work over short distances (about 10') with no problem on most computers. If your computer fails to recognize the 0-volt signal as an RS-232 logic 1, change the 1k resistors with Q1 and Q2 to 3.9k resistors and connect them to a source of negative voltage greater than -3 volts.

When you begin to build this serial I/O adapter, you will note some

U4h generate a slow-trigger waveform, simplification in the schematic and some practice in skills needed to design your own computer interfaces. The parts list shows some parts without Radio Shack part numbers, and no part numbers are given for resistors and capacitors. Those parts not available at Radio Shack must be obtained at one of the sources listed in earlier columns. Also, not all the pin numbers of all ICs are shown. U1, U3, and U4 are multitions of the specified IC will do the required job. In addition, only the active signal lines are shown on U5, but some of the lines not shown are listed in the table, showing whether the pins must be tied to Vcc or ground. Pins of U5 not shown in either the schematic or the table are output lines that are not used; leave them unconnected. You can test the output lines (RD0-RD7) with a voltmeter or logic probe. If you type PRINT#-2 CHR\$(69), bits RD6 through RDO should contain the pattern (in binaryl: 1000101 or 45 hexadecimal. Input testing will be more difficult since many dialects of BASIC do not expect to receive data over the serial port. This problem will be covered next month when 2 discuss the programming.

You may contact Mr. Tenny at P. O. Box 545, Richardson, TX 75080.

Figure 1. Pinout for standard UARTs. Some pin name abbreviations are given in the text, and all are explained in **UART** data sheet.

Vcc	11	40	TCP
N/C	234567	39	EPS
Vq1	3	38	NB2
RDE	4	37	NB1
RD7	5	36	TSB
RD6	6	35	NP
RD5	7	34	CS
RD4	8	33	DBO
RD3	9	32	DB1
RD2	10	31	DB2
RD1	11	30	DB3
RDO	12	29	DB4
PE	13	28	DB5
FE	14	27	DB6
OR	15	26	DB7
SWE	16	25	SO
RCP	17	24	EOC
RDV	18	23	DS
DAV	19	22	TBMT
SI	20	21	XR




Figure 2. Schematic for UARTbased serial-parallel adapter which converts an RS-232 serial port into a parallel port. Not all IC connections shown; see text for details.

D&N MICRO PRODUCTS, INC.

TERMS \$3.00 shipping, Foreign orders add 15%, Indiana residents add 5% sales tax

3702 N. Wells St. Fort Wayne, Ind. 46808 (219) 484-6414

COMPUTER

MI	CR	O.	ጸበ	CO	M	PI.	ITER

Z-80A CPU with 4Mhz clock and CP/M 2.2 operating system. 64K low power static memory. Centronics parallel printer port. 3 serial ports. 4" cooling fan. Two 8" single or double sided floppy disk drives. IBM single density 3740 format for 243K or storage, double density format for 604K of storage. Double sided drives allow 1.2 meg on each drive. Satin finish extruded aluminum with vinyl woodgrain decorative finish. 8 slot backplane, 48 pin buss compatible with OSI boards.

MODEL 80-1200	\$2995	
28" Single sided drives		
MODEL 80-2400	\$3495	
28" Double sided drives		

\$2005

MICRO-65 COMPUTER

6502 CPU with 2Mhz clock and DOS-65 operating system. 48K of low power static memory. 2 serial ports and 1 Centronics parallel port, 2 8" single or double sided drives. Satin finish extruded aluminum with vinyl woodgrain finish. 8 slot backplane, 48 pin buss compatible with OSI. Will run OSI 65D and 65U software. Includes Basic E/65 a compiled BASIC for 6502 CPU. MODEL 65-1 \$2995

MODELOSI	42000
2 8" Single sided drives MODEL 65-2 2 8" Double sided drives	\$3495
BP-580 8 Slot Backplane OSI 48 pin Buss compatible	
MEM-CM9 MEMORY	
FLOPPY CONTROLLE	R

24K memory/floppy controller card
uses 0114 memory chine 1 0K and
uses 2114 memory chips, 18K and
1 16K partition. Supports OSI type
disk interface
uisk iliteriace
SAMEMICINO \$325

Z4IAI EIAI-CIAIA		٠				٠			٠	٠			٠	٠	40	,	
16MEM-CM9															\$2	260	
8MEM-CM9															\$1	80	
BAREMEM-C																50	
Controller on	6	3.5	33	36	er	n	t	d	e	d	ι	ır	١i	t			
add															\$	90	

add	-
BIO-1600 Bare IO card \$	50
Supports 8K of memory, 2 16	bit
parallel ports, 5 serial ports,	
with manual and Molex	
connectors.	

Okidata	
ML82A, 120 cps, 10"	. \$409
ML83A, 120 cps, 15"	. \$895
ML84 Parallel, 200 caps, 15"	\$1150
C. loth	
8510AP Prowriter, parallel .	\$419
120 cps, correspondence	quality
8510APD Prowriter, serial	
F10-40PU Starwriter, parallel	
Letter quality daisy whee	
F10-40RU Starwriter, serial.	
F10-55PU Printmaster	
parallel, Letter quality dai	sv
wheel	
F10-55RU Printmaster, seria	\$1610
DISK DRIVES AND CABI	
8" Shugart SA801	\$385
single sided	
8" Shugart SA851	\$585
double sided	
FLC-66ft cable from D&N .	
or OSI disk controller to 8	"drive
51/4" MPI B51 disk drive with	\$450
cable, power supply and	
cabinet. Specify compute	
FLC-51/4 cable for connectio	
to 51/4 drive and D&N or C	
controller, with data sepa	rator
and disk switch. Specify	
computer type	

HARDWARE OSI COMPATIBLE

IO-CA10X Serial Printer Port \$125
Specify Device #3 or #8
IO-CA9 Parallel Printer Port \$150
CMOS-MEM

64K CMOS static memory board, uses 6116 chips, 3 16K, 18K and 2 4K blocks. Partitionable for multiuser, OSI type disk controller, 2 IO mapped serial ports for use with D&N-80 CPU. Ideal way to upgrade from cassette to disk.

Hom cassette to alor.
64K CMOS-MEM \$500
48K CMOS-MEM \$405
24K CMOS-MEM \$260
16K CMOS-MEM \$210
BARECMOS-MEM\$ 50
Controller add.\$ 90
2 IO mapped serial ports add. \$125
on assembled memory board
Z80-IO 2 IO mapped serial \$160
ports for use with D&N-80 CPU
card
FL470 Disk Controller \$155

STANDARD CP/M FOR OSI

D&N-80 CPU CARD

The D&N-80 CPU allows the owner of an OSI static memory computer to convert to Industrial Standard IBM 3740 single density disk format and CP/M operating system. Double density disk operation is also supported for 608K of storage on an 8" diskette. When used with a 51/4" disk system 200K of storage is provided. Optional parallel printer and real time clock. Also available for polled keyboard and video systems. Compatible with C2, C3, C4 and 200 series OSI computers.

INC	LUDES CP/M 2.2	
D&N-80 ·1	Serial 8" disk	\$595
D&N-80-2	Video 51/4" disk	\$595
D&N-80-3	Video 8" disk	\$595
Option 001	1	\$ 60

Parallel printer and real time clock.

\$140

HARD DISK DRIVER

Allows D&N-80 CPU board to control OSI 40 or 80 meg hard disk unit. Will not destroy OSI files. Will also allow for a true 56K CP/M system. Specify 40 or 80 meg drive.

BUSS TRANSFER \$135 Allows for D&N-80 and OSI CPU to be in the computer at the same time. Toggle switch provides for alternate CPU operation.

DISK TRANSFER \$100 Utility program to transfer OSI CP/M format disk to IBM 3740 single density format. Will also transfer IBM to OSI format.

SYSTEM HARDWARE REQUIREMENTS

D&N-80 CPU, D&N FL470 or OSI 470 controller, 48K memory at 0000-BFFF, 4K memory at D000--DFFF, two disk drive cables.

FORMATTRANSFER You supply software on 8" diskette D&N will transfer OSI CP/M format to IBM 3740 CP/M format. Can also transfer IBM 3740 CP/M format to OSI CP/M format. Original diskette returned.

51/4 or 8" drive

OHIO SCIENTIFIC

THE WIZARD'S CITY search for gold in the dungeons beneath the Wizard's city or in the surrounding forest. A dynamic adventure allowing progress in strength and experience. All OSI cassette \$12.95, disk \$15.95.

OSI HARDWARE 15% OFF **RETAIL PRICES!**

GALACTIC EMPIRE - a strategy game of interstellar conquest and negotiation. Compete to discover, conquer, and rule an empire with the computer or 1-2 other players. C4P, C8P cassette \$12.95, disk \$15.95

AIR TRAFFIC ADVENTURE a real time air traffic simulation. C4P, C8P disks \$15.95. Plus S-FORTH, PACKMAN, CRAZY BOMBER, ADVEN-TURE, TOUCH TYPING, IN-TELLIGENT TERMINAL and more. Send for our free catalog including photos and complete descriptions.

(312) 259-3150

Aurora Software Associates



37 S. Mitchell Arlington Heights Illinois 60005





PROWRITER PRINTER \$395

HARDWARE

ACE 1000



4 (3.00.000)**79**16

- he Professional Personal Computer INTRODUCTORY PACKAGE • Franklin Ace

 - Green Monitor

\$1595

QUICK BROWN FOX \$5525

CALL FOR THIS MONTH'S SPECIAL

1-800-835-2246 EXT. 211 702-459-4114





5130 East Charleston Blvd.
Suite 4M
Las Vegas, Nevada 89122
Add \$3.00 for shipping, handling and insurance.
Nevada residents add 5.75% sales tax. Please include phone number. Equipment subject to price change and availability. Call or write for price list.

AICRO

New Publications

pages, paperback. 0-672-22160-8

Polishing Your Apple, Volume 2, by Computer Town; Bringing Computer Herbert M. Honig. Howard W. Sams & Literacy to Your Comunity, by Liza Co. Inc., 4300 West 62nd St., Loop, Julie Anton, and Ramon Zamora. Indianapolis, IN 46268, 1983, 107 Reston Publishing Co, Inc., a Prentice-Hall Company, Reston, VA 22090, \$4.95 1983, 160 pages, paperback. 0-8359-0875 \$12.95

Apple II, BASIC Programs in Minutes, by Stanley R. Frost. SYBEX, 2344 Sixth St., Berkeley, CA 94710, 1983, 176 pages, paperback. 0-89588-121-7

How To Do It on the TRS-80, Model I. II, III, Color Computer and Model 100, 1983, 300 pages, paperback. 0-936200-08-1

by William Barden, Jr. IJG Inc., 1953 West 11th St., Upland, CA 91786, \$29.95

Learn to Type on Your Computer, by Frank P. Donnelly. Dictation Disc Co., 240 Madison Ave., New York, NY 10016, 1983, 33 pages, cardstock, wire-o-bound. 0-936862-16-5 \$10.00

PET/CBM, An Introduction to BASIC Programming and Applications, by Gene Streitmatter. Robert J. Brady Co, a Prentice-Hall Publishing Co., Bowie, MD 20715, 1983, 341 pages, paperback. 0-89303-204-2

The Art of Computer Programming, by Donald William Drury. Tab Books, Inc., Blue Ridge Summit, PA 17214, 1983, 303 pages, paperback. 0-8306-1455-9 \$10.95

How to Build a Program, by Jack \$9.95 Emmerictis. Dilithium Press, P.O. Box plus \$2.00 s/h 606, Beaverton, OR 97075, 1983, 346 pages, paperback. 0-88056-068-1 \$19.95

> Beginner's Guide to Reading Schematics, by Robert J. Traister. Tab Books, Inc., Blue Ridge Summit, PA 17214, 1983, 134 pages, paperback. 0-8306-1536-9 \$8 95

> User's Handbook to the VIC-20 Computer, by Jeffrey R. Weber and Stephen I. Szczecinski. Weber Systems, Inc., 8437 Mayfield Road, Cleveland, OH 49026, 1983, 278 pages, paperback. 0-938862-48-0 \$13.95

> Programming Your Atari Computer, by Mark Thompson. Tab Books Inc., Blue Ridge Summit, PA 17214, 1983, 272 pages, paperback. 0-8306-1453-2 \$19.95

Learning Simulation Techniques on a Microcomputer, by Pat Macalugo. Tab 17214, 1983, 139 pages, paperback. 0-8306-1535-0

Computer Selection Guide, by Dan Poynter, Para Publishing, P.O. Box Books Inc., Blue Ridge Summit, PA 4232, Santa Barbara, CA 93103, 1983, 164 pages, paperback. \$10.95 0-915516-33-0 \$11.95 plus \$1 s/h

OHIO SCIENTIFIC

THE WIZARD'S CITY search for gold in the dungeons beneath the Wizard's city or in the surrounding forest. A dynamic adventure allowing progress in strength and experience. All OSI cassette \$12.95, disk \$15.95.

OSI HARDWARE 15% OFF **RETAIL PRICES!**

GALACTIC EMPIRE - a strategy game of interstellar conquest and negotiation. Compete to discover, conquer, and rule an empire with the computer or 1-2 other players. C4P, C8P cassette \$12.95, disk \$15.95

AIR TRAFFIC ADVENTURE a real time air traffic simulation. C4P, C8P disks \$15.95. Plus S-FORTH, PACKMAN, CRAZY BOMBER, ADVEN-TURE, TOUCH TYPING, IN-TELLIGENT TERMINAL and more. Send for our free catalog including photos and complete descriptions.

(312) 259-3150

Aurora Software Associates



37 S. Mitchell Arlington Heights Illinois 60005





PROWRITER PRINTER \$395

HARDWARE

ACE 1000



4 (3.00.000)**79**16

- he Professional Personal Computer INTRODUCTORY PACKAGE • Franklin Ace

 - Green Monitor

\$1595

QUICK BROWN FOX \$5525

CALL FOR THIS MONTH'S SPECIAL

1-800-835-2246 EXT. 211 702-459-4114





5130 East Charleston Blvd.
Suite 4M
Las Vegas, Nevada 89122
Add \$3.00 for shipping, handling and insurance.
Nevada residents add 5.75% sales tax. Please include phone number. Equipment subject to price change and availability. Call or write for price list.

AICRO

New Publications

pages, paperback. 0-672-22160-8

Polishing Your Apple, Volume 2, by Computer Town; Bringing Computer Herbert M. Honig. Howard W. Sams & Literacy to Your Comunity, by Liza Co. Inc., 4300 West 62nd St., Loop, Julie Anton, and Ramon Zamora. Indianapolis, IN 46268, 1983, 107 Reston Publishing Co, Inc., a Prentice-Hall Company, Reston, VA 22090, \$4.95 1983, 160 pages, paperback. 0-8359-0875 \$12.95

Apple II, BASIC Programs in Minutes, by Stanley R. Frost. SYBEX, 2344 Sixth St., Berkeley, CA 94710, 1983, 176 pages, paperback. 0-89588-121-7

How To Do It on the TRS-80, Model I. II, III, Color Computer and Model 100, by William Barden, Jr. IJG Inc., 1953 West 11th St., Upland, CA 91786, 1983, 300 pages, paperback. 0-936200-08-1 \$29.95

Learn to Type on Your Computer, by Frank P. Donnelly. Dictation Disc Co., 240 Madison Ave., New York, NY 10016, 1983, 33 pages, cardstock, wire-o-bound. 0-936862-16-5 \$10.00

PET/CBM, An Introduction to BASIC Programming and Applications, by Gene Streitmatter. Robert J. Brady Co, a Prentice-Hall Publishing Co., Bowie, MD 20715, 1983, 341 pages, paperback. 0-89303-204-2

The Art of Computer Programming, by Donald William Drury. Tab Books, Inc., Blue Ridge Summit, PA 17214, 1983, 303 pages, paperback. 0-8306-1455-9 \$10.95

How to Build a Program, by Jack \$9.95 Emmerictis. Dilithium Press, P.O. Box plus \$2.00 s/h 606, Beaverton, OR 97075, 1983, 346 pages, paperback. 0-88056-068-1 \$19.95

> Beginner's Guide to Reading Schematics, by Robert J. Traister. Tab Books, Inc., Blue Ridge Summit, PA 17214, 1983, 134 pages, paperback. 0-8306-1536-9 \$8 95

> User's Handbook to the VIC-20 Computer, by Jeffrey R. Weber and Stephen I. Szczecinski. Weber Systems, Inc., 8437 Mayfield Road, Cleveland, OH 49026, 1983, 278 pages, paperback. 0-938862-48-0 \$13.95

> Programming Your Atari Computer, by Mark Thompson. Tab Books Inc., Blue Ridge Summit, PA 17214, 1983, 272 pages, paperback. 0-8306-1453-2 \$19.95

Learning Simulation Techniques on a Microcomputer, by Pat Macalugo. Tab 17214, 1983, 139 pages, paperback. 0-8306-1535-0

Computer Selection Guide, by Dan Poynter, Para Publishing, P.O. Box Books Inc., Blue Ridge Summit, PA 4232, Santa Barbara, CA 93103, 1983, 164 pages, paperback. \$10.95 0-915516-33-0 \$11.95 plus \$1 s/h

The DIF File, by Donald H. Beil, Reston Publishing Co., Inc., A Prentice-Hall Company, Reston, VA 22090, 1983, 235 pages, paperback. \$15.95 0-8359-1305-8

Encyclopedia of Computer Terms, by Douglas Downing, Barron's Educational Series, Inc., 113 Crossways Park Drive, Woodbury, NY 11797, 1983, 148 pages, paperback. \$6.95 0-8120-2519-9

Microprocessor Based Robotics, by Mark J. Robillard, Howard W. Sams & Co. Inc., 4300 West 62nd St., Indianapolis, IN 46268, 1983, 220 pages, paperback. \$16.95 0-672-22050-4

UNIX Primer Plus, by Mitchell Waite, Donald Martin, Stephen Prata, Howard W. Sams & Co. Inc., 4300 West 62nd St., Indianapolis, IN 46268, 1983, 414 pages, paperback. \$19.95 0-672-22028-8

Your First BASIC Program, by Rodnay Zaks, SYBEX, Inc., 2344 Sixth St., Berkeley, CA 94710, 1983, 187 pages, paperback.

0-89588-092-X

\$9.98 plus \$7 s/h

Easy Guide to Your Apple II, by Joseph Kasciner, SYBEX, Inc., 2344 Sixth St., Berkeley, CA 94710, 1983, 147 pages, paperback.

0-89588-122-5

\$9.95 plus \$2 s/h

MICRO

Computer Software Associates, an established software house, supplies software for COMMODORE, APPLE, and IBM home computers. CSA is currently looking to expand its product base of serious programs in the areas of home, education, and office.

Computer Software Associates offers over 30 years of market experience, worldwide distribution, innovative packaging, generous royalties, and programmer support.

Interested programmers should contact Mike Mahan, Product Development Department, Computer Software Associates, 50 Teed Drive, Randolph, Massachusetts 02368. Tel. (617) 961-5700.



If he's working this hard to put himself through college, imagine how he'll work for you.



This part-time worker is a full-time student at a United Negro College Fund college. He's one of thousands who work because it's the only way they can afford college. And who are too committed to fields like business administration, marketing, or engineering, to give up. (Almost 25% of our graduates have business degrees.)

When your company contributes to the Fund, it helps 42 private, predominantly black colleges and universities keep tuition affordable for these students. Students who aren't afraid of working hard now. Or after they graduate.

For information on how to contribute, write on your company letterhead to the United Negro College Fund, Box E, 500 East 62nd St., N.Y., N.Y. 10021.

> Give to the **United Negro** College Fund. Amind is a terrible thing to waste.

> © 1982 United Negro College Fund, Inc



Reviews in Brief

Product Name: Vanilla PILOT

Equip. req'd: Any PET, CBM, Commodore 64, or

VIC-20 (with at least 16K)

Both disk and tape versions are available

Price: \$29.95

Manufacturer: Tamarack Software

Darby, MT 59829

Contact:

Computer Marketing Services Inc.

300 W. Marlton Pike Cherry Hill, NJ 08002

Description: PILOT is an easy-to-learn language used to teach programming and computer concepts to children and other computer novices. The Vanilla version of PILOT is an inexpensive and relatively complete implementation of the PILOT language. It has all of the standard PILOT commands such as ACCEPT, TYPE, MATCH, CALCULATE, JUMP, and USE plus additional commands for sound and turtle graphics (using the quarter-space squares in the CBM graphic-character set). The VIC and 64 versions also have special commands for color and joystick control. Any of these commands may be executed conditionally based on the status of the last MATCH. Vanilla PILOT allows you to enter and edit your programs using

the built-in screen editor. In addition to the standard Commodore editing features, Vanilla PILOT has 19 special commands including AUTO, FIND, CHANGE, RENUMBER, and TRACE. There is even a special command to allow you to "pretty-print" your program listings on the screen or on a printer. Programs may be saved on, or loaded from, tape or disk.

Pluses: Written entirely in machine language, Vanilla PILOT is very fast. The editing commands are superb and the documentation is excellent! The turtle graphics capabilities are a great way to teach programming concepts to children and to let them have fun at the same time. Vanilla PILOT is a great value for the price!

Minuses: Vanilla PILOT lacks several important features found in other implementations of the language. The most severe limitations are: 1. calculations are limited to addition and subtraction of integers between – 999 and + 999; 2. no string variables are allowed, so it is not possible to use this version for the poetry- or story-writing exercises that are often a large part of other PILOTS; 3. conditional statements can only be YES or NO based on the last MATCH statement, so if you want to test for a specific



P.O. Box 4364 Flint, Michigan 48504 (313) 233-5731 (313) 233-3125

ZANIM SYSTEMS

WE CARRY MANY VIC AND APPLE PRODUCTS. PLEASE SEND FOR A CATALOGUE.

CP/M BOARD

BARE BOARD \$29.00

128K RAM*

* COMPATIBLE WITH ALL SATURN SYSTEMS SOFTWARE *

BARE BOARD \$29.00

80 COLUMN BOARD*

* COMPATIBLE WITH THE VIDEX VIDEOTERM WITH SOFTSWITCH BUILT IN

BARE BOARD \$29.00

ALL BOARDS HAVE SOLDER MASKING, COMPONENT LAYOUT, AND GOLD EDGE FINGERS BUILD YOUR OWN APPLE PERIPHERAL CARDS AND SAVE UP TO 80% WE WILL SUPPLY THE IC LIST FOR ANY BOARD

APPLE 11 IS TRADEMARK OF APPLE COMPUTERS. INC CPIM IS REGISTERED TRADEMARK OF DIGITAL RESEARCH, INC. VIDEX IS REGISTERED TRADEMARK OF VIDEX INC.



numerical value of a variable, the variable must first be converted to its ASCII representation and then a MATCH made against another ASCII representation.

Documentation: Vanilla PILOT comes with a 113-page manual that is well-written and effectively illustrated. The first 86 pages contain a series of easy-to-follow tutorials aimed at beginning programmers. These tutorials have been classroom tested with children. The remainder of the manual is a reference guide and is aimed at the teacher and/or someone who is already familiar with PILOT.

Skill level required: No special skills required.

Reviewer: David Malmberg

Product Name: CoCo

Commodore 64 with either Datasette or Equip. req'd:

1541 Disk Drive

\$49.95 Price:

Manufacturer: ISA Software Inc. (HES)

14114 Dallas Parkway

Suite 530


Dallas, TX 75240

Description: Coco is an educational computer game that teaches the fundamentals of BASIC as well as the computer itself. Via the screen display, the program shows how memory is addressed by registers and how instructions to the computer (such as loops and subroutines) function. After taking you briefly through the keyboard's functions you are shown, step by step, how a simple BASIC program works.

Pluses: The program breaks the screen into boxes, which outline the memory registers along with the in/out functions and the commands entered. Then it shows you how everything interacts. The examples given provide a variety of programming methods and will get the novice off to a good start in understanding the BASIC language. The package has both cassette and disk versions.

Minuses: To run the program you need a Joystick Port Adapter, which I feel is easy to misplace thus rendering the

YOUR COLOR COMPUTER JUST EARNED A MATH DEGREE!



MATHMENU

Developed by an engineer, Mathmenu is a powerful menu-driven system to turn your Color Computer into an intelligent, flexible tool for mathematics and engineering. Mathmenu takes the tedium out of math, leaving your full brain power to attack the "meat" of your problems. By rapidly manipulating matrices and vectors, performing integration and differentiation, solving quadratic equations, plotting user defined functions and much more, Mathmenu can help simplify the most complex problems. Whether you are a student or a professional, if you use math, you need Mathmenu.

FEATURING:

• 3D SURFACE PLOTTING - Plots a user defined equation on an X,Y,Z coordinate system in the High-Res graphics mode. Planes, surfaces of revolution, statistical surfaces, etc. can be easily plotted. Surfaces may be saved to disk or tape. We believe this is the only program of its kind commercially available for the Color Computer.

- Complete MATRIX Operations (up to 8 x 8)
- Complete VECTOR Operations
- Numerical Differentiation
- Numerical Integration
- Least Squares Curve Fitting
- Binomial Expansion
- Prime Number Verification
- - Reverse Polish Logic Calculator
 - with Hexadecimal

Large Number Addition and

· Rectangular to Polar Conversions

Quadratic Equation Roots

• 2D Function Plotting

• Base Conversions

Multiplication

• Main Menu with Single-key Selection and Return (Disk Only)

Complete documentation of all functions is included.

For 32K Disk \$49.95 For 16K Cassette \$44.95 Documentation only \$5.00 (refundable with purchase)

Or write for free brochure.



113 Ward Street • Dept. MI • New Haven, CT 06519 • (203) 562-5748

Reviews in Brief (continued)

program unusable. The cassette version does not have the lessons on how to use the program that the disk version has

Documentation: The reference manual provided is clearly written and well done and allows learning the material without the computer programs.

Skill level req'd: None

Reviewer: Richard E. DeVore

Product Name: Word Attack

Equip. req'd: Apple II+, 48K, one disk drive

(also IBM version)

\$49.95 Price:

Davidson & Associates Manufacturer:

> 6069 Groveoak Place, #12 Rancho Palos Verdes, CA 90274

Description: Word Attack is a four-part vocabulary building program that works. It can take the drudgery out of vocabulary drill and may be just the thing for those sagging S.A.T. scores. After you drill on three learning modes (choosing 4th- to 12th-grade words) you're ready for fun with the Word Attack mode. It's the old "blast the right answer" arcade game

Pluses: The program's most powerful feature is its editor mode, which allows you to create your own word lists. I handed our 10-year-old son the documentation and a list of troublesome math terms (complete with definitions and sample sentences. He had no trouble accessing the editor and was soon demolishing the likes of "quotient," "perimeter," and "product."

Minuses: When using the editor, lines cannot be deleted except one at a time. This is a minor problem considering the overall ease of creating, editing, and saving files.

Documentation: Word Attack is a well-designed, welldocumented program. The manufacturer has additional data disks (\$19.95) for grades four through nine as well as one specifically for S.A.T. review.

Skill level required: Word lists begin at 4th-grade level and go through 12th-grade level.

Reviewer: Mario Pagnoni

Product Name: Bank Street Writer

Equip. req'd: Apple II, Apple II+, Apple IIe, Atari,

and one disk drive

\$69.95 Price:

ROCKWELL Microcomputers from Excert, Inc.

SPECIALS • • A65-1 (1K RAM) . \$435 A65-4 (4K RAM) \$455 A65-4B,4F (4K, BASIC or FORTH*) .\$495 A65-4AB (4K, BASIC & Assembler) . \$525 A65/40-5000 (32K RAM) \$1250

LANGUAGES for AIM-65® & AIM 65/40

Assembler				,						\$35
BASIC ROMs										\$65
FORTH* ROMs.										\$65

ENCLOSURES & POWER SUPPLIES

	•	,	_	4	٨	-	•	•	•	,	•	۰		•	- •	•	٠,	_		
A65-006																				. \$175
ENC4A																				.\$115
ENC5A													,							. \$130
ENICGA																				\$140

Educational Computer Division EXCERT INCORPORATED

SERVICE

P.O. Box 8600 White Bear Lake · INSTALLATION Minnesota 55110 · CONSULTING (612) 426-4114

RM 65 SERIES

Deduct 5% from list if ordered with AIM 65® or AIM 65/40.

REPAIR SERVICE

(out of warranty only) \$25/hr. plus parts - \$25 min.

SPARE PARTS

are available



CASH DISCOUNT -Deduct 5% for Prepaid Orders (we pay shipping)

TERMS:

Net 30 from approved Companies & Institutions - otherwise COD. Shipping will be added to order. Minnesota residents add 6% sales tax. Prices subject to change without notice.

Authorized Dealers for:

ROCKWELL INTERNATIONAL CORP CUBIT, MTU, FORETHOUGHT PRODUCTS, GORDOS, SEAWELL, DYNATEM, APPLIED BUSINESS COMPUTER

AIM-65 is a registered trademark of Rockwell International Corp. FORTH is a registered trademark of Forth, Inc.

Manufacturer:

Broderbund Software 1938 Fourth Street

San Rafael, CA 94901

Description: Bank Street Writer is a word processor that is simple enough for children to use but is surprisingly sophisticated. All operations are accessible from menus. Features include page formatting, shift-key modification, file passwords, conversion of binary and text files, erase and recover, move text blocks, and find and replace.

Pluses: A complete, well-guided tutorial is provided on the master disk. Commands are continually displayed to prevent confusion.

Minuses: The 40-column, non-scrolling display makes formatting printouts difficult even with a "final draft" formatting module. Having to exit Write mode for every little correction consumes time. Text in memory is limited to about 1500 words (3200 with a 64K Apple IIe).

Documentation: Instructions are available on the disk; however, a booklet fills in any gaps.

Skill level required: Beginner

Reviewer: Mike Cherry

The Color Connection Product Name:

TRS-80 Color Computer 16K Equip. req'd:

Price:

\$29.95 tape, \$39.95 disk

Manufacturer:

Computerware

Box 668

Encinitas, CA 92024

Description: The Color Connection is a deluxe terminal package for the Color Computer. The program will work with any modem, but is specifically designed to work with the Hayes Smartmodem. All features of the Hayes modem are supported. I tested the disk version. There are two submenus accessed from the main menu: one loads the buffer and one accesses the set-up conditions.

Pluses: The program is easy to load and use. Set-up parameters include 7- or 8-bit, auto-line feed, parity, full or half duplex, phone number, macros 1-4, and save set-up file. The buffer can be transferred to disk or viewed and can be loaded from either disk or keyboard. When in the terminal mode, the buffer can be opened and closed as needed. Buffer size is over 25K with a 32K machine.

Minuses: The disk is auto executing and cannot be backed

(Continued on next page)



mmmmmm, ANOTHER TECHNOLOGICAL BREAKTHROUGH MANAMAMAMAMAMAMA



The OSCOM \$520°°

*AUTO DIAL 300/1200 BPS 212A COMPATIBLE MODEM *EXCLUSIVE TWO YEAR WARRANTY

*VERY COMPACT

*COMPLETE COMM SOFTWARE AVAILABLE

*BUILT-IN SPEAKER

*The STARCOM is our latest compact, most technologically advanced, 300/1200 BPS, SUPER INTELLIGENT AUTO DIAL MODEM. The STAR COM is our second generation product, utilizing only 3 LSI Chips, packaged in a custom designed reinforced plastic case. With the STARCOM, all you need is a modular wall plug: it requires NO TELEPHONE, simply key in the phone numbers from your Terminal or Microcomputer keyboard and the Modem will do the rest.

The OSCOM is another New Product designed for the OSBORNE Computer User. To simplify its use by providing the necessary communication software integrated in the Modem, no more guessing as to which Software to use.

*The SOFTCOM is a Communications Software Package for PC Microcomputer Users.

We Offer Very Generous Discounts To Our Dealers Call and Place Your Order Today ORDERS ONLY 1-800-323-2666 For Information Call 312-459-8881

INCOMM

Division of Interbusiness Corporation 115 N. Wolf Road Wheeling, IL 60090

GRANITE COMPUTER SYSTEMS

THE DISASSEMBLER FAMILY

Source listings identical with TSC 6809 EDITOR - User symbol tables - Local and global labels and expressions - Occurance numbered local labels - Easy identification of Data Areas - FCB - FDB - FCC - Step (optional) disassembly one program or data statement at a time - Source code disc or tape for TSC EDITOR input - Run TSC ASSEMBLER with no or minimal editing Monitor and FLEXTM references are named - Equate table for all external references - Problem codes flagged (6800 & 6502)

Convenient menu driven options carry out tedious error prone disassembly operations - rapidly and accurately.

7
\$75.00
\$75.00
\$75.00

TEXTWRITER II - A complete Text Processor to use with the TSC TEXT EDITOR - The two programs run as one - All features you expect in a full text editing and processing system - (For example: Embed print control characters) - Menu driven

Disk only \$75.00

TEXTWRITER I - A basic Text Processor program to use with the TSC TEXT EDITOR - with most of the features of TEXTWRITER II Specifically for tape systems

Cassette only \$50.00

EPROMMER - Use with the SWTPC MP-R Programmer \$40.00

FILEMANAGER - Use with the JPC TC-3 high speed I/O board - comprehensive cassette oriented operating system. \$40.00

All efficient - well documented - and - VERY FRIENDLY Run on any SS50 6809 with No or Minimal changes - Provided Object (Binary) programs on 5 & 8 FLEXTM discs or KC cassette Inquire about Color Computer availability - Non-FLEX

FLEXTM is a trademark of Technical Systems Consultants, Inc.
GRANITE COMPUTER SYSTEMS

Route 2 Box 445 Hillsboro, NH 03244 M/C VISA (603)464-3850

Commodore 64 & Apple II Assembly Language Debugger

If you are developing software for the Commodore 64 or

Apple II or are interested in assembly language programming, you needed this finely-crafted aid "yesterday." All the features you'd expect in an advanced debugger are included — step, breakpoints, windowing, super-complex conditional breaks, symbolic debugging, patch, show prior 128 steps, and compiled BASIC-like language. Supplied complete with a detailed instruction manual. A new data sheet is available on request.

PTD-6510 Debugger for Commodore 64 \$65.	10
PTD-6502 Debugger for Apple II and IIe \$49.5	95
Manual (only) for above, each \$10.	00
DisKit 64 Fast single disk copy	
(+utilities) for Commodore 64 \$75.	00

PTD-6510 (Commodore) requires 1541 disk drive. PTD-6502 (Apple) requires DOS 3.3, 48K.



PTERODACTYL SOFTWARE®

200 Bolinas Road #27, P.O. Box 538 Fairfax, CA 94930 (415) 485-0714

Reviews in Brief (continued)

up. Be sure to install a write-protect tab on the disk and use it only to load the program. There is no line-print utility.

Documentation: An 8-page manual is included that more than adequately explains software use.

Skill level required: No particular skill level is required.

Reviewer: John Steiner

Product Name: Atari BASIC Compiler

Equip. req'd: Atari 400/800, 48K, one or more

disk drives

Price: \$99.95

Manufacturer: Datasoft, Inc.

9421 Winnetka Avenue Chatsworth, CA 91311

Description: The *Atari BASIC Compiler* compiles programs written in Atari BASIC into machine code. This four-pass compiler offers the option of using integer or floating-point arithmetic. An optional BASIC-to-machine code reference map may be printed to disk, screen, or printer. Assembler source files are created and saved for assembly programmers using DATASM assembler. Compiler design emphasizes speed over compactness in compiled program.

Pluses: The compiler is easy to use and fast. The choice of floating-point or integer arithmetic is important to those doing complex calculations. The line-reference map and assembler source files would be a great aid to those wishing to learn assembly language. Compiled programs are easy to load and fast running. Commercial sale of compiled programs is possible with a simple acknowledgement. The program and documentation are attractively packaged.

Minuses: The compiler does not support BYE, CONT, CLOAD, CSAVE, DOS, ENTER, LIST, LOAD, NEW, SAVE, RUN "filespec," GOTO variable, or GOSUB variable. Some minor modifications may be needed to BASIC programs before compiling.

Documentation: Concise and well organized. Sections on error handling and BASIC program optimizing are very useful.

Skill level required: Beginner/intermediate BASIC programmer.

Reviewer: Tim Kilby

/AICRO

Next Month in MICRO

November features

GRAPHICS

Screen Editors — Generate your own personal character set - for the Apple, Atari, Commodore, and TRS-80 Color Computer.

Drawing Package — An example of what you can do with your own personal character set.

Also: See our Buyer's Guide - just in time for your Christmas shopping.

Read about your computer in the new machine-specific sections — included are a bar-graph generator for the Apple and OS-9 for the TRS-80 Color Computer.


The complete professional software system, that meets ALL provisions of the FORTH-79 Standard (adopted Oct. 1980). Compare the many advanced features of FORTH-79 with the FORTH you are now using, or plan to buy!

FEATURES	ours	OTHERS
79-Standard system gives source portability. Professionally written tutorial & user manual Screen editor with user-definable controls. Macro-assembler with local labels. Virtual memory. Both 13 & 16-sector format. Multiple disk drives. Double-number Standard & String extensions. Upper/lower case keyboard input. LO-Res graphics. 80 column display capability Z-80 CP/M Ver. 2.x & Northstar also available Affordable! Low cost enhancement option: Hi-Res turtle-graphics. Floating-point mathematics. Powerful package with own manual, 50 functions in all, AM9511 compatible.	YES	
FORTH-79 V.2 (requires 48K & 1 disk drive) ENHANCEMENT PACKAGE FOR V.2 Floating point & Hi-Res turtle-graphics COMBINATION PACKAGE (CA res. add 6% tax: COD accepted)		\$ 99.95 \$ 49.95 \$139.95

MicroMotion

12077 Wilshire Blvd. # 506 L.A., CA 90025 (213) 821-4340 Specify APPLE, CP/M or Northstar Dealer inquiries invited





SAVE MONEY! Increase your computer's productivity

The INTERSTELLAR DRIVE is a high performance data storage subsystem with independent power supply, battery backup, and error detection. It has 256KB to 1 Megabyte of solid state memory integrated to perform with your operating system.

PION'S INTERSTELLAR DRIVE is designed for use with a family of interfaces and software packages. Currently available are interfaces for IBM, \$100, TR\$80, Apple, \$\$50, and most Z80 uP, and software for most popular operating systems. Additional interfaces are continually being developed for the most popular computers.

Basic Price for 256KB unit [includes interface and software] \$1095_ plus tax (where applicable) and shipping Visa and Master Card accepted.


,INC.

Tel.(617)923-8009

101R Walnut St., Watertown, MA 02172
TRS80 trademark of Tandy Corp. Apple trademark of Apple Computers
Interstellar Drive trademark of PION, Inc.

MICRO MICRO GRAPHICS

Grand Prize:



AMDEK COLOR-I MONITOR

Plus: A One Year Subscription to MICRO Magazine



4 First Prizes: AMDEK B&W Monitor

Plus: One Year Subscription to MICRO

4 Second Prizes: Box of Disks from Leading Edge

Plus: One Year Subscription to MICRO

4 Third Prizes: 1 Year Subscription to MICRO

Prizes Awarded One in Each Category: Atari, Apple, Commodore, TRS-80C

GONTEST

Use The Form Below To Enter Your Graphic Today

CONTEST RULES

- 1. No purchase necessary. Official Entry Forms are available in MICRO Magazine, or may be obtained, free of charge, from retail stores selling MICRO Magazine, or from MICRO Magazine directly by sending a self-addressed, stamped envelope to: MICRO Graphic Contest, P.O. Box 6502, Amherst, NH 03031. Exact copies of the Official Entry Form are also acceptable.
- 2. All entries must be on machine-readable format and, if possible, should be accompained by a photograph or 35 mm slide of the monitor screen taken while the graphic is being displayed. Submitted material will not be returned unless a Self-Addressed, Stamped Envelope is provided. MICRO assumes no responsibility for lost slides or damaged material.
- 3. All entries must be postmarked no later

than December 15, 1983.

- 4. Contestants may enter as many times as they choose, however each graphic submitted must be an original work and must be accompanied by its own entry form. Each graphic should be titled.
- 5. All prizes will be awarded. In the event contest judges are deadlocked on the winner of any prize, the prize will be awarded to the contestant whose entry has the earliest postmark. Substitutions are not allowed. All decisions of the judges are final.
- 6. By submitting a graphic to be judged, the contestant swears and affirms that the graphic is an original work created by the contestant and assigns all rights to reproduce the graphic, for no additional consideration, to The Computerist, Inc., and its divisions: Micro Ink, and MICRO

Magazine. The contestant is liable for any and all litigation, court costs, and attorneys' fees resulting from his or her submission of plagiarized or stolen graphic programs.

- 7. Winners will be announced in the March 1984 issue of MICRO Magazine. A list of all winners may be obtained after March 1, 1984, by mailing your request and a self-addressed stamped envelope to: MICRO Graphic Contest, P.O. Box 6502, Amherst, NH 03031.
- 8. Employees of The Computerist, Inc., Micro Ink, and MICRO Magazine, as well as MICRO Magazine's columnists and contributing editors are ineligible.
- 9. The MICRO Graphic Contest is a contest of skill, talent, and programming ability and in no way constitutes a game of chance or lottery. Void where prohibited by law.

OFFICIAL ENTRY FORM

MICRO Graphic Contest Official Entry Form

Name			System
Street			Graphics Package
City	_ State	_ Zip	Title of Graphic
Age	PARKET STREET		

I have read the MICRO Graphic Contest rules and understand and have followed all regulations.

Signature

Complete and mail with your graphic to: MICRO Graphic Contest P.O. Box 6502, Amherst, NH 03031


Apple*, Commodore*, Timex/Sinclair*...

by William B. Sanders

from DATAMOST, INC

The idea of getting your own computer sounded wonderful. But now that you have it you're a little scared . . . you think it sounds so technical. Well, take heart. Relax. Help is here. William B. Sanders has written individual books about the Apple, the Commodore 64, and the Timex/Sinclair computers. When you select the one which matches your computer you can breathe easy because it'll be like having your all-time favorite teacher at your side . . . gently guiding you, explaining, and showing.

THE ELEMENTARY series sweeps away the



Timex/Sinclair in down to earth terms, coupled with enjoyable cartoons. It shows you how to hook it up, how to use the keyboard and work on the screen—all the unique things your computer can do so you can make use of it right away! And it also answers those questions you'll about how to write your own simple pro-

have about how to write your own simple programs, about graphics, utility programs, and various hardware options.

You'll see your ELEMENTARY book contains a lot of information. And, you'll also see that not one paragraph or chapter is dull or difficult to follow. Prove ityour yourself. Visityour computer store. Open the book. Read a page of the introduction, then flip to any page and read a paragraph or so. You'll find it's as understandable, as helpful and as marvelous as we say.

We make them elementary.

THE ELEMENTARY COMMODOR

DATAMOST

8943 Fullbright Ave., Chatsworth, Ca. 91311. (213) 709-1202.

VISA/MASTERCHARGE accepted. \$2.00 shipping/handling charge. (California residents add 6%% sales tax)

*Apple, Commodore 64, and Timex/Sinclair are trademarks respectively of Apple Computer, Inc., Commodore Business Machines, Inc. and Timex Computer Corp. Copyright 1983 Datamost Inc.


Apple*, Commodore*, Timex/Sinclair*...

by William B. Sanders

from DATAMOST, INC

The idea of getting your own computer sounded wonderful. But now that you have it you're a little scared . . . you think it sounds so technical. Well, take heart. Relax. Help is here. William B. Sanders has written individual books about the Apple, the Commodore 64, and the Timex/Sinclair computers. When you select the one which matches your computer you can breathe easy because it'll be like having your all-time favorite teacher at your side . . . gently guiding you, explaining, and showing.

THE ELEMENTARY series sweeps away the



Timex/Sinclair in down to earth terms, coupled with enjoyable cartoons. It shows you how to hook it up, how to use the keyboard and work on the screen—all the unique things your computer can do so you can make use of it right away! And it also answers those questions you'll about how to write your own simple pro-

have about how to write your own simple programs, about graphics, utility programs, and various hardware options.

You'll see your ELEMENTARY book contains a lot of information. And, you'll also see that not one paragraph or chapter is dull or difficult to follow. Prove ityour yourself. Visityour computer store. Open the book. Read a page of the introduction, then flip to any page and read a paragraph or so. You'll find it's as understandable, as helpful and as marvelous as we say.

We make them elementary.

THE ELEMENTARY COMMODOR

DATAMOST

8943 Fullbright Ave., Chatsworth, Ca. 91311. (213) 709-1202.

VISA/MASTERCHARGE accepted. \$2.00 shipping/handling charge. (California residents add 6%% sales tax)

*Apple, Commodore 64, and Timex/Sinclair are trademarks respectively of Apple Computer, Inc., Commodore Business Machines, Inc. and Timex Computer Corp. Copyright 1983 Datamost Inc.

Advertiser's Index

AB Computers93
Acorn Software Systems
Alternative Energy Products94
Amplify
Apple Tree Electronics
Arbutus Total Soft92
Ark Computing
Aurora Software100
Avalon Hill
Check-Mate57
Commander Magazine
Communications Electronics19
CompuTech
Computer Expositions, Inc
Computerist70
Computer Mail Order84-85
Computer Marketing1
Computer Science Engineering
Computer Software Association101
D & N Micro
Datamost, Inc
Disk World
Eastern House Software
Estes Engineering
Excert
Granite Computer106
Hollywood Hardware82
InComm105
Inter-Action103
Interesting Software88
John Bell Engineering
Leading Edge Cover IV
Manx Software23
Mercury Micro, Inc
Microbits
MicroMotion107

MicroSpec
Microware Distributing
Midwest Micro40
Modular Mining89
Monarch Data
Nibble
Penguin SoftwareCover II
Percom Data3
Performance Micro
Pterodactyl Software106
Pion, Inc
Professional Business Forms
PrometheusCover III
Protecto Enterprises
R H Electronics
Richvale Telecommunications46
Scientific Software16
SGC
SJB Distributors24
Skyles Electric Works
Spectrum Projects
Star Micronics
Strom41
Unique Data81
Versa Computing9
Victory Software
Winders & Geist Inc
Zanim Systems

MICRO Magazine is not responsible for claims made by its advertisers. Any complaint should be submitted directly to the advertiser. Please also send written notification to MICRO.

National Advertising Representatives

Home Office:

Sheila McDonough, Advertising Representative 10 Northern Boulevard P.O. Box 6502 Amherst, NH 03031

West Coast:

The R.W. Walker Co., Inc. **Gordon Carnie** 2716 Ocean Park Boulevard, Suite 1010, Santa Monica, California 90405 (213) 450-9001

serving: Washington, Oregon, Idaho, Montana, Wyoming, Colorado, New Mexico, Arizona, Utah, Nevada, California, Alaska, and Hawaii (also British Columbia and Alberta, Canada)

Mid-West Territory:

Thomas Knorr & Associates Thomas H. Knorr, Jr. 333 N. Michigan Avenue, Suite 401 Chicago, Illinois 60601 (312) 726-2633

serving: Ohio, Oklahoma, Arkansas, Texas, North Dakota, South Dakota, Nebraska, Kansas, Missouri, Indiana, Illinois, Iowa, Michigan, Wisconsin, and Minnesota.

NEWS...NEWS...NEWS...NEWS...NEWS.

• Growth in the availability of microcomputers created a 16.1 percent increase in the number of actively marketed computer systems from January 1, 1983 to July 1, 1983, according to an analysis of the DATA SOURCES data base. The analysis, a regular feature of the quarterly DATA SOURCES directory, was based on 1,893 computer systems from 566 vendors. Nearly a third of all the systems actively marketed are microcomputers. The high-end microcomputer vendors led the activity with a 61.1 percent increase in systems and the introduction of 44 new products. Sixteen new portable computers were announced representing a 55.2 percent expansion, and 77 desktop and personal computer units were unveiled for an increase of 23 percent. In all, this amounted to more than one new microcomputer-based system for every working day in the time period analyzed.

Such areas as mainframes, minicomputers, small business systems and board-level computers showed only a 7.5 percent growth in new products. The number of vendors marketing these systems actually declined 2.25 percent from 222 companies on January 1 to 217 companies on July 1. For more information write DATA

SOURCES, 20 Brace Road, Cherry Hill, NJ 08034.

- The FORTH National Convention will be held October 14-15, 1983 at the Hyatt Palo Alto and will focus on FORTH-Based Systems. The convention is sponsored by the FORTH Interest Group (FIG) and is prepared to meet the needs of FORTH enthusiasts from beginner to professional with two days of hands-on tutorials, exhibits/vendor booths, lectures and discussions. For further information call the FIG HOT LINE (415) 962-8653 or write the FORTH Interest Group, P.O. Box 1105, San Carlos, CA 94070. Registration is \$5.00.
- A manufacturer-sponsored **credit card** in the retail computer industry has been announced by General Electric Credit Corporation (GECC) and Apple Computer. The **Apple Card** is the centerpiece of a new consumer credit financing program for buyers of Apple computers and compatible hardware and software. The program has been designed by GECC for Apple's U.S. network of 800 authorized retailers representing over 1400 stores. It will be in place for consumers to use on July 15th.

The Apple Card will enable customers to purchase Apple computers and system components without drawing on other lines of credit. Finance charges on Apple Card balances will be competitive with bank card charges. Applications for an Apple Card are available at any participating authorized Apple U.S. dealer. To qualify for the credit card, the consumer must purchase an Apple personal computer and finance a minimum of \$825.00. Up to 90 percent of the initial purchase can be charged by qualifying customers.

- The National Software Show will be held October 19-21, 1983 at the San Francisco Trade Show Center, San Francisco, CA. For more information contact The National Software Show, 21 Tamal Vista, Suite 175, Corte Madera, CA 94925.
- "Educational Computing Profile," a television series for educators and parents will premiere on the PBS network this September. Designed to give practical guidance on buying and using microcomputer software, hardware and peripherals for educational purposes, the nine monthly half-hour programs will update parents, educators, and librarians on the latest technical developments and issues in the microcomputer field.

The program will use a magazine format and include reports and interviews in the areas on trends and news, courseware evaluation, hardware evaluation, and interviews with educators. Check your local PBS listing for time and date. For further information, contact Mary Campbell at KET- (606) 233-3000, Ken Komoski at EPIE (516) 283-4922 or Barbara Garris at EPIE (212) 678-3459.

CompuServe subscribers can access FIRSTWORLD Travel Service in the Home Services area of the
CompuServe Information Service. This travel Club publishes special ticket prices, offers a 24-hour reservation
service, a catalog of discounted tours and cruises and membership to the Very Important Traveler (VIT) Club. The
VIT Club retains a personal travel profile that lists your travel preferences, such as charge card instructions and
flight accommodations.

CompuServe Incorporated is a computer services company providing value-added data processing services to large corporations, financial institutions and government agencies. In addition, CompuServe offers network communications services and operates computer schools in several U.S. cities. The CompuServe Information Service, the largest commercially available videotex information service, currently serves approximately 53,000 subscribers.

.NEWS...NEWS...NEWS...NEWS...NEWS

PRO-MODEM 1200



Time for your computer to make the telephone connection — with an intelligent, full 212A 300/1200 baud modem — with a real time clock/calendar — and with the capability to expand into a complete telecommunications system. It's time for PRO-MODEM 1200. Much more than just a phone modem.

When you're on-line, time is money. PRO-MODEM telecommunication systems help you save. By monitoring the duration and cost of your phone calls. And by sending and receiving messages, unattended, at preset times when the rates are lower. . . with or without your computer.

Compare the \$495 PRO-MODEM 1200 with any other modem on the market. For example, you'd have to buy both the Hayes Smartmodem 1200 plus their Chronograph for about \$950 to get a modem with time base.

PRO-MODEM 1200 is easy to use. A convenient "Help" command displays the Menu of operating command choices for quick reference whenever there's a question about what to do next. Extensive internal and remote self-diagnostics assure that the system is operating properly. Some of the other standard features include Auto Answer, Touch Tone and Pulse Dialing, and Programmable Intelligent Dialing. PRO-MODEM does more. It lets you build a full telecommunications system with features like Auto Dialer, Incoming and Outgoing Message Buffering, Business/Personal Phone Directory, Programmable Operating Instructions, a 12-Character Alpha-Numeric Time and Message Display, and versatile PRO-COM Software. PRO-MODEM commands are Hayes compatible so you can use most existing telecommunications software without modification.

There's much more to the PRO-MODEM story. See your local dealer for complete details. He'll show you how to save time. And money.

Prometheus Products, Inc., 45277 Fremont Blvd., Fremont CA 94538, (415) 490-2370



THE SECRETS OF PERFECT MEMORY: ONE AND ONE HALF EARTH DOLLARS

AT LAST: THE WHOLE TRUTH ABOUT FLOPPIES.

Amazing book reveals

How to keep from brainwashing your disk so it never loses it's

memory.
How fingerprints can actually damage disks.
Unretouched Kirlian photographs of UFO's (Unidentified Floppy Objects)! The incredible importance of making copies: the Department of Redundancy Department—and what goes on when it goes on! Powerful secret methods that scientists claim can actually prevent computer amnesial All this, and much more...

In short, it's an 80page plain-English, graphically stunning, pocket-sized definitive guide to the care and feeding of flexible disks.

For The Book, ask your nearest computer store that sells Elephant* disks, and bring along one and one half earth dollars.

For the name of the store, ask us.
ELEPHANT MEMORY
SYSTEMS® Marketed exclusively by Leading Edge Products, Inc., Information Systems and Supplies Division, 55 Providence Highway, Norwood, MA 02062. Call toll free 1-800-343-8413. In Massachusetts, call collect (617) 769-8150, Telex 951-624.

